

Inventory Control Form

Construct Code: **CONDRPVA**

Construct Name: **DePuy Synthes Pro-Pak® Distal Radius VA**

Construct includes: **1 Plate, up to 9 Screws or Buttress Pins total and 1 Drill Bit**

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To Order go to: JJCustomerConnect.com

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Plate (select one plate from the following list)

2.4 mm VA LCP® Narrow Two-Column Distal Radius Plates

	Stainless Steel	Titanium	Left/Right	Head Holes	Shaft Holes	Length	
<input type="checkbox"/>	02.111.520	<input type="checkbox"/>	04.111.520	Right	6	2	42 mm
<input type="checkbox"/>	02.111.521	<input type="checkbox"/>	04.111.521	Left	6	2	42 mm
<input type="checkbox"/>	02.111.530	<input type="checkbox"/>	04.111.530	Right	6	3	51 mm
<input type="checkbox"/>	02.111.531	<input type="checkbox"/>	04.111.531	Left	6	3	51 mm
<input type="checkbox"/>	02.111.540	<input type="checkbox"/>	04.111.540	Right	6	4	63 mm
<input type="checkbox"/>	02.111.541	<input type="checkbox"/>	04.111.541	Left	6	4	63 mm
<input type="checkbox"/>	02.111.550	<input type="checkbox"/>	04.111.550	Right	6	5	72 mm
<input type="checkbox"/>	02.111.551	<input type="checkbox"/>	04.111.551	Left	6	5	72 mm

2.4 mm VA LCP Two-Column Volar Distal Radius Plates

	Stainless Steel	Titanium	Left/Right	Head Holes	Shaft Holes	Length	
<input type="checkbox"/>	02.111.620	<input type="checkbox"/>	04.111.620	Right	6	2	45 mm
<input type="checkbox"/>	02.111.621	<input type="checkbox"/>	04.111.621	Left	6	2	45 mm
<input type="checkbox"/>	02.111.630	<input type="checkbox"/>	04.111.630	Right	6	3	54 mm
<input type="checkbox"/>	02.111.631	<input type="checkbox"/>	04.111.631	Left	6	3	54 mm
<input type="checkbox"/>	02.111.640	<input type="checkbox"/>	04.111.640	Right	6	4	66 mm
<input type="checkbox"/>	02.111.641	<input type="checkbox"/>	04.111.641	Left	6	4	66 mm
<input type="checkbox"/>	02.111.650	<input type="checkbox"/>	04.111.650	Right	6	5	75 mm
<input type="checkbox"/>	02.111.651	<input type="checkbox"/>	04.111.651	Left	6	5	75 mm
<input type="checkbox"/>	02.111.720	<input type="checkbox"/>	04.111.720	Right	7	2	47 mm
<input type="checkbox"/>	02.111.721	<input type="checkbox"/>	04.111.721	Left	7	2	47 mm
<input type="checkbox"/>	02.111.730	<input type="checkbox"/>	04.111.730	Right	7	3	55 mm
<input type="checkbox"/>	02.111.731	<input type="checkbox"/>	04.111.731	Left	7	3	55 mm
<input type="checkbox"/>	02.111.740	<input type="checkbox"/>	04.111.740	Right	7	4	68 mm
<input type="checkbox"/>	02.111.741	<input type="checkbox"/>	04.111.741	Left	7	4	68 mm
<input type="checkbox"/>	02.111.750	<input type="checkbox"/>	04.111.750	Right	7	5	77 mm
<input type="checkbox"/>	02.111.751	<input type="checkbox"/>	04.111.751	Left	7	5	77 mm

Inventory Control Form

Construct Code: CONDRPVA

Construct Name: DePuy Synthes Pro-Pak® Distal Radius VA

Construct includes: 1 Plate, up to 9 Screws or Buttress Pins total and 1 Drill Bit

Plate

2.4 mm VA LCP Volar Rim Distal Radius Plates

Stainless Steel	Titanium	Left/Right	Head Holes	Shaft Holes	Length
<input type="checkbox"/> 02.115.750	<input type="checkbox"/> 04.115.750	Right	6	5	57 mm
<input type="checkbox"/> 02.115.751	<input type="checkbox"/> 04.115.751	Left	6	5	57 mm
<input type="checkbox"/> 02.115.850	<input type="checkbox"/> 04.115.850	Right	7	5	57 mm
<input type="checkbox"/> 02.115.851	<input type="checkbox"/> 04.115.851	Left	7	5	57 mm

2.4 mm VA-LCP Dorsal Distal Radius L-Plates

Stainless Steel	Titanium	Bend	Head Holes	Shaft Holes	Length
<input type="checkbox"/> 02.115.130	<input type="checkbox"/> 04.115.130	+90°	2	3	37 mm
<input type="checkbox"/> 02.115.131	<input type="checkbox"/> 04.115.131	-90°	2	3	37 mm
<input type="checkbox"/> 02.115.150	<input type="checkbox"/> 04.115.150	+90°	2	5	51 mm
<input type="checkbox"/> 02.115.151	<input type="checkbox"/> 04.115.151	-90°	2	5	51 mm
<input type="checkbox"/> 02.115.230	<input type="checkbox"/> 04.115.230	+90°	3	3	37 mm
<input type="checkbox"/> 02.115.231	<input type="checkbox"/> 04.115.231	-90°	3	3	37 mm
<input type="checkbox"/> 02.115.250	<input type="checkbox"/> 04.115.250	+90°	3	5	51 mm
<input type="checkbox"/> 02.115.251	<input type="checkbox"/> 04.115.251	-90°	3	5	51 mm

2.4 mm VA-LCP Dorsal Distal Radius L-Plates Oblique

Stainless Steel	Titanium	Bend	Head Holes	Shaft Holes	Length
<input type="checkbox"/> 02.115.430	<input type="checkbox"/> 04.115.430	+20°	3	3	41 mm
<input type="checkbox"/> 02.115.431	<input type="checkbox"/> 04.115.431	-20°	3	3	41 mm
<input type="checkbox"/> 02.115.450	<input type="checkbox"/> 04.115.450	+20°	3	5	55 mm
<input type="checkbox"/> 02.115.451	<input type="checkbox"/> 04.115.451	-20°	3	5	55 mm

2.4 mm VA-LCP Dorsal Distal Radius T-Plates

Stainless Steel	Titanium	Head Holes	Shaft Holes	Length
<input type="checkbox"/> 02.115.330	<input type="checkbox"/> 04.115.330	3	5	37 mm
<input type="checkbox"/> 02.115.350	<input type="checkbox"/> 04.115.350	3	5	51 mm

Inventory Control Form

Construct Code: **CONDRPVA**

Construct Name: **DePuy Synthes Pro-Pak® Distal Radius VA**

Construct includes: **1 Plate, up to 9 Screws or Buttress Pins total and 1 Drill Bit**

Plate

2.4 mm VA-LCP Dorsal Distal Radius Plates, Radial Column

Stainless Steel	Titanium	Shaft Holes	Length
<input type="checkbox"/> 02.115.530	<input type="checkbox"/> 04.115.530	5	46 mm
<input type="checkbox"/> 02.115.540	<input type="checkbox"/> 04.115.540	6	57 mm

2.4 mm VA-LCP Dorsal Distal Radius Plates, Intermediate Column

Stainless Steel	Titanium	Bend	Head Holes	Shaft Holes	Length
<input type="checkbox"/> 02.115.630	<input type="checkbox"/> 04.115.630	+90°	2	3	41 mm
<input type="checkbox"/> 02.115.631	<input type="checkbox"/> 04.115.631	-90°	2	3	41 mm
<input type="checkbox"/> 02.115.640	<input type="checkbox"/> 04.115.640	+90°	2	4	49 mm
<input type="checkbox"/> 02.115.641	<input type="checkbox"/> 04.115.641	-90°	2	4	49 mm

Screws & Buttress Pins (select up to 9 screws or buttress pins from the below list)

2.4 mm Cortex Screws, self-tapping, T8 STARDRIVE™ Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/> 201.756	<input type="checkbox"/> 401.756	6 mm
<input type="checkbox"/> 201.757	<input type="checkbox"/> 401.757	7 mm
<input type="checkbox"/> 201.758	<input type="checkbox"/> 401.758	8 mm
<input type="checkbox"/> 201.759	<input type="checkbox"/> 401.759	9 mm
<input type="checkbox"/> 201.760	<input type="checkbox"/> 401.760	10 mm
<input type="checkbox"/> 201.761	<input type="checkbox"/> 401.761	11 mm
<input type="checkbox"/> 201.762	<input type="checkbox"/> 401.762	12 mm
<input type="checkbox"/> 201.763	<input type="checkbox"/> 401.763	13 mm
<input type="checkbox"/> 201.764	<input type="checkbox"/> 401.764	14 mm
<input type="checkbox"/> 201.766	<input type="checkbox"/> 401.766	16 mm
<input type="checkbox"/> 201.768	<input type="checkbox"/> 401.768	18 mm
<input type="checkbox"/> 201.770	<input type="checkbox"/> 401.770	20 mm
<input type="checkbox"/> 201.772	<input type="checkbox"/> 401.772	22 mm
<input type="checkbox"/> 201.774	<input type="checkbox"/> 401.774	24 mm
<input type="checkbox"/> 201.776	<input type="checkbox"/> 401.776	26 mm
<input type="checkbox"/> 201.778	<input type="checkbox"/> 401.778	28 mm
<input type="checkbox"/> 201.780	<input type="checkbox"/> 401.780	30 mm

2.4 mm Locking Screws, self-tapping, T8 STARDRIVE Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/> 212.806	<input type="checkbox"/> 412.806	6 mm
<input type="checkbox"/> 212.807	<input type="checkbox"/> 412.807	7 mm
<input type="checkbox"/> 212.808	<input type="checkbox"/> 412.808	8 mm
<input type="checkbox"/> 212.809	<input type="checkbox"/> 412.809	9 mm
<input type="checkbox"/> 212.810	<input type="checkbox"/> 412.810	10 mm
<input type="checkbox"/> 212.811	<input type="checkbox"/> 412.811	11 mm
<input type="checkbox"/> 212.812	<input type="checkbox"/> 412.812	12 mm
<input type="checkbox"/> 212.813	<input type="checkbox"/> 412.813	13 mm
<input type="checkbox"/> 212.814	<input type="checkbox"/> 412.814	14 mm
<input type="checkbox"/> 212.816	<input type="checkbox"/> 412.816	16 mm
<input type="checkbox"/> 212.818	<input type="checkbox"/> 412.818	18 mm
<input type="checkbox"/> 212.820	<input type="checkbox"/> 412.820	20 mm
<input type="checkbox"/> 212.822	<input type="checkbox"/> 412.822	22 mm
<input type="checkbox"/> 212.824	<input type="checkbox"/> 412.824	24 mm
<input type="checkbox"/> 212.826	<input type="checkbox"/> 412.826	26 mm
<input type="checkbox"/> 212.828	<input type="checkbox"/> 412.828	28 mm
<input type="checkbox"/> 212.830	<input type="checkbox"/> 412.830	30 mm

Inventory Control Form

Construct Code: CONDRPVA

Construct Name: DePuy Synthes Pro-Pak® Distal Radius VA

Construct includes: 1 Plate, up to 9 Screws or Buttress Pins total and 1 Drill Bit

Screws & Buttress Pins

2.4 mm VA Locking Screws, self-tapping, T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.210.107	04.210.107	7 mm
<input type="checkbox"/>	02.210.108	04.210.108	8 mm
<input type="checkbox"/>	02.210.109	04.210.109	9 mm
<input type="checkbox"/>	02.210.110	04.210.110	10 mm
<input type="checkbox"/>	02.210.111	04.210.111	11 mm
<input type="checkbox"/>	02.210.112	04.210.112	12 mm
<input type="checkbox"/>	02.210.113	04.210.113	13 mm
<input type="checkbox"/>	02.210.114	04.210.114	14 mm
<input type="checkbox"/>	02.210.116	04.210.116	16 mm
<input type="checkbox"/>	02.210.118	04.210.118	18 mm
<input type="checkbox"/>	02.210.120	04.210.120	20 mm
<input type="checkbox"/>	02.210.122	04.210.122	22 mm
<input type="checkbox"/>	02.210.124	04.210.124	24 mm
<input type="checkbox"/>	02.210.126	04.210.126	26 mm
<input type="checkbox"/>	02.210.128	04.210.128	28 mm
<input type="checkbox"/>	02.210.130	04.210.130	30 mm

2.7 mm Cortex Screws, self-tapping, T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	202.870	402.870	10 mm
<input type="checkbox"/>	202.872	402.872	12 mm
<input type="checkbox"/>	202.874	402.874	14 mm
<input type="checkbox"/>	202.876	402.876	16 mm
<input type="checkbox"/>	202.878	402.878	18 mm
<input type="checkbox"/>	202.880	402.880	20 mm
<input type="checkbox"/>	202.882	402.882	22 mm
<input type="checkbox"/>	202.884	402.884	24 mm
<input type="checkbox"/>	202.886	402.886	26 mm
<input type="checkbox"/>	202.888	402.888	28 mm
<input type="checkbox"/>	202.890	402.890	30 mm

1.8 mm LCP® Buttress Pins, T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	200.190	400.190	12 mm
<input type="checkbox"/>	200.191	400.191	14 mm
<input type="checkbox"/>	200.192	400.192	16 mm
<input type="checkbox"/>	200.193	400.193	18 mm
<input type="checkbox"/>	200.194	400.194	20 mm
<input type="checkbox"/>	200.195	400.195	22 mm
<input type="checkbox"/>	200.196	400.196	24 mm
<input type="checkbox"/>	200.197	400.197	26 mm
<input type="checkbox"/>	200.198	400.198	28 mm
<input type="checkbox"/>	200.199	400.199	30 mm

1.8 mm VA Locking Buttress Pins, T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.210.078	04.210.078	8 mm
<input type="checkbox"/>	02.210.080	04.210.080	10 mm
<input type="checkbox"/>	02.210.082	04.210.082	12 mm
<input type="checkbox"/>	02.210.084	04.210.084	14 mm
<input type="checkbox"/>	02.210.086	04.210.086	16 mm
<input type="checkbox"/>	02.210.088	04.210.088	18 mm
<input type="checkbox"/>	02.210.090	04.210.090	20 mm
<input type="checkbox"/>	02.210.092	04.210.092	22 mm
<input type="checkbox"/>	02.210.094	04.210.094	24 mm
<input type="checkbox"/>	02.210.096	04.210.096	26 mm
<input type="checkbox"/>	02.210.098	04.210.098	28 mm
<input type="checkbox"/>	02.210.100	04.210.100	30 mm

Drill Bits (select 1 drill bit from the below list)

Drill Bits, quick coupling

	Stainless Steel	Diameter	Description
<input type="checkbox"/>	310.509	1.8 mm	110 mm, with depth mark
<input type="checkbox"/>	310.19	2.0 mm	100 mm