

Inventory Control Form



Construct Code: **CONCSSLGDB**
 Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**
 Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To Order go to: JJCustomerConnect.com

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Ti Cannulated Screw (select one screw from the following list)

4.5 mm Ti Cann Screw + ST

Titanium	Length
04.353.500	100 mm
04.353.501	105 mm
04.353.502	110 mm
04.353.520	20 mm
04.353.522	22 mm
04.353.524	24 mm
04.353.526	26 mm
04.353.528	28 mm
04.353.530	30 mm
04.353.532	32 mm
04.353.534	34 mm
04.353.536	36 mm
04.353.538	38 mm
04.353.540	40 mm
04.353.542	42 mm
04.353.544	44 mm
04.353.546	46 mm
04.353.548	48 mm
04.353.550	50 mm
04.353.555	55 mm
04.353.560	60 mm
04.353.565	65 mm
04.353.570	70 mm
04.353.575	75 mm
04.353.580	80 mm
04.353.585	85 mm
04.353.590	90 mm
04.353.595	95 mm

4.5 mm Ti Cann Screw + LT

Titanium	Length
04.354.500	100 mm
04.354.501	105 mm
04.354.502	110 mm
04.354.530	20 mm
04.354.532	22 mm
04.354.534	24 mm
04.354.536	26 mm
04.354.538	28 mm
04.354.540	30 mm
04.354.542	32 mm
04.354.544	34 mm
04.354.546	36 mm
04.354.548	38 mm
04.354.550	40 mm
04.354.555	42 mm
04.354.560	44 mm
04.354.565	46 mm
04.354.570	48 mm
04.354.575	50 mm
04.354.580	55 mm
04.354.585	60 mm
04.354.590	65 mm
04.354.595	70 mm
04.353.575	75 mm
04.353.580	80 mm
04.353.585	85 mm
04.353.590	90 mm
04.353.595	95 mm

4.5 mm Ti Cann Screw + FT

Titanium	Length
04.355.500	100 mm
04.355.501	105 mm
04.355.502	110 mm
04.355.520	20 mm
04.355.522	22 mm
04.355.524	24 mm
04.355.526	26 mm
04.355.528	28 mm
04.355.530	30 mm
04.355.532	32 mm
04.355.534	34 mm
04.355.536	36 mm
04.355.538	38 mm
04.355.540	40 mm
04.355.542	42 mm
04.355.544	44 mm
04.355.546	46 mm
04.355.548	48 mm
04.355.550	50 mm
04.355.555	55 mm
04.355.560	60 mm
04.355.565	65 mm
04.355.570	70 mm
04.355.575	75 mm
04.355.580	80 mm
04.355.585	85 mm
04.355.590	90 mm
04.355.595	95 mm

Inventory Control Form

Construct Code: **CONCSSLGDB**

Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**

Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Ti Cannulated Screw

5.5 mm Ti Cann Screw + ST

Titanium	Length
04.353.600	100 mm
04.353.601	105 mm
04.353.602	110 mm
04.353.620	20 mm
04.353.622	22 mm
04.353.624	24 mm
04.353.626	26 mm
04.353.628	28 mm
04.353.630	30 mm
04.353.632	32 mm
04.353.634	34 mm
04.353.636	36 mm
04.353.638	38 mm
04.353.640	40 mm
04.353.642	42 mm
04.353.644	44 mm
04.353.646	46 mm
04.353.648	48 mm
04.353.650	50 mm
04.353.655	55 mm
04.353.660	60 mm
04.353.665	65 mm
04.353.670	70 mm
04.353.675	75 mm
04.353.680	80 mm
04.353.685	85 mm
04.353.690	90 mm
04.353.695	95 mm

5.5 mm Ti Cann Screw + LT

Titanium	Length
04.354.600	100 mm
04.354.601	105 mm
04.354.602	110 mm
04.354.630	30 mm
04.354.632	32 mm
04.354.634	34 mm
04.354.636	36 mm
04.354.638	38 mm
04.354.640	40 mm
04.354.642	42 mm
04.354.644	44 mm
04.354.646	46 mm
04.354.648	48 mm
04.354.650	50 mm
04.354.655	55 mm
04.354.660	60 mm
04.354.665	65 mm
04.354.670	70 mm
04.354.675	75 mm
04.354.680	80 mm
04.354.685	85 mm
04.354.690	90 mm
04.354.695	95 mm

5.5 mm Ti Cann Screw + FT

Titanium	Length
04.355.600	100 mm
04.355.601	105 mm
04.355.602	110 mm
04.355.620	20 mm
04.355.622	22 mm
04.355.624	24 mm
04.355.626	26 mm
04.355.628	28 mm
04.355.630	30 mm
04.355.632	32 mm
04.355.634	34 mm
04.355.636	36 mm
04.355.638	38 mm
04.355.640	40 mm
04.355.642	42 mm
04.355.644	44 mm
04.355.646	46 mm
04.355.648	48 mm
04.355.650	50 mm
04.355.655	55 mm
04.355.660	60 mm
04.355.665	65 mm
04.355.670	70 mm
04.355.675	75 mm
04.355.680	80 mm
04.355.685	85 mm
04.355.690	90 mm
04.355.695	95 mm

Inventory Control Form

Construct Code: **CONCSSLGDB**

Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**

Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Ti Cannulated Screw

6.5 mm Ti Cann Screw

	Titanium	Length	Thread	Sterile
	04.353.700	100 mm	16 mm	-
	04.353.701	105 mm	16 mm	-
	04.353.702	110 mm	16 mm	-
	04.353.703	115 mm	16 mm	-
	04.353.704	120 mm	16 mm	-
	04.353.705	125 mm	16 mm	-
	04.353.706	130 mm	16 mm	-
	04.353.707	135 mm	16 mm	-
	04.353.708	140 mm	16 mm	-
	04.353.709S	145 mm	16 mm	Sterile
	04.353.710S	150 mm	16 mm	Sterile
	04.353.711S	155 mm	16 mm	Sterile
	04.353.712S	160 mm	16 mm	Sterile
	04.353.713S	165 mm	16 mm	Sterile
	04.353.714S	170 mm	16 mm	Sterile
	04.353.715S	175 mm	16 mm	Sterile
	04.353.716S	180 mm	16 mm	Sterile
	04.353.730	30 mm	16 mm	-
	04.353.735	35 mm	16 mm	-
	04.353.740	40 mm	16 mm	-
	04.353.745	45 mm	16 mm	-
	04.353.750	50 mm	16 mm	-
	04.353.755	55 mm	16 mm	-
	04.353.760	60 mm	16 mm	-
	04.353.765	65 mm	16 mm	-
	04.353.770	70 mm	16 mm	-
	04.353.775	75 mm	16 mm	-
	04.353.780	80 mm	16 mm	-
	04.353.785	85 mm	16 mm	-
	04.353.790	90 mm	16 mm	-
	04.353.795	95 mm	16 mm	-

7.5 mm Ti Cann Screw

	Titanium	Length	Thread	Sterile
	04.353.800	100 mm	16 mm	-
	04.353.801	105 mm	16 mm	-
	04.353.802	110 mm	16 mm	-
	04.353.803	115 mm	16 mm	-
	04.353.804	120 mm	16 mm	-
	04.353.805	125 mm	16 mm	-
	04.353.806	130 mm	16 mm	-
	04.353.807	135 mm	16 mm	-
	04.353.808	140 mm	16 mm	-
	04.353.809S	145 mm	16 mm	Sterile
	04.353.810S	150 mm	16 mm	Sterile
	04.353.811S	155 mm	16 mm	Sterile
	04.353.812S	160 mm	16 mm	Sterile
	04.353.813S	165 mm	16 mm	Sterile
	04.353.814S	170 mm	16 mm	Sterile
	04.353.815S	175 mm	16 mm	Sterile
	04.353.816S	180 mm	16 mm	Sterile

Inventory Control Form

Construct Code: **CONCSSLGDB**

Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**

Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Ti Cannulated Screw

6.5 mm Ti Cann Screw

	Titanium	Length	Thread	Sterile
	04.354.700	100 mm	32 mm	-
	04.354.701	105 mm	32 mm	-
	04.354.702	110 mm	32 mm	-
	04.354.703	115 mm	32 mm	-
	04.354.704	120 mm	32 mm	-
	04.354.705	125 mm	32 mm	-
	04.354.706	130 mm	32 mm	-
	04.354.707	135 mm	32 mm	-
	04.354.708	140 mm	32 mm	-
	04.354.709	145 mm	32 mm	Sterile
	04.354.710	150 mm	32 mm	-
	04.354.711S	155 mm	32 mm	Sterile
	04.354.712S	160 mm	32 mm	Sterile
	04.354.713S	165 mm	32 mm	Sterile
	04.354.714S	170 mm	32 mm	Sterile
	04.354.715S	175 mm	32 mm	Sterile
	04.354.716S	180 mm	32 mm	Sterile
	04.354.745	45 mm	32 mm	-
	04.354.750	50 mm	32 mm	-
	04.354.755	55 mm	32 mm	-
	04.354.760	60 mm	32 mm	-
	04.354.765	65 mm	32 mm	-
	04.354.770	70 mm	32 mm	-
	04.354.775	75 mm	32 mm	-
	04.354.780	80 mm	32 mm	-
	04.354.785	85 mm	32 mm	-
	04.354.790	90 mm	32 mm	-
	04.354.795	95 mm	32 mm	-

6.5 mm Ti Cann Screw + FT

	Titanium	Length	Sterile
	04.355.700	100 mm	-
	04.355.701	105 mm	-
	04.355.702	110 mm	-
	04.355.703	115 mm	-
	04.355.704	120 mm	-
	04.355.705	125 mm	-
	04.355.706	130 mm	-
	04.355.707	135 mm	-
	04.355.708	140 mm	-
	04.355.709	145 mm	-
	04.355.710	150 mm	-
	04.355.711S	155 mm	Sterile
	04.355.712S	160 mm	Sterile
	04.355.713S	165 mm	Sterile
	04.355.714S	170 mm	Sterile
	04.355.715S	175 mm	Sterile
	04.355.716S	180 mm	Sterile
	04.355.730	30 mm	-
	04.355.735	35 mm	-
	04.355.740	40 mm	-
	04.355.745	45 mm	-
	04.355.750	50 mm	-
	04.355.755	55 mm	-
	04.355.760	60 mm	-
	04.355.765	65 mm	-
	04.355.770	70 mm	-
	04.355.775	75 mm	-
	04.355.780	80 mm	-
	04.355.785	85 mm	-
	04.355.790	90 mm	-
	04.355.795	95 mm	-

Inventory Control Form

Construct Code: **CONCSSLGDB**

Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**

Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Ti Cannulated Screw

7.5 mm Ti Cann Screw

	Titanium	Length	Thread	Sterile
	04.353.830	30 mm	16 mm	-
	04.353.835	35 mm	16 mm	-
	04.353.840	40 mm	16 mm	-
	04.353.845	45 mm	16 mm	-
	04.353.850	50 mm	16 mm	-
	04.353.855	55 mm	16 mm	-
	04.353.860	60 mm	16 mm	-
	04.353.865	65 mm	16 mm	-
	04.353.870	70 mm	16 mm	-
	04.353.875	75 mm	16 mm	-
	04.353.880	80 mm	16 mm	-
	04.353.885	85 mm	16 mm	-
	04.353.890	90 mm	16 mm	-
	04.353.895	95 mm	16 mm	-
	04.354.800	100 mm	32 mm	-
	04.354.801	105 mm	32 mm	-
	04.354.802	110 mm	32 mm	-
	04.354.803	115 mm	32 mm	-
	04.354.804	120 mm	32 mm	-
	04.354.805	125 mm	32 mm	-
	04.354.806	130 mm	32 mm	-

	Titanium	Length	Thread	Sterile
	04.354.807	135 mm	32 mm	-
	04.354.808	140 mm	32 mm	-
	04.354.809	145 mm	32 mm	-
	04.354.810	150 mm	32 mm	-
	04.354.811S	155 mm	32 mm	Sterile
	04.354.812S	160 mm	32 mm	Sterile
	04.354.813S	165 mm	32 mm	Sterile
	04.354.814S	170 mm	32 mm	Sterile
	04.354.815S	175 mm	32 mm	Sterile
	04.354.816S	180 mm	32 mm	Sterile
	04.354.845	45 mm	32 mm	-
	04.354.850	50 mm	32 mm	-
	04.354.855	55 mm	32 mm	-
	04.354.860	60 mm	32 mm	-
	04.354.865	65 mm	32 mm	-
	04.354.870	70 mm	32 mm	-
	04.354.875	75 mm	32 mm	-
	04.354.880	80 mm	32 mm	-
	04.354.885	85 mm	32 mm	-
	04.354.890	90 mm	32 mm	-
	04.354.895	95 mm	32 mm	-

Inventory Control Form

Construct Code: **CONCSSLGDB**

Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**

Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Ti Cannulated Screw

7.5 mm Ti Cann Screw + FT

	Titanium	Length	Sterile
	04.355.800	100 mm	-
	04.355.801	105 mm	-
	04.355.802	110 mm	-
	04.355.803	115 mm	-
	04.355.804	120 mm	-
	04.355.805	125 mm	-
	04.355.806	130 mm	-
	04.355.807	135 mm	-
	04.355.808	140 mm	-
	04.355.809S	145 mm	Sterile
	04.355.810S	150 mm	Sterile
	04.355.811S	155 mm	Sterile
	04.355.812S	160 mm	Sterile
	04.355.813S	165 mm	Sterile
	04.355.814S	170 mm	Sterile
	04.355.815S	175 mm	Sterile
	04.355.816S	180 mm	Sterile
	04.355.830	30 mm	-
	04.355.835	35 mm	-
	04.355.840	40 mm	-
	04.355.845	45 mm	-
	04.355.850	50 mm	-
	04.355.855	55 mm	-
	04.355.860	60 mm	-
	04.355.865	65 mm	-
	04.355.870	70 mm	-
	04.355.875	75 mm	-
	04.355.880	80 mm	-
	04.355.885	85 mm	-
	04.355.890	90 mm	-
	04.355.895	95 mm	-

Inventory Control Form

Construct Code: **CONCSSLGDB**

Construct Name: **DePuy Synthes Pro-Pak® CSS+ LG DB**

Construct includes: **1 Screw, 1 Guidewire and 1 Washer**

Washers and Guidewire (select 1 Guidewire and 1 Washer from the below list)

Guidewire

Item Number	Description
<input type="checkbox"/> 03.333.003	1.6 mm Guide Wire - Trocar Tip / 220 mm Length
<input type="checkbox"/> 03.333.004	2.8 mm Guide Wire Fluted Tip / 220 mm Length
<input type="checkbox"/> 03.333.013	1.6 mm Threaded Guide Wire / 220 mm Length
<input type="checkbox"/> 03.333.014	2.8 mm Threaded Guide Wire / 220 mm Length
<input type="checkbox"/> 03.333.015	2.8 mm Threaded Guide Wire / 300 mm Length

Washer

Item Number	Description
<input type="checkbox"/> 04.353.905S	Washer for 4.5 CANN Screw+ -Ster
<input type="checkbox"/> 04.353.906S	Washer for 5.5 CANN Screw+ -Ster
<input type="checkbox"/> 04.353.907S	Washer for 6.5 CANN Screw+ -Ster
<input type="checkbox"/> 04.353.908S	Washer for 7.5 CANN Screw+ -Ster

Drill Bit (select 1 from the below list)

Drill Bit

Item Number	Description
<input type="checkbox"/> 03.333.103	3.0 mm Cannulated Drill Bit QC / 125 mm
<input type="checkbox"/> 03.333.104	5.0 mm Cannulated Drill Bit Large QC / 215 mm