

Inventory Control Form

Construct Code: **CONCLAVVALCK**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - VA - Locking**

Construct includes: **1 Plate, Up to 10 Screws and 1 Drill Bit**

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To Order go to: JJCustomerConnect.com

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Plate (select one plate from the following list)

2.7 mm VA LCP Clavicle Plate, Shaft

Stainless Steel	Titanium	Plate Size	Left/Right
<input type="checkbox"/> 02.112.620	<input type="checkbox"/> 04.112.620	CS1	Left
<input type="checkbox"/> 02.112.621	<input type="checkbox"/> 04.112.621	CS1	Right
<input type="checkbox"/> 02.112.622	<input type="checkbox"/> 04.112.622	CS2	Left
<input type="checkbox"/> 02.112.623	<input type="checkbox"/> 04.112.623	CS2	Right
<input type="checkbox"/> 02.112.624	<input type="checkbox"/> 04.112.624	CS3	Left
<input type="checkbox"/> 02.112.625	<input type="checkbox"/> 04.112.625	CS3	Right

2.7 mm VA LCP Clavicle Plate, Shaft

Stainless Steel	Titanium	Plate Size	Left/Right
<input type="checkbox"/> 02.112.712S	<input type="checkbox"/> 04.112.712S	XL	Left
<input type="checkbox"/> 02.112.713S	<input type="checkbox"/> 04.112.713S	XL	Right

2.7 mm VA LCP Clavicle Plate, Medial

Stainless Steel	Titanium	Plate Size	Left/Right
<input type="checkbox"/> 02.112.630	<input type="checkbox"/> 04.112.630	-	Left
<input type="checkbox"/> 02.112.631	<input type="checkbox"/> 04.112.631	-	Right

2.7 mm VA LCP Clavicle Plate, Lateral

Stainless Steel	Titanium	Plate Size	Left/Right
<input type="checkbox"/> 02.112.610	<input type="checkbox"/> 04.112.610	CS1	Left
<input type="checkbox"/> 02.112.611	<input type="checkbox"/> 04.112.611	CS1	Right
<input type="checkbox"/> 02.112.612	<input type="checkbox"/> 04.112.612	CS2	Left
<input type="checkbox"/> 02.112.613	<input type="checkbox"/> 04.112.613	CS2	Right
<input type="checkbox"/> 02.112.614	<input type="checkbox"/> 04.112.614	CS3	Left
<input type="checkbox"/> 02.112.615	<input type="checkbox"/> 04.112.615	CS3	Right

Inventory Control Form

Construct Code: **CONCLAVVALCK**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - VA - Locking**

Construct includes: **1 Plate, Up to 10 Screws and 1 Drill Bit**

Plate

2.7 mm/3.5 mm VA LCP Clavial Plate, Lateral Anterior

Stainless Steel		Titanium		Shaft Holes	Length
<input type="checkbox"/>	02.112.045	<input type="checkbox"/>	04.112.045	7	77 mm
<input type="checkbox"/>	02.112.046	<input type="checkbox"/>	04.112.046	9	89 mm
<input type="checkbox"/>	02.112.047	<input type="checkbox"/>	04.112.047	10	101 mm
<input type="checkbox"/>	02.112.048	<input type="checkbox"/>	04.112.048S	11	113 mm
<input type="checkbox"/>	02.112.049	<input type="checkbox"/>	04.112.049S	12	124 mm

Locking Screws (select up to 10 screws from the below list)

2.7mm VA Locking Screw, self-tapping, with T8 STARDRIVE Recess

Stainless Steel		Titanium		Length
<input type="checkbox"/>	02.211.010	<input type="checkbox"/>	04.211.010	10 mm
<input type="checkbox"/>	02.211.012	<input type="checkbox"/>	04.211.012	12 mm
<input type="checkbox"/>	02.211.014	<input type="checkbox"/>	04.211.014	14 mm
<input type="checkbox"/>	02.211.016	<input type="checkbox"/>	04.211.016	16 mm
<input type="checkbox"/>	02.211.018	<input type="checkbox"/>	04.211.018	18 mm
<input type="checkbox"/>	02.211.020	<input type="checkbox"/>	04.211.020	20 mm
<input type="checkbox"/>	02.211.022	<input type="checkbox"/>	04.211.022	22 mm
<input type="checkbox"/>	02.211.024	<input type="checkbox"/>	04.211.024	24 mm
<input type="checkbox"/>	02.211.026	<input type="checkbox"/>	04.211.026	26 mm
<input type="checkbox"/>	02.211.028	<input type="checkbox"/>	04.211.028	28 mm
<input type="checkbox"/>	02.211.030	<input type="checkbox"/>	04.211.030	30 mm
<input type="checkbox"/>	02.211.032	<input type="checkbox"/>	04.211.032	32 mm
<input type="checkbox"/>	02.211.034	<input type="checkbox"/>	04.211.034	34 mm
<input type="checkbox"/>	02.211.036	<input type="checkbox"/>	04.211.036	36 mm
<input type="checkbox"/>	02.211.038	<input type="checkbox"/>	04.211.038	38 mm
<input type="checkbox"/>	02.211.040	<input type="checkbox"/>	04.211.040	40 mm

3.5mm Locking Screws, self-tapping, with Stardrive Recess

Stainless Steel		Titanium		Length
<input type="checkbox"/>	212.101	<input type="checkbox"/>	412.101	10 mm
<input type="checkbox"/>	212.102	<input type="checkbox"/>	412.102	12 mm
<input type="checkbox"/>	212.103	<input type="checkbox"/>	412.103	14 mm
<input type="checkbox"/>	212.104	<input type="checkbox"/>	412.104	16 mm
<input type="checkbox"/>	212.105	<input type="checkbox"/>	412.105	18 mm
<input type="checkbox"/>	212.106	<input type="checkbox"/>	412.106	20 mm
<input type="checkbox"/>	212.107	<input type="checkbox"/>	412.107	22 mm
<input type="checkbox"/>	212.108	<input type="checkbox"/>	412.108	24 mm
<input type="checkbox"/>	212.109	<input type="checkbox"/>	412.109	26 mm
<input type="checkbox"/>	212.110	<input type="checkbox"/>	412.110	28 mm
<input type="checkbox"/>	212.111	<input type="checkbox"/>	412.111	30 mm
<input type="checkbox"/>	212.112	<input type="checkbox"/>	412.112	32 mm
<input type="checkbox"/>	212.113	<input type="checkbox"/>	412.113	34 mm
<input type="checkbox"/>	212.114	<input type="checkbox"/>	412.114	35 mm
<input type="checkbox"/>	212.115	<input type="checkbox"/>	412.115	36 mm
<input type="checkbox"/>	212.116	<input type="checkbox"/>	412.116	38 mm
<input type="checkbox"/>	212.117	<input type="checkbox"/>	412.117	40 mm

Inventory Control Form

Construct Code: **CONCLAVVALCK**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - VA - Locking**

Construct includes: **1 Plate, Up to 10 Screws and 1 Drill Bit**

Cortex Screws & Metaphyseal Screws (select up to 10 screws from the below list)

2.7mm Metaphyseal Screw, self-tapping, with T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.118.510	<input type="checkbox"/>	04.118.510 10 mm
<input type="checkbox"/>	02.118.512	<input type="checkbox"/>	04.118.512 12 mm
<input type="checkbox"/>	02.118.514	<input type="checkbox"/>	04.118.514 14 mm
<input type="checkbox"/>	02.118.516	<input type="checkbox"/>	04.118.516 16 mm
<input type="checkbox"/>	02.118.518	<input type="checkbox"/>	04.118.518 18 mm
<input type="checkbox"/>	02.118.520	<input type="checkbox"/>	04.118.520 20 mm
<input type="checkbox"/>	02.118.522	<input type="checkbox"/>	04.118.522 22 mm
<input type="checkbox"/>	02.118.524	<input type="checkbox"/>	04.118.524 24 mm
<input type="checkbox"/>	02.118.526	<input type="checkbox"/>	04.118.526 26 mm
<input type="checkbox"/>	02.118.528	<input type="checkbox"/>	04.118.528 28 mm
<input type="checkbox"/>	02.118.530	<input type="checkbox"/>	04.118.530 30 mm
<input type="checkbox"/>	02.118.532	<input type="checkbox"/>	04.118.532 32 mm
<input type="checkbox"/>	02.118.534	<input type="checkbox"/>	04.118.534 34 mm
<input type="checkbox"/>	02.118.536	<input type="checkbox"/>	04.118.536 36 mm
<input type="checkbox"/>	02.118.538	<input type="checkbox"/>	04.118.538 38 mm
<input type="checkbox"/>	02.118.540	<input type="checkbox"/>	04.118.540 40 mm

2.7mm Cortex Screw, self-tapping, with T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	202.870	<input type="checkbox"/>	402.870 10 mm
<input type="checkbox"/>	202.872	<input type="checkbox"/>	402.872 12 mm
<input type="checkbox"/>	202.874	<input type="checkbox"/>	402.874 14 mm
<input type="checkbox"/>	202.876	<input type="checkbox"/>	402.876 16 mm
<input type="checkbox"/>	202.878	<input type="checkbox"/>	402.878 18 mm
<input type="checkbox"/>	202.880	<input type="checkbox"/>	402.880 20 mm
<input type="checkbox"/>	202.882	<input type="checkbox"/>	402.882 22 mm
<input type="checkbox"/>	202.884	<input type="checkbox"/>	402.884 24 mm
<input type="checkbox"/>	202.886	<input type="checkbox"/>	402.886 26 mm
<input type="checkbox"/>	202.888	<input type="checkbox"/>	402.888 28 mm
<input type="checkbox"/>	202.890	<input type="checkbox"/>	402.890 30 mm
<input type="checkbox"/>	202.892	<input type="checkbox"/>	402.892 32 mm
<input type="checkbox"/>	202.894	<input type="checkbox"/>	402.894 34 mm
<input type="checkbox"/>	202.896	<input type="checkbox"/>	402.896 36 mm
<input type="checkbox"/>	202.898	<input type="checkbox"/>	402.898 38 mm
<input type="checkbox"/>	202.900	<input type="checkbox"/>	402.900 40 mm

3.5 mm Cortex Screw, Low-Profile Head, selftapping, T15 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.206.210	<input type="checkbox"/>	04.206.210 10 mm
<input type="checkbox"/>	02.206.212	<input type="checkbox"/>	04.206.212 12 mm
<input type="checkbox"/>	02.206.214	<input type="checkbox"/>	04.206.214 14 mm
<input type="checkbox"/>	02.206.216	<input type="checkbox"/>	04.206.216 16 mm
<input type="checkbox"/>	02.206.218	<input type="checkbox"/>	04.206.218 18 mm
<input type="checkbox"/>	02.206.220	<input type="checkbox"/>	04.206.220 20 mm
<input type="checkbox"/>	02.206.222	<input type="checkbox"/>	04.206.222 22 mm
<input type="checkbox"/>	02.206.224	<input type="checkbox"/>	04.206.224 24 mm
<input type="checkbox"/>	02.206.226	<input type="checkbox"/>	04.206.226 26 mm
<input type="checkbox"/>	02.206.228	<input type="checkbox"/>	04.206.228 28 mm
<input type="checkbox"/>	02.206.230	<input type="checkbox"/>	04.206.230 30 mm
<input type="checkbox"/>	02.206.232	<input type="checkbox"/>	04.206.232 32 mm
<input type="checkbox"/>	02.206.234	<input type="checkbox"/>	04.206.234 34 mm
<input type="checkbox"/>	02.206.236	<input type="checkbox"/>	04.206.236 36 mm
<input type="checkbox"/>	02.206.238	<input type="checkbox"/>	04.206.238 38 mm
<input type="checkbox"/>	02.206.240	<input type="checkbox"/>	04.206.240 40 mm

3.5mm Cortex Screws, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	204.810	<input type="checkbox"/>	404.810 10 mm
<input type="checkbox"/>	204.812	<input type="checkbox"/>	404.812 12 mm
<input type="checkbox"/>	204.814	<input type="checkbox"/>	404.814 14 mm
<input type="checkbox"/>	204.816	<input type="checkbox"/>	404.816 16 mm
<input type="checkbox"/>	204.818	<input type="checkbox"/>	404.818 18 mm
<input type="checkbox"/>	204.820	<input type="checkbox"/>	404.820 20 mm
<input type="checkbox"/>	204.822	<input type="checkbox"/>	404.822 22 mm
<input type="checkbox"/>	204.824	<input type="checkbox"/>	404.824 24 mm
<input type="checkbox"/>	204.826	<input type="checkbox"/>	404.826 26 mm
<input type="checkbox"/>	204.828	<input type="checkbox"/>	404.828 28 mm
<input type="checkbox"/>	204.830	<input type="checkbox"/>	404.830 30 mm
<input type="checkbox"/>	204.832	<input type="checkbox"/>	404.832 32 mm
<input type="checkbox"/>	204.834	<input type="checkbox"/>	404.834 34 mm

Inventory Control Form

Construct Code: **CONCLAVVALCK**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - VA - Locking**

Construct includes: **1 Plate, Up to 10 Screws and 1 Drill Bit**

Cortex Screws & Metaphyseal Screws (select up to 10 screws from the below list)

3.5mm Cortex Screws, self-tapping, Stardrive

	Stainless Steel		Titanium	Length
<input type="checkbox"/>	02.200.010	<input type="checkbox"/>	04.200.010	10 mm
<input type="checkbox"/>	02.200.012	<input type="checkbox"/>	04.200.012	12 mm
<input type="checkbox"/>	02.200.014	<input type="checkbox"/>	04.200.014	14 mm
<input type="checkbox"/>	02.200.016	<input type="checkbox"/>	04.200.016	16 mm
<input type="checkbox"/>	02.200.018	<input type="checkbox"/>	04.200.018	18 mm
<input type="checkbox"/>	02.200.020	<input type="checkbox"/>	04.200.020	20 mm
<input type="checkbox"/>	02.200.022	<input type="checkbox"/>	04.200.022	22 mm
<input type="checkbox"/>	02.200.024	<input type="checkbox"/>	04.200.024	24 mm
<input type="checkbox"/>	02.200.026	<input type="checkbox"/>	04.200.026	26 mm
<input type="checkbox"/>	02.200.028	<input type="checkbox"/>	04.200.028	28 mm
<input type="checkbox"/>	02.200.030	<input type="checkbox"/>	04.200.030	30 mm
<input type="checkbox"/>	02.200.032	<input type="checkbox"/>	04.200.032	32 mm
<input type="checkbox"/>	02.200.034	<input type="checkbox"/>	04.200.034	34 mm
<input type="checkbox"/>	02.200.036	<input type="checkbox"/>	04.200.036	36 mm
<input type="checkbox"/>	02.200.038	<input type="checkbox"/>	04.200.038	38 mm
<input type="checkbox"/>	02.200.040	<input type="checkbox"/>	04.200.040	40 mm

Drill Bits (select 1 drill bit from the below list)

2.0 mm Drill Bit with Depth Mark, quick coupling

	Stainless Steel	Diameter
<input type="checkbox"/>	323.062	140 mm
<input type="checkbox"/>	310.534	110 mm

2.0 mm Drill Bit, quick coupling

	Stainless Steel	Diameter
<input type="checkbox"/>	310.21	125 mm
<input type="checkbox"/>	03.133.100	110 mm

2.5 mm Drill Bit, quick coupling

	Stainless Steel	Diameter
<input type="checkbox"/>	310.25	10 mm

2.8 mm Drill Bit, quick coupling

	Stainless Steel	Diameter
<input type="checkbox"/>	310.288	165 mm