

Inventory Control Form

Construct Code: **CONHANDVA**

Construct Name: **DePuy Synthes Pro-Pak® Hand - VA**

Construct includes: **1 Plate, up to 8 Screws and up to 2 Drill Bits total**

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To Order go to: JJCustomerConnect.com

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Plate (select one plate from the following list)

Straight Plates

Stainless Steel	Titanium	Plate Profile	Shaft Holes
<input type="checkbox"/> 02.130.150	<input type="checkbox"/> 04.130.150	1.3 mm	6
<input type="checkbox"/> 02.130.151	<input type="checkbox"/> 04.130.151	1.3 mm	12
<input type="checkbox"/> 02.130.250	<input type="checkbox"/> 04.130.250	1.5 mm	6
<input type="checkbox"/> 02.130.251	<input type="checkbox"/> 04.130.251	1.5 mm	12
<input type="checkbox"/> 02.130.350	<input type="checkbox"/> 04.130.350	2.0 mm	6
<input type="checkbox"/> 02.130.351	<input type="checkbox"/> 04.130.351	2.0 mm	12

Phalangeal Head Plates

Stainless Steel	Titanium	Plate Profile	Left/Right	Head Holes	Shaft Holes
<input type="checkbox"/> 02.130.154	<input type="checkbox"/> 04.130.154	1.3 mm	Straight	2	5
<input type="checkbox"/> 02.130.156	<input type="checkbox"/> 04.130.156	1.3 mm	Right	2	5
<input type="checkbox"/> 02.130.157	<input type="checkbox"/> 04.130.157	1.3 mm	Left	2	5
<input type="checkbox"/> 02.130.254	<input type="checkbox"/> 04.130.254	1.5 mm	-	2	6
<input type="checkbox"/> 02.130.256	<input type="checkbox"/> 04.130.256	1.5 mm	Right	2	6
<input type="checkbox"/> 02.130.257	<input type="checkbox"/> 04.130.257	1.5 mm	Left	2	6
<input type="checkbox"/> 02.130.354	<input type="checkbox"/> 04.130.354	2.0 mm	-	2	6

Fist Metacarpal Plates

Stainless Steel	Titanium	Plate Profile	Type
<input type="checkbox"/> 02.130.263	<input type="checkbox"/> 04.130.263	1.5 mm	Dorsal
<input type="checkbox"/> 02.130.264	<input type="checkbox"/> 04.130.264	1.5 mm	Right
<input type="checkbox"/> 02.130.265	<input type="checkbox"/> 04.130.265	1.5 mm	Left
<input type="checkbox"/> 02.130.363	<input type="checkbox"/> 04.130.363	2.0 mm	Dorsal

Inventory Control Form

Construct Code: **CONHANDVA**

Construct Name: **DePuy Synthes Pro-Pak® Hand - VA**

Construct includes: **1 Plate, up to 8 Screws and up to 2 Drill Bits total**

Plate

T-Plates

Stainless Steel	Titanium	Plate Profile	Head Holes	Shaft Holes
<input type="checkbox"/> 02.130.153	<input type="checkbox"/> 04.130.153	1.3 mm	3	5
<input type="checkbox"/> 02.130.253	<input type="checkbox"/> 04.130.253	1.5 mm	3	7
<input type="checkbox"/> 02.130.353	<input type="checkbox"/> 04.130.353	2.0 mm	3	7

Condylar Plates

Stainless Steel	Titanium	Plate Profile	Head Holes	Shaft Holes
<input type="checkbox"/> 02.130.255	<input type="checkbox"/> 04.130.255	1.5 mm	2	6
<input type="checkbox"/> 02.130.355	<input type="checkbox"/> 04.130.355	2.0 mm	2	6

Rotation Correction Plates

Stainless Steel	Titanium	Plate Profile	Head Holes
<input type="checkbox"/> 02.130.266	<input type="checkbox"/> 04.130.266	1.5 mm	6
<input type="checkbox"/> 02.130.366	<input type="checkbox"/> 04.130.366	2.0 mm	6

Y-Plates

Stainless Steel	Titanium	Plate Profile	Head Holes	Shaft Holes
<input type="checkbox"/> 02.130.152	<input type="checkbox"/> 04.130.152	1.3 mm	3	8
<input type="checkbox"/> 02.130.252	<input type="checkbox"/> 04.130.252	1.5 mm	3	8
<input type="checkbox"/> 02.130.352	<input type="checkbox"/> 04.130.352	2.0 mm	3	8

Web Plates

Stainless Steel	Titanium	Plate Profile	Head Holes
<input type="checkbox"/> 02.130.161	<input type="checkbox"/> 04.130.161	1.3 mm	14
<input type="checkbox"/> 02.130.261	<input type="checkbox"/> 04.130.261	1.5 mm	14

Fracture Plates

Stainless Steel	Titanium	Plate Profile	Head Holes
<input type="checkbox"/> 02.130.267	<input type="checkbox"/> 04.130.267	1.5 mm	6
<input type="checkbox"/> 02.130.367	<input type="checkbox"/> 04.130.367	2.0 mm	6

Metacarpal Neck Plates

Stainless Steel	Titanium	Plate Profile
<input type="checkbox"/> 02.130.268	<input type="checkbox"/> 04.130.268	1.5 mm

Inventory Control Form

Construct Code: **CONHANDVA**

Construct Name: **DePuy Synthes Pro-Pak® Hand - VA**

Construct includes: **1 Plate, up to 8 Screws and up to 2 Drill Bits total**

Plate

Strut Plates

Stainless Steel	Titanium	Plate Profile	Left/Right	Shaft Holes
<input type="checkbox"/> 02.130.158	<input type="checkbox"/> 04.130.158	1.3 mm	Right	8
<input type="checkbox"/> 02.130.159	<input type="checkbox"/> 04.130.159	1.3 mm	Left	8
<input type="checkbox"/> 02.130.258	<input type="checkbox"/> 04.130.258	1.5 mm	Right	8
<input type="checkbox"/> 02.130.259	<input type="checkbox"/> 04.130.259	1.5 mm	Left	8
<input type="checkbox"/> 02.130.260	<input type="checkbox"/> 04.130.260	1.5 mm	-	12
<input type="checkbox"/> 02.130.360	<input type="checkbox"/> 04.130.360	2.0 mm	-	12

Box Plates

Stainless Steel	Titanium	Plate Profile	Head Holes
<input type="checkbox"/> 02.130.262	<input type="checkbox"/> 04.130.262	1.5 mm	4
<input type="checkbox"/> 02.130.362	<input type="checkbox"/> 04.130.362	2.0 mm	4

VA Screws (select up to 8 screws from the below list)

1.5 mm VA-Locking Screws, self-taping

Stainless Steel	Titanium	Length
<input type="checkbox"/> 02.130.204	<input type="checkbox"/> 04.130.204	4 mm
<input type="checkbox"/> 02.130.205	<input type="checkbox"/> 04.130.205	5 mm
<input type="checkbox"/> 02.130.206	<input type="checkbox"/> 04.130.206	6 mm
<input type="checkbox"/> 02.130.207	<input type="checkbox"/> 04.130.207	7 mm
<input type="checkbox"/> 02.130.208	<input type="checkbox"/> 04.130.208	8 mm
<input type="checkbox"/> 02.130.209	<input type="checkbox"/> 04.130.209	9 mm
<input type="checkbox"/> 02.130.210	<input type="checkbox"/> 04.130.210	10 mm
<input type="checkbox"/> 02.130.211	<input type="checkbox"/> 04.130.211	11 mm
<input type="checkbox"/> 02.130.212	<input type="checkbox"/> 04.130.212	12 mm
<input type="checkbox"/> 02.130.213	<input type="checkbox"/> 04.130.213	13 mm
<input type="checkbox"/> 02.130.214	<input type="checkbox"/> 04.130.214	14 mm
<input type="checkbox"/> 02.130.215	<input type="checkbox"/> 04.130.215	15 mm
<input type="checkbox"/> 02.130.216	<input type="checkbox"/> 04.130.216	16 mm
<input type="checkbox"/> 02.130.218	<input type="checkbox"/> 04.130.218	18 mm
<input type="checkbox"/> 02.130.220	<input type="checkbox"/> 04.130.220	20 mm
<input type="checkbox"/> 02.130.222	<input type="checkbox"/> 04.130.222	22 mm
<input type="checkbox"/> 02.130.224	<input type="checkbox"/> 04.130.224	24 mm

2.0 mm VA-Locking Screws, self-taping

Stainless Steel	Titanium	Length
<input type="checkbox"/> 02.130.306	<input type="checkbox"/> 04.130.306	6 mm
<input type="checkbox"/> 02.130.307	<input type="checkbox"/> 04.130.307	7 mm
<input type="checkbox"/> 02.130.308	<input type="checkbox"/> 04.130.308	8 mm
<input type="checkbox"/> 02.130.309	<input type="checkbox"/> 04.130.309	9 mm
<input type="checkbox"/> 02.130.310	<input type="checkbox"/> 04.130.310	10 mm
<input type="checkbox"/> 02.130.311	<input type="checkbox"/> 04.130.311	11 mm
<input type="checkbox"/> 02.130.312	<input type="checkbox"/> 04.130.312	12 mm
<input type="checkbox"/> 02.130.313	<input type="checkbox"/> 04.130.313	13 mm
<input type="checkbox"/> 02.130.314	<input type="checkbox"/> 04.130.314	14 mm
<input type="checkbox"/> 02.130.315	<input type="checkbox"/> 04.130.315	15 mm
<input type="checkbox"/> 02.130.316	<input type="checkbox"/> 04.130.316	16 mm
<input type="checkbox"/> 02.130.318	<input type="checkbox"/> 04.130.318	18 mm
<input type="checkbox"/> 02.130.320	<input type="checkbox"/> 04.130.320	20 mm
<input type="checkbox"/> 02.130.322	<input type="checkbox"/> 04.130.322	22 mm
<input type="checkbox"/> 02.130.324	<input type="checkbox"/> 04.130.324	24 mm

Inventory Control Form

Construct Code: **CONHANDVA**

Construct Name: **DePuy Synthes Pro-Pak® Hand - VA**

Construct includes: **1 Plate, up to 8 Screws and up to 2 Drill Bits total**

Locking Screws (select up to 8 screws from the below list)

1.3 mm Locking Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.130.104	<input type="checkbox"/>	04.130.104 4 mm
<input type="checkbox"/>	02.130.105	<input type="checkbox"/>	04.130.105 5 mm
<input type="checkbox"/>	02.130.106	<input type="checkbox"/>	04.130.106 6 mm
<input type="checkbox"/>	02.130.107	<input type="checkbox"/>	04.130.107 7 mm
<input type="checkbox"/>	02.130.108	<input type="checkbox"/>	04.130.108 8 mm
<input type="checkbox"/>	02.130.109	<input type="checkbox"/>	04.130.109 9 mm
<input type="checkbox"/>	02.130.110	<input type="checkbox"/>	04.130.110 10 mm
<input type="checkbox"/>	02.130.111	<input type="checkbox"/>	04.130.111 11 mm
<input type="checkbox"/>	02.130.112	<input type="checkbox"/>	04.130.112 12 mm
<input type="checkbox"/>	02.130.113	<input type="checkbox"/>	04.130.113 13 mm
<input type="checkbox"/>	02.130.114	<input type="checkbox"/>	04.130.114 14 mm
<input type="checkbox"/>	02.130.115	<input type="checkbox"/>	04.130.115 15 mm
<input type="checkbox"/>	02.130.116	<input type="checkbox"/>	04.130.116 16 mm
<input type="checkbox"/>	02.130.118	<input type="checkbox"/>	04.130.118 18 mm

1.5 mm Locking Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.214.006	<input type="checkbox"/>	04.214.006 6 mm
<input type="checkbox"/>	02.214.007	<input type="checkbox"/>	04.214.007 7 mm
<input type="checkbox"/>	02.214.008	<input type="checkbox"/>	04.214.008 8 mm
<input type="checkbox"/>	02.214.009	<input type="checkbox"/>	04.214.009 9 mm
<input type="checkbox"/>	02.214.010	<input type="checkbox"/>	04.214.010 10 mm
<input type="checkbox"/>	02.214.011	<input type="checkbox"/>	04.214.011 11 mm
<input type="checkbox"/>	02.214.012	<input type="checkbox"/>	04.214.012 12 mm
<input type="checkbox"/>	02.214.013	<input type="checkbox"/>	04.214.013 13 mm
<input type="checkbox"/>	02.214.014	<input type="checkbox"/>	04.214.014 14 mm
<input type="checkbox"/>	02.214.015	<input type="checkbox"/>	04.214.015 15 mm
<input type="checkbox"/>	02.214.016	<input type="checkbox"/>	04.214.016 16 mm
<input type="checkbox"/>	02.214.018	<input type="checkbox"/>	04.214.018 18 mm
<input type="checkbox"/>	02.214.020	<input type="checkbox"/>	04.214.020 20 mm
<input type="checkbox"/>	02.214.022	<input type="checkbox"/>	04.214.022 22 mm
<input type="checkbox"/>	02.214.024	<input type="checkbox"/>	04.214.024 24 mm

2.0 mm Locking Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	201.876	<input type="checkbox"/>	401.876 6 mm
<input type="checkbox"/>	201.877	<input type="checkbox"/>	401.877 7 mm
<input type="checkbox"/>	201.878	<input type="checkbox"/>	401.878 8 mm
<input type="checkbox"/>	201.879	<input type="checkbox"/>	401.879 9 mm
<input type="checkbox"/>	201.880	<input type="checkbox"/>	401.880 10 mm
<input type="checkbox"/>	201.881	<input type="checkbox"/>	401.881 11 mm
<input type="checkbox"/>	201.882	<input type="checkbox"/>	401.882 12 mm
<input type="checkbox"/>	201.883	<input type="checkbox"/>	401.883 13 mm
<input type="checkbox"/>	201.884	<input type="checkbox"/>	401.884 14 mm
<input type="checkbox"/>	201.886	<input type="checkbox"/>	401.886 16 mm
<input type="checkbox"/>	201.888	<input type="checkbox"/>	401.888 18 mm
<input type="checkbox"/>	201.890	<input type="checkbox"/>	401.890 20 mm
<input type="checkbox"/>	201.892	<input type="checkbox"/>	401.892 22 mm
<input type="checkbox"/>	201.894	<input type="checkbox"/>	401.894 24 mm
<input type="checkbox"/>	201.896	<input type="checkbox"/>	401.896 26 mm
<input type="checkbox"/>	201.898	<input type="checkbox"/>	401.898 28 mm
<input type="checkbox"/>	201.900	<input type="checkbox"/>	401.900 30 mm

Inventory Control Form

Construct Code: CONHANDVA

Construct Name: DePuy Synthes Pro-Pak® Hand - VA

Construct includes: 1 Plate, up to 8 Screws and up to 2 Drill Bits total

Cortex Screws (select up to 8 screws from the below list)

1.0 mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
	200.526	400.526	6 mm
	200.527	400.527	7 mm
	200.528	400.528	8 mm
	200.529	400.529	9 mm
	200.530	400.530	10 mm
	200.531	400.531	11 mm
	200.532	400.532	12 mm
	200.533	400.533	13 mm
	200.534	400.534	14 mm

1.5 mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
	02.214.104	04.214.104	4 mm
	02.214.105	04.214.105	5 mm
	02.214.106	04.214.106	6 mm
	02.214.107	04.214.107	7 mm
	02.214.108	04.214.108	8 mm
	02.214.109	04.214.109	9 mm
	02.214.110	04.214.110	10 mm
	02.214.111	04.214.111	11 mm
	02.214.112	04.214.112	12 mm
	02.214.113	04.214.113	13 mm
	02.214.114	04.214.114	14 mm
	02.214.115	04.214.115	15 mm
	02.214.116	04.214.116	16 mm
	02.214.118	04.214.118	18 mm
	02.214.120	04.214.120	20 mm
	02.214.122	04.214.122	22 mm
	02.214.124	04.214.124	24 mm

1.3 mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
	02.130.004	04.130.004	4 mm
	02.130.005	04.130.005	5 mm
	02.130.006	04.130.006	6 mm
	02.130.007	04.130.007	7 mm
	02.130.008	04.130.008	8 mm
	02.130.009	04.130.009	9 mm
	02.130.010	04.130.010	10 mm
	02.130.011	04.130.011	11 mm
	02.130.012	04.130.012	12 mm
	02.130.013	04.130.013	13 mm
	02.130.014	04.130.014	14 mm
	02.130.015	04.130.015	15 mm
	02.130.016	04.130.016	16 mm
	02.130.018	04.130.018	18 mm

2.0 mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
	201.356.97	401.356.97	6 mm
	201.357.97	401.357.97	7 mm
	201.358.97	401.358.97	8 mm
	201.359.97	401.359.97	9 mm
	201.360.97	401.360.97	10 mm
	201.361.97	401.361.97	11 mm
	201.362.97	401.362.97	12 mm
	201.363.97	401.363.97	13 mm
	201.364.97	401.364.97	14 mm
	201.365.97	401.365.97	15 mm
	201.366.97	401.366.97	16 mm
	201.368.97	401.368.97	18 mm
	201.370.97	401.370.97	20 mm
	201.372.97	401.372.97	22 mm
	201.374.97	401.374.97	24 mm

Inventory Control Form

Construct Code: **CONHANDVA**

Construct Name: **DePuy Synthes Pro-Pak® Hand - VA**

Construct includes: **1 Plate, up to 8 Screws and up to 2 Drill Bits total**

Drill Bits (select up to 2 drill bits from the below list)

Drill Bits, quick coupling

Item Number	Description
<input type="checkbox"/> 316.286	0.76mm Drill Bit/mini QC with 6mm stop/44.5mm
<input type="checkbox"/> 316.288	0.76mm Drill Bit/mini QC with 8mm stop/44.5mm
<input type="checkbox"/> 316.290	0.76mm Drill Bit/mini QC with 10mm stop/44.5mm
<input type="checkbox"/> 316.292	0.76mm Drill Bit/mini QC with 12mm stop/44.5mm
<input type="checkbox"/> 316.294	0.76mm Drill Bit mini QC with 14mm stop/44.5mm
<input type="checkbox"/> 03.130.100	1.0mm Drill Bit/K-Wire attachment/75mm
<input type="checkbox"/> 03.130.102	1.0mm Drill Bit/mini QC/61mm
<input type="checkbox"/> 03.130.200	1.1mm Drill Bit/K-Wire attachment/70mm
<input type="checkbox"/> 03.130.202	1.1mm Drill Bit/mini QC/56mm
<input type="checkbox"/> 03.130.110	1.3mm Drill Bit/K-Wire attachment/60mm
<input type="checkbox"/> 03.130.112	1.3mm Drill Bit/mini QC/46mm
<input type="checkbox"/> 03.130.210	1.5mm Drill Bit/K-Wire attachment/62mm
<input type="checkbox"/> 03.130.212	1.5mm Drill Bit/mini QC/48mm
<input type="checkbox"/> 03.130.300	1.5mm Drill Bit/K-Wire attachment/88mm
<input type="checkbox"/> 03.130.302	1.5mm Drill Bit/mini QC/74mm
<input type="checkbox"/> 03.130.310	2.0mm Drill Bit/K-Wire attachment/71mm