

# Inventory Control Form



Construct Code: **CONHCSSM**

Construct Name: **DePuy Synthes Pro-Pak® Headless Compression Screws - Small**

Construct includes: **1 Screw and 1 Guide Wire**

Case Information (eg, Case ID):

DO NOT PUT ANY  
PATIENT IDENTIFIABLE  
INFORMATION IN  
THIS FIELD

**To Order go to: [JJCustomerConnect.com](http://JJCustomerConnect.com)**

Date: \_\_\_\_\_

Surgery Center: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Screws (select one screw from the following list)

### 2.4 mm Headless Compression Screws, long thread

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	02.226.317 04.226.317 17 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.318 04.226.318 18 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.319 04.226.319 19 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.320 04.226.320 20 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.321 04.226.321 21 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.322 04.226.322 22 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.323 04.226.323 23 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.324 04.226.324 24 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.325 04.226.325 25 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.326 04.226.326 26 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.327 04.226.327 27 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.328 04.226.328 28 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.329 04.226.329 29 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.330 04.226.330 30 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.332 04.226.332 32 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.334 04.226.334 34 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.336 04.226.336 36 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.338 04.226.338 38 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.340 04.226.340 40 mm

### 2.4 mm Headless Compression Screws, short thread

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	02.226.209 04.226.209 9 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.210 04.226.210 10 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.211 04.226.211 11 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.212 04.226.212 12 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.213 04.226.213 13 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.214 04.226.214 14 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.215 04.226.215 15 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.216 04.226.216 16 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.217 04.226.217 17 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.218 04.226.218 18 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.219 04.226.219 19 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.220 04.226.220 20 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.221 04.226.221 21 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.222 04.226.222 22 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.223 04.226.223 23 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.224 04.226.224 24 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.225 04.226.225 25 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.226 04.226.226 26 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.227 04.226.227 27 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.228 04.226.228 28 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.229 04.226.229 29 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.230 04.226.230 30 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.232 04.226.232 32 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.234 04.226.234 34 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.236 04.226.236 36 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.238 04.226.238 38 mm
<input type="checkbox"/>	<input type="checkbox"/>	02.226.240 04.226.240 40 mm

# Inventory Control Form

Construct Code: CONHCSSM

Construct Name: DePuy Synthes Pro-Pak® Headless Compression Screws - Small

Construct includes: 1 Screw and 1 Guide Wire

## Screws

### 3.0 mm Headless Compression Screws, long thread

	Stainless Steel	Titanium	Length
	02.226.116	04.226.116	16 mm
	02.226.117	04.226.117	17 mm
	02.226.118	04.226.118	18 mm
	02.226.119	04.226.119	19 mm
	02.226.120	04.226.120	20 mm
	02.226.121	04.226.121	21 mm
	02.226.122	04.226.122	22 mm
	02.226.123	04.226.123	23 mm
	02.226.124	04.226.124	24 mm
	02.226.125	04.226.125	25 mm
	02.226.126	04.226.126	26 mm
	02.226.127	04.226.127	27 mm
	02.226.128	04.226.128	28 mm
	02.226.129	04.226.129	29 mm
	02.226.130	04.226.130	30 mm
	02.226.132	04.226.132	32 mm
	02.226.134	04.226.134	34 mm
	02.226.136	04.226.136	46 mm
	02.226.138	04.226.138	38 mm
	02.226.140	04.226.140	40 mm

### 3.0 mm Headless Compression Screws, short thread

	Stainless Steel	Titanium	Length
	02.226.010	04.226.010	10 mm
	02.226.011	04.226.011	11 mm
	02.226.012	04.226.012	12 mm
	02.226.013	04.226.013	13 mm
	02.226.014	04.226.014	14 mm
	02.226.015	04.226.015	15 mm
	02.226.016	04.226.016	16 mm
	02.226.017	04.226.017	17 mm
	02.226.018	04.226.018	18 mm
	02.226.019	04.226.019	19 mm
	02.226.020	04.226.020	20 mm
	02.226.021	04.226.021	21 mm
	02.226.022	04.226.022	22 mm
	02.226.023	04.226.023	23 mm
	02.226.024	04.226.024	24 mm
	02.226.025	04.226.025	25 mm
	02.226.026	04.226.026	26 mm
	02.226.027	04.226.027	27 mm
	02.226.028	04.226.028	28 mm
	02.226.029	04.226.029	29 mm
	02.226.030	04.226.030	30 mm
	02.226.032	04.226.032	32 mm
	02.226.034	04.226.034	34 mm
	02.226.036	04.226.036	36 mm
	02.226.038	04.226.038	38 mm
	02.226.040	04.226.040	40 mm

# Inventory Control Form

Construct Code: CONHCSSM

Construct Name: DePuy Synthes Pro-Pak® Headless Compression Screws - Small

Construct includes: 1 Screw and 1 Guide Wire

## Screws

### 4.5 mm Headless Compression Screws, long thread

	Stainless Steel	Titanium	Length
	02.226.730	04.226.730	30 mm
	02.226.732	04.226.732	32 mm
	02.226.734	04.226.734	34 mm
	02.226.736	04.226.736	36 mm
	02.226.738	04.226.738	38 mm
	02.226.740	04.226.740	40 mm
	02.226.742	04.226.742	42 mm
	02.226.744	04.226.744	44 mm
	02.226.746	04.226.746	46 mm
	02.226.748	04.226.748	48 mm
	02.226.750	04.226.750	50 mm
	02.226.752	04.226.752	52 mm
	02.226.754	04.226.754	54 mm
	02.226.756	04.226.756	56 mm
	02.226.758	04.226.758	58 mm
	02.226.760	04.226.760	60 mm
	02.226.765	04.226.765	65 mm
	02.226.770	04.226.770	70 mm
	02.226.775	04.226.775	75 mm
	02.226.780	04.226.780	80 mm
	02.226.785	04.226.785	85 mm
	02.226.790	04.226.790	85 mm
	02.226.795	04.226.795	95 mm
	02.226.800	04.226.800	100 mm

### 4.5 mm Headless Compression Screws, short thread

	Stainless Steel	Titanium	Length
	02.226.620	04.226.620	20 mm
	02.226.622	04.226.622	22 mm
	02.226.624	04.226.624	24 mm
	02.226.626	04.226.626	26 mm
	02.226.628	04.226.628	28 mm
	02.226.630	04.226.630	30 mm
	02.226.632	04.226.632	32 mm
	02.226.634	04.226.634	34 mm
	02.226.636	04.226.636	36 mm
	02.226.638	04.226.638	38 mm
	02.226.640	04.226.640	40 mm
	02.226.642	04.226.642	42 mm
	02.226.644	04.226.644	44 mm
	02.226.646	04.226.646	46 mm
	02.226.648	04.226.648	48 mm
	02.226.650	04.226.650	50 mm
	02.226.652	04.226.652	52 mm
	02.226.654	04.226.654	54 mm
	02.226.656	04.226.656	56 mm
	02.226.658	04.226.658	58 mm
	02.226.660	04.226.660	60 mm
	02.226.665	04.226.665	65 mm
	02.226.670	04.226.670	70 mm
	02.226.675	04.226.675	75 mm
	02.226.680	04.226.680	80 mm
	02.226.685	04.226.685	85 mm
	02.226.690	04.226.690	90 mm
	02.226.695	04.226.695	95 mm
	02.226.700	04.226.700	100 mm

# Inventory Control Form



Construct Code: CONHCSSM

Construct Name: DePuy Synthes Pro-Pak® Headless Compression Screws - Small

Construct includes: 1 Screw and 1 Guide Wire

---

## Guide Wires (select one guide wire from the following list)

### Guide Wires

Item Number	Description
<input type="checkbox"/>	292.622 1.1mm Threaded Guide Wire 150mm
<input type="checkbox"/>	292.623 1.1mm Non-Threaded Guide Wire 150mm
<input type="checkbox"/>	02.226.000 1.6mm Threaded Guide Wire Trocar Point 220mm
<input type="checkbox"/>	02.226.001 1.6mm Non-Threaded Guide Wire Trocar Point 220mm