

Inventory Control Form



Construct Code: **CONCLAVLCPMS**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Mid-Shaft LCP**

Construct includes: **1 Plate, up to 7 Screws and 1 Drill Bit total**

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To Order go to: JJCustomerConnect.com

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Plates (select one plate from the following list)

3.5mm LCP Superior Anterior Clavicle Plate

Stainless Steel	Titanium	Hole	Left/Right	Length
<input type="checkbox"/> 02.112.027	<input type="checkbox"/> 04.112.027	6	Left	94 mm
<input type="checkbox"/> 02.112.026	<input type="checkbox"/> 04.112.026	6	Right	94 mm
<input type="checkbox"/> 02.112.029	<input type="checkbox"/> 04.112.029	7	Left	110 mm
<input type="checkbox"/> 02.112.028	<input type="checkbox"/> 04.112.028	7	Right	110 mm
<input type="checkbox"/> 02.112.031	<input type="checkbox"/> 04.112.031	8	Left	120 mm
<input type="checkbox"/> 02.112.030	<input type="checkbox"/> 04.112.030	8	Right	120 mm

3.5mm LCP Superior Clavicle Plate

Stainless Steel	Titanium	Hole	Left/Right	Length
<input type="checkbox"/> 02.112.081	<input type="checkbox"/> 04.112.081	6	Left	85 mm
<input type="checkbox"/> 02.112.080	<input type="checkbox"/> 04.112.080	6	Right	85 mm
<input type="checkbox"/> 02.112.083	<input type="checkbox"/> 04.112.083	7	Left	100 mm
<input type="checkbox"/> 02.112.082	<input type="checkbox"/> 04.112.082	7	Right	100 mm
<input type="checkbox"/> 02.112.085	<input type="checkbox"/> 04.112.085	8	Left	115 mm
<input type="checkbox"/> 02.112.084	<input type="checkbox"/> 04.112.084	8	Right	115 mm

3.5mm LCP Medial Anterior Clavicle Plate

Stainless Steel	Titanium	Hole	Length
<input type="checkbox"/> 02.112.040	<input type="checkbox"/> 04.112.040	6	79 mm
<input type="checkbox"/> 02.112.041	<input type="checkbox"/> 04.112.041	7	91 mm
<input type="checkbox"/> 02.112.042	<input type="checkbox"/> 04.112.042	8	102 mm

Inventory Control Form

Construct Code: **CONCLAVLCPMS**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Mid-Shaft LCP**

Construct includes: **1 Plate, up to 7 Screws and 1 Drill Bit total**

Screws (select up to 7 screws from the below list)

2.7mm METAPHYSEAL Screw, self-tapping with T8 STARDRIVE Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.118.510	10 mm
<input type="checkbox"/>	02.118.512	12 mm
<input type="checkbox"/>	02.118.514	14 mm
<input type="checkbox"/>	02.118.516	16 mm
<input type="checkbox"/>	02.118.518	18 mm
<input type="checkbox"/>	02.118.520	20 mm
<input type="checkbox"/>	02.118.522	22 mm
<input type="checkbox"/>	02.118.524	24 mm
<input type="checkbox"/>	02.118.526	26 mm
<input type="checkbox"/>	02.118.528	28 mm
<input type="checkbox"/>	02.118.530	30 mm
<input type="checkbox"/>	02.118.532	32 mm
<input type="checkbox"/>	02.118.534	34 mm
<input type="checkbox"/>	02.118.536	36 mm
<input type="checkbox"/>	02.118.538	38 mm
<input type="checkbox"/>	02.118.540	40 mm
<input type="checkbox"/>	02.118.542	42 mm
<input type="checkbox"/>	02.118.544	44 mm
<input type="checkbox"/>	02.118.546	46 mm
<input type="checkbox"/>	02.118.548	48 mm
<input type="checkbox"/>	02.118.550	50 mm
<input type="checkbox"/>	02.118.552	52 mm
<input type="checkbox"/>	02.118.554	54 mm
<input type="checkbox"/>	02.118.556	56 mm
<input type="checkbox"/>	02.118.558	58 mm
<input type="checkbox"/>	02.118.560	60 mm

2.7mm Cortex Screw, self-tapping

Stainless Steel	Titanium	Length
<input type="checkbox"/>	202.810	10 mm
<input type="checkbox"/>	202.812	12 mm
<input type="checkbox"/>	202.814	14 mm
<input type="checkbox"/>	202.816	16 mm
<input type="checkbox"/>	202.818	18 mm
<input type="checkbox"/>	202.820	20 mm
<input type="checkbox"/>	202.822	22 mm
<input type="checkbox"/>	202.824	24 mm
<input type="checkbox"/>	202.826	26 mm
<input type="checkbox"/>	202.828	28 mm
<input type="checkbox"/>	202.830	30 mm
<input type="checkbox"/>	202.832	32 mm
<input type="checkbox"/>	202.834	34 mm
<input type="checkbox"/>	202.836	36 mm
<input type="checkbox"/>	202.838	38 mm
<input type="checkbox"/>	202.840	40 mm
<input type="checkbox"/>	202.842	-
<input type="checkbox"/>	202.844	-
<input type="checkbox"/>	202.845	45 mm
<input type="checkbox"/>	202.846	-
<input type="checkbox"/>	202.848	-
<input type="checkbox"/>	202.850	50 mm
<input type="checkbox"/>	202.855	55 mm

Inventory Control Form

Construct Code: **CONCLAVLCPMS**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Mid-Shaft LCP**

Construct includes: **1 Plate, up to 7 Screws and 1 Drill Bit total**

Screws (select up to 7 screws from the below list)

2.7mm Cortex Screw, self-tapping with T8 STARDRIVE Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/> 202.870	<input type="checkbox"/> 402.870	10 mm
<input type="checkbox"/> 202.872	<input type="checkbox"/> 402.872	12 mm
<input type="checkbox"/> 202.874	<input type="checkbox"/> 402.874	14 mm
<input type="checkbox"/> 202.876	<input type="checkbox"/> 402.876	16 mm
<input type="checkbox"/> 202.878	<input type="checkbox"/> 402.878	18 mm
<input type="checkbox"/> 202.880	<input type="checkbox"/> 402.880	20 mm
<input type="checkbox"/> 202.882	<input type="checkbox"/> 402.882	22 mm
<input type="checkbox"/> 202.884	<input type="checkbox"/> 402.884	24 mm
<input type="checkbox"/> 202.886	<input type="checkbox"/> 402.886	26 mm
<input type="checkbox"/> 202.888	<input type="checkbox"/> 402.888	28 mm
<input type="checkbox"/> 202.890	<input type="checkbox"/> 402.890	30 mm
<input type="checkbox"/> 202.892	<input type="checkbox"/> 402.892	32 mm
<input type="checkbox"/> 202.894	<input type="checkbox"/> 402.894	34 mm
<input type="checkbox"/> 202.896	<input type="checkbox"/> 402.896	36 mm
<input type="checkbox"/> 202.898	<input type="checkbox"/> 402.898	38 mm
<input type="checkbox"/> 202.900	<input type="checkbox"/> 402.900	40 mm
<input type="checkbox"/> 202.962	<input type="checkbox"/> 402.962	42 mm
<input type="checkbox"/> 202.963	<input type="checkbox"/> 402.963	44 mm
<input type="checkbox"/> 202.965	<input type="checkbox"/> 402.965	46 mm
<input type="checkbox"/> 202.966	<input type="checkbox"/> 402.966	48 mm
<input type="checkbox"/> 202.967	<input type="checkbox"/> 402.967	50 mm
<input type="checkbox"/> 202.968	<input type="checkbox"/> 402.968	55 mm
<input type="checkbox"/> 202.969	<input type="checkbox"/> 402.969	60 mm

3.5mm Cortex Screw, Low Profile, self-tapping with STARDRIVE

Stainless Steel	Titanium	Length
<input type="checkbox"/> 02.206.210	<input type="checkbox"/> 04.206.210	10 mm
<input type="checkbox"/> 02.206.212	<input type="checkbox"/> 04.206.212	12 mm
<input type="checkbox"/> 02.206.214	<input type="checkbox"/> 04.206.214	14 mm
<input type="checkbox"/> 02.206.216	<input type="checkbox"/> 04.206.216	16 mm
<input type="checkbox"/> 02.206.218	<input type="checkbox"/> 04.206.218	18 mm
<input type="checkbox"/> 02.206.220	<input type="checkbox"/> 04.206.220	20 mm
<input type="checkbox"/> 02.206.222	<input type="checkbox"/> 04.206.222	22 mm
<input type="checkbox"/> 02.206.224	<input type="checkbox"/> 04.206.224	24 mm
<input type="checkbox"/> 02.206.226	<input type="checkbox"/> 04.206.226	26 mm
<input type="checkbox"/> 02.206.228	<input type="checkbox"/> 04.206.228	28 mm
<input type="checkbox"/> 02.206.230	<input type="checkbox"/> 04.206.230	30 mm
<input type="checkbox"/> 02.206.232	<input type="checkbox"/> 04.206.232	32 mm
<input type="checkbox"/> 02.206.234	<input type="checkbox"/> 04.206.234	34 mm
<input type="checkbox"/> 02.206.236	<input type="checkbox"/> 04.206.236	36 mm
<input type="checkbox"/> 02.206.238	<input type="checkbox"/> 04.206.238	38 mm
<input type="checkbox"/> 02.206.240	<input type="checkbox"/> 04.206.240	40 mm
<input type="checkbox"/> 02.206.242	<input type="checkbox"/> 04.206.242	42 mm
<input type="checkbox"/> 02.206.244	<input type="checkbox"/> 04.206.244	44 mm
<input type="checkbox"/> 02.206.245	<input type="checkbox"/> 04.206.245	45 mm
<input type="checkbox"/> 02.206.246	<input type="checkbox"/> 04.206.246	46 mm
<input type="checkbox"/> 02.206.248	<input type="checkbox"/> 04.206.248	48 mm
<input type="checkbox"/> 02.206.250	<input type="checkbox"/> 04.206.250	50 mm
<input type="checkbox"/> 02.206.252	<input type="checkbox"/> 04.206.252	52 mm
<input type="checkbox"/> 02.206.254	<input type="checkbox"/> 04.206.254	54mm
<input type="checkbox"/> 02.206.255	<input type="checkbox"/> 04.206.255	55 mm
<input type="checkbox"/> 02.206.256	<input type="checkbox"/> 04.206.256	56 mm
<input type="checkbox"/> 02.206.258	<input type="checkbox"/> 04.206.258	58 mm
<input type="checkbox"/> 02.206.260	<input type="checkbox"/> 04.206.260	60 mm

Inventory Control Form

Construct Code: **CONCLAVLCPMS**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Mid-Shaft LCP**

Construct includes: **1 Plate, up to 7 Screws and 1 Drill Bit total**

Screws (select up to 7 screws from the below list)

3.5mm Cortex Screw, Low Profile, self-tapping with HEX DRIVE

	Stainless Steel		Titanium	Length
<input type="checkbox"/>	02.206.010	<input type="checkbox"/>	-	10 mm
<input type="checkbox"/>	02.206.012	<input type="checkbox"/>	-	12 mm
<input type="checkbox"/>	02.206.014	<input type="checkbox"/>	-	14 mm
<input type="checkbox"/>	02.206.016	<input type="checkbox"/>	-	16 mm
<input type="checkbox"/>	02.206.018	<input type="checkbox"/>	-	18 mm
<input type="checkbox"/>	02.206.020	<input type="checkbox"/>	-	20 mm
<input type="checkbox"/>	02.206.022	<input type="checkbox"/>	-	22 mm
<input type="checkbox"/>	02.206.024	<input type="checkbox"/>	-	24 mm
<input type="checkbox"/>	02.206.026	<input type="checkbox"/>	-	26 mm
<input type="checkbox"/>	02.206.028	<input type="checkbox"/>	-	28 mm
<input type="checkbox"/>	02.206.030	<input type="checkbox"/>	-	30 mm
<input type="checkbox"/>	02.206.032	<input type="checkbox"/>	-	32 mm
<input type="checkbox"/>	02.206.034	<input type="checkbox"/>	-	34 mm
<input type="checkbox"/>	02.206.036	<input type="checkbox"/>	-	36 mm
<input type="checkbox"/>	02.206.038	<input type="checkbox"/>	-	38 mm
<input type="checkbox"/>	02.206.040	<input type="checkbox"/>	-	40 mm
<input type="checkbox"/>	02.206.042	<input type="checkbox"/>	-	42 mm
<input type="checkbox"/>	02.206.044	<input type="checkbox"/>	-	44 mm
<input type="checkbox"/>	02.206.046	<input type="checkbox"/>	-	46 mm
<input type="checkbox"/>	02.206.048	<input type="checkbox"/>	-	48 mm
<input type="checkbox"/>	02.206.050	<input type="checkbox"/>	-	50 mm
<input type="checkbox"/>	02.206.052	<input type="checkbox"/>	-	52 mm
<input type="checkbox"/>	02.206.054	<input type="checkbox"/>	-	54 mm
<input type="checkbox"/>	02.206.056	<input type="checkbox"/>	-	56 mm
<input type="checkbox"/>	02.206.058	<input type="checkbox"/>	-	58 mm
<input type="checkbox"/>	02.206.060	<input type="checkbox"/>	-	60 mm

3.5mm STARDRIVE Cortex Screw, self-tapping

	Stainless Steel		Titanium	Length
<input type="checkbox"/>	02.200.010	<input type="checkbox"/>	04.200.010	10 mm
<input type="checkbox"/>	02.200.012	<input type="checkbox"/>	04.200.012	12 mm
<input type="checkbox"/>	02.200.014	<input type="checkbox"/>	04.200.014	14 mm
<input type="checkbox"/>	02.200.016	<input type="checkbox"/>	04.200.016	16 mm
<input type="checkbox"/>	02.200.018	<input type="checkbox"/>	04.200.018	18 mm
<input type="checkbox"/>	02.200.020	<input type="checkbox"/>	04.200.020	20 mm
<input type="checkbox"/>	02.200.022	<input type="checkbox"/>	04.200.022	22 mm
<input type="checkbox"/>	02.200.024	<input type="checkbox"/>	04.200.024	24 mm
<input type="checkbox"/>	02.200.026	<input type="checkbox"/>	04.200.026	26 mm
<input type="checkbox"/>	02.200.028	<input type="checkbox"/>	04.200.028	28 mm
<input type="checkbox"/>	02.200.030	<input type="checkbox"/>	04.200.030	30 mm
<input type="checkbox"/>	02.200.032	<input type="checkbox"/>	04.200.032	32 mm
<input type="checkbox"/>	02.200.034	<input type="checkbox"/>	04.200.034	34 mm
<input type="checkbox"/>	02.200.036	<input type="checkbox"/>	04.200.036	36 mm
<input type="checkbox"/>	02.200.038	<input type="checkbox"/>	04.200.038	38 mm
<input type="checkbox"/>	02.200.040	<input type="checkbox"/>	04.200.040	40 mm
<input type="checkbox"/>	02.200.042	<input type="checkbox"/>	04.200.042	42 mm
<input type="checkbox"/>	02.200.044	<input type="checkbox"/>	04.200.044	44 mm
<input type="checkbox"/>	02.200.045	<input type="checkbox"/>	04.200.045	45 mm
<input type="checkbox"/>	02.200.046	<input type="checkbox"/>	04.200.046	46 mm
<input type="checkbox"/>	02.200.048	<input type="checkbox"/>	04.200.048	48 mm
<input type="checkbox"/>	02.200.050	<input type="checkbox"/>	04.200.050	50 mm
<input type="checkbox"/>	02.200.055	<input type="checkbox"/>	04.200.055	55 mm
<input type="checkbox"/>	02.200.060	<input type="checkbox"/>	04.200.060	60 mm

Inventory Control Form

Construct Code: **CONCLAVLCPMS**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Mid-Shaft LCP**

Construct includes: **1 Plate, up to 7 Screws and 1 Drill Bit total**

Screws (select up to 7 screws from the below list)

3.5mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	204.810	<input type="checkbox"/>	404.810 10 mm
<input type="checkbox"/>	204.812	<input type="checkbox"/>	404.812 12 mm
<input type="checkbox"/>	204.814	<input type="checkbox"/>	404.814 14 mm
<input type="checkbox"/>	204.816	<input type="checkbox"/>	404.816 16 mm
<input type="checkbox"/>	204.818	<input type="checkbox"/>	404.818 18 mm
<input type="checkbox"/>	204.820	<input type="checkbox"/>	404.820 20 mm
<input type="checkbox"/>	204.822	<input type="checkbox"/>	404.822 22 mm
<input type="checkbox"/>	204.824	<input type="checkbox"/>	404.824 24 mm
<input type="checkbox"/>	204.826	<input type="checkbox"/>	404.826 26 mm
<input type="checkbox"/>	204.828	<input type="checkbox"/>	404.828 28 mm
<input type="checkbox"/>	204.830	<input type="checkbox"/>	404.830 30 mm
<input type="checkbox"/>	204.832	<input type="checkbox"/>	404.832 32 mm
<input type="checkbox"/>	204.834	<input type="checkbox"/>	404.834 34 mm
<input type="checkbox"/>	204.836	<input type="checkbox"/>	404.836 36 mm
<input type="checkbox"/>	204.838	<input type="checkbox"/>	404.838 38 mm
<input type="checkbox"/>	204.840	<input type="checkbox"/>	404.840 40 mm
<input type="checkbox"/>	204.842	<input type="checkbox"/>	- 42 mm
<input type="checkbox"/>	204.844	<input type="checkbox"/>	- 44 mm
<input type="checkbox"/>	204.845	<input type="checkbox"/>	404.845 45 mm
<input type="checkbox"/>	204.846	<input type="checkbox"/>	- 46 mm
<input type="checkbox"/>	204.848	<input type="checkbox"/>	- 48 mm
<input type="checkbox"/>	204.850	<input type="checkbox"/>	404.850 50 mm
<input type="checkbox"/>	204.855	<input type="checkbox"/>	404.855 55 mm
<input type="checkbox"/>	204.860	<input type="checkbox"/>	04.200.060 60 mm

Inventory Control Form

Construct Code: **CONCLAVLCPMS**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Mid-Shaft LCP**

Construct includes: **1 Plate, up to 7 Screws and 1 Drill Bit total**

Drill Bits (select one drill bit from the following list)

Drill Bits for Clavicle Mid-Shaft LCP

Item Number	Description
<input type="checkbox"/> 310.201	2.0mm drill bit/mini qc/65mm
<input type="checkbox"/> 310.19	2.0mm drill bit/qc/100mm
<input type="checkbox"/> 310.21	2.0mm drill bit/qc/125mm
<input type="checkbox"/> 323.062	2.0mm drill bit with depth mark/qc/140mm
<input type="checkbox"/> 03.133.102	2.5mm drill bit qc 135mm 45 mm
<input type="checkbox"/> 03.133.103	2.5mm drill bit qc 170mm 80 mm
<input type="checkbox"/> 310.25	2.5mm drill bit/qc/gold/110mm
<input type="checkbox"/> 310.23	2.5mm drill bit/qc/gold/180mm
<input type="checkbox"/> 310.26	2.7mm drill bit/qc/100mm
<input type="checkbox"/> 315.28	2.7mm three-fluted drill bit qc/125mm
<input type="checkbox"/> 03.133.106	2.8mm drill bit qc 135mm 45 mm
<input type="checkbox"/> 03.133.107	2.8mm drill bit qc 170mm 80 mm
<input type="checkbox"/> 310.35	3.5mm drill bit/qc/110mm
<input type="checkbox"/> 03.133.109	3.5mm drill bit qc 150mm
<input type="checkbox"/> 310.37	3.5mm drill bit/qc/195mm