

# Inventory Control Form



Construct Code: **CONCLAVLCPLAT**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Lateral LCP**

Construct includes: **1 Plate, up to 10 Screws and 3 Drill Bit total**

Case Information (eg, Case ID):

DO NOT PUT ANY  
PATIENT IDENTIFIABLE  
INFORMATION IN  
THIS FIELD

**To Order go to: [JJCustomerConnect.com](http://JJCustomerConnect.com)**

Date: \_\_\_\_\_

Surgery Center: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Plates (select one plate from the following list)

### 3.5mm LCP Superior Anterior Clavicle Plate

Stainless Steel	Titanium	Hole	Lat Extn	Left/Right	Length		
<input type="checkbox"/>	02.112.006	<input type="checkbox"/>	04.112.006	3	Yes	Right	69 mm
<input type="checkbox"/>	02.112.007	<input type="checkbox"/>	04.112.007	3	Yes	Left	69 mm
<input type="checkbox"/>	02.112.008	<input type="checkbox"/>	04.112.008	6	Yes	Right	108 mm
<input type="checkbox"/>	02.112.009	<input type="checkbox"/>	04.112.009	6	Yes	Left	108 mm
<input type="checkbox"/>	02.112.010	<input type="checkbox"/>	04.112.010	4	Yes	Right	81 mm
<input type="checkbox"/>	02.112.011	<input type="checkbox"/>	04.112.011	4	Yes	Left	81 mm
<input type="checkbox"/>	02.112.012	<input type="checkbox"/>	04.112.012	5	Yes	Right	94mm
<input type="checkbox"/>	02.112.013	<input type="checkbox"/>	04.112.013	5	Yes	Left	94 mm
<input type="checkbox"/>	02.112.018	<input type="checkbox"/>	04.112.018	7	Yes	Right	123 mm
<input type="checkbox"/>	02.112.019	<input type="checkbox"/>	04.112.019	7	Yes	Left	123 mm
<input type="checkbox"/>	02.112.020	<input type="checkbox"/>	04.112.020	8	Yes	Right	135 mm
<input type="checkbox"/>	02.112.021	<input type="checkbox"/>	04.112.021	8	Yes	Left	135 mm
<input type="checkbox"/>	02.112.026	<input type="checkbox"/>	04.112.026	6	No	Right	94 mm
<input type="checkbox"/>	02.112.027	<input type="checkbox"/>	04.112.027	6	No	Left	94 mm
<input type="checkbox"/>	02.112.028	<input type="checkbox"/>	04.112.028	7	No	Right	110 mm
<input type="checkbox"/>	02.112.029	<input type="checkbox"/>	04.112.029	7	No	Left	110 mm
<input type="checkbox"/>	02.112.030	<input type="checkbox"/>	04.112.030	8	No	Right	120 mm
<input type="checkbox"/>	02.112.031	<input type="checkbox"/>	04.112.031	8	No	Left	120 mm

# Inventory Control Form

Construct Code: CONCLAVLCPLAT

Construct Name: DePuy Synthes Pro-Pak® Clavicle - Lateral LCP

Construct includes: 1 Plate, up to 10 Screws and 3 Drill Bit total

## Plates (select one plate from the following list)

### 3.5mm LCP Superior Clavicle Plate

	Stainless Steel	Titanium	Hole	Lat Extn	Left/Right	Length	
<input type="checkbox"/>	02.112.084	<input type="checkbox"/>	04.112.084	8	No	Right	115 mm
<input type="checkbox"/>	02.112.085	<input type="checkbox"/>	04.112.085	8	No	Left	115 mm
<input type="checkbox"/>	02.112.094	<input type="checkbox"/>	04.112.094	8	Yes	Right	130 mm
<input type="checkbox"/>	02.112.095	<input type="checkbox"/>	04.112.095	8	Yes	Left	130 mm
<input type="checkbox"/>	02.112.082	<input type="checkbox"/>	04.112.082	7	No	Right	100 mm
<input type="checkbox"/>	02.112.083	<input type="checkbox"/>	04.112.083	7	No	Left	100 mm
<input type="checkbox"/>	02.112.092	<input type="checkbox"/>	04.112.092	7	Yes	Right	120 mm
<input type="checkbox"/>	02.112.093	<input type="checkbox"/>	04.112.093	7	Yes	Left	120 mm
<input type="checkbox"/>	02.112.080	<input type="checkbox"/>	04.112.080	6	No	Right	85 mm
<input type="checkbox"/>	02.112.081	<input type="checkbox"/>	04.112.081	6	No	Left	85 mm
<input type="checkbox"/>	02.112.090	<input type="checkbox"/>	04.112.090	6	Yes	Right	105 mm
<input type="checkbox"/>	02.112.091	<input type="checkbox"/>	04.112.091	6	Yes	Left	105 mm

# Inventory Control Form

Construct Code: **CONCLAVLCPLAT**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Lateral LCP**

Construct includes: **1 Plate, up to 10 Screws and 3 Drill Bit total**

## Screws (select up to 10 screws from the below list)

### 3.5mm Locking Screw, self-tapping with STARDRIVE Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	10 mm
<input type="checkbox"/>	<input type="checkbox"/>	12 mm
<input type="checkbox"/>	<input type="checkbox"/>	14 mm
<input type="checkbox"/>	<input type="checkbox"/>	16 mm
<input type="checkbox"/>	<input type="checkbox"/>	18 mm
<input type="checkbox"/>	<input type="checkbox"/>	20 mm
<input type="checkbox"/>	<input type="checkbox"/>	22 mm
<input type="checkbox"/>	<input type="checkbox"/>	24 mm
<input type="checkbox"/>	<input type="checkbox"/>	26 mm
<input type="checkbox"/>	<input type="checkbox"/>	28 mm
<input type="checkbox"/>	<input type="checkbox"/>	30 mm
<input type="checkbox"/>	<input type="checkbox"/>	32 mm
<input type="checkbox"/>	<input type="checkbox"/>	34 mm
<input type="checkbox"/>	<input type="checkbox"/>	35 mm
<input type="checkbox"/>	<input type="checkbox"/>	36 mm
<input type="checkbox"/>	<input type="checkbox"/>	38 mm
<input type="checkbox"/>	<input type="checkbox"/>	40 mm
<input type="checkbox"/>	<input type="checkbox"/>	42 mm
<input type="checkbox"/>	<input type="checkbox"/>	44 mm
<input type="checkbox"/>	<input type="checkbox"/>	45 mm
<input type="checkbox"/>	<input type="checkbox"/>	46 mm
<input type="checkbox"/>	<input type="checkbox"/>	48 mm
<input type="checkbox"/>	<input type="checkbox"/>	50 mm
<input type="checkbox"/>	<input type="checkbox"/>	52 mm
<input type="checkbox"/>	<input type="checkbox"/>	54mm
<input type="checkbox"/>	<input type="checkbox"/>	55 mm
<input type="checkbox"/>	<input type="checkbox"/>	56 mm
<input type="checkbox"/>	<input type="checkbox"/>	58 mm
<input type="checkbox"/>	<input type="checkbox"/>	60 mm

### 2.7mm Locking Screw, self-tapping with T8 STARDRIVE Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	8 mm
<input type="checkbox"/>	<input type="checkbox"/>	10 mm
<input type="checkbox"/>	<input type="checkbox"/>	12 mm
<input type="checkbox"/>	<input type="checkbox"/>	14 mm
<input type="checkbox"/>	<input type="checkbox"/>	16 mm
<input type="checkbox"/>	<input type="checkbox"/>	18 mm
<input type="checkbox"/>	<input type="checkbox"/>	20 mm
<input type="checkbox"/>	<input type="checkbox"/>	22 mm
<input type="checkbox"/>	<input type="checkbox"/>	24 mm
<input type="checkbox"/>	<input type="checkbox"/>	26 mm
<input type="checkbox"/>	<input type="checkbox"/>	28 mm
<input type="checkbox"/>	<input type="checkbox"/>	30 mm
<input type="checkbox"/>	<input type="checkbox"/>	32 mm
<input type="checkbox"/>	<input type="checkbox"/>	34 mm
<input type="checkbox"/>	<input type="checkbox"/>	36 mm
<input type="checkbox"/>	<input type="checkbox"/>	38 mm
<input type="checkbox"/>	<input type="checkbox"/>	40 mm

# Inventory Control Form

Construct Code: **CONCLAVLCPLAT**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Lateral LCP**

Construct includes: **1 Plate, up to 10 Screws and 3 Drill Bit total**

## Screws (select up to 10 screws from the below list)

### 2.4mm Cortex Screw, self-tapping with T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	201.756	<input type="checkbox"/>	401.756 6 mm
<input type="checkbox"/>	201.758	<input type="checkbox"/>	401.758 8 mm
<input type="checkbox"/>	201.760	<input type="checkbox"/>	401.760 10 mm
<input type="checkbox"/>	201.762	<input type="checkbox"/>	401.762 12 mm
<input type="checkbox"/>	201.764	<input type="checkbox"/>	401.764 14 mm
<input type="checkbox"/>	201.766	<input type="checkbox"/>	401.766 16 mm
<input type="checkbox"/>	201.768	<input type="checkbox"/>	401.768 18 mm
<input type="checkbox"/>	201.770	<input type="checkbox"/>	401.770 20 mm
<input type="checkbox"/>	201.772	<input type="checkbox"/>	401.772 22 mm
<input type="checkbox"/>	201.774	<input type="checkbox"/>	401.774 24 mm
<input type="checkbox"/>	201.776	<input type="checkbox"/>	401.776 26 mm
<input type="checkbox"/>	201.778	<input type="checkbox"/>	401.778 28 mm
<input type="checkbox"/>	201.780	<input type="checkbox"/>	401.780 30 mm
<input type="checkbox"/>	201.782	<input type="checkbox"/>	401.782 32 mm
<input type="checkbox"/>	201.784	<input type="checkbox"/>	401.784 34 mm
<input type="checkbox"/>	201.786	<input type="checkbox"/>	401.786 36 mm

### 2.7mm METAPHYSEAL Screw, self-tapping with T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.118.510	<input type="checkbox"/>	04.118.510 10 mm
<input type="checkbox"/>	02.118.512	<input type="checkbox"/>	04.118.512 12 mm
<input type="checkbox"/>	02.118.514	<input type="checkbox"/>	04.118.514 14 mm
<input type="checkbox"/>	02.118.516	<input type="checkbox"/>	04.118.516 16 mm
<input type="checkbox"/>	02.118.518	<input type="checkbox"/>	04.118.518 18 mm
<input type="checkbox"/>	02.118.520	<input type="checkbox"/>	04.118.520 20 mm
<input type="checkbox"/>	02.118.522	<input type="checkbox"/>	04.118.522 22 mm
<input type="checkbox"/>	02.118.524	<input type="checkbox"/>	04.118.524 24 mm
<input type="checkbox"/>	02.118.526	<input type="checkbox"/>	04.118.526 26 mm
<input type="checkbox"/>	02.118.528	<input type="checkbox"/>	04.118.528 28 mm
<input type="checkbox"/>	02.118.530	<input type="checkbox"/>	04.118.530 30 mm
<input type="checkbox"/>	02.118.532	<input type="checkbox"/>	04.118.532 32 mm
<input type="checkbox"/>	02.118.534	<input type="checkbox"/>	04.118.534 34 mm
<input type="checkbox"/>	02.118.536	<input type="checkbox"/>	04.118.536 36 mm
<input type="checkbox"/>	02.118.538	<input type="checkbox"/>	04.118.538 38 mm
<input type="checkbox"/>	02.118.540	<input type="checkbox"/>	04.118.540 40 mm
<input type="checkbox"/>	02.118.542	<input type="checkbox"/>	04.118.542 42 mm
<input type="checkbox"/>	02.118.544	<input type="checkbox"/>	04.118.544 44 mm
<input type="checkbox"/>	02.118.546	<input type="checkbox"/>	04.118.546 45 mm
<input type="checkbox"/>	02.118.548	<input type="checkbox"/>	04.118.548 48 mm
<input type="checkbox"/>	02.118.550	<input type="checkbox"/>	04.118.550 50 mm
<input type="checkbox"/>	02.118.552	<input type="checkbox"/>	04.118.552 52 mm
<input type="checkbox"/>	02.118.554	<input type="checkbox"/>	04.118.554 54 mm
<input type="checkbox"/>	02.118.556	<input type="checkbox"/>	04.118.556 56 mm
<input type="checkbox"/>	02.118.558	<input type="checkbox"/>	04.118.558 58 mm
<input type="checkbox"/>	02.118.560	<input type="checkbox"/>	04.118.560 60 mm

# Inventory Control Form

Construct Code: CONCLAVLCPLAT

Construct Name: DePuy Synthes Pro-Pak® Clavicle - Lateral LCP

Construct includes: 1 Plate, up to 10 Screws and 3 Drill Bit total

## Screws (select up to 10 screws from the below list)

### 2.7mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	202.810	<input type="checkbox"/>	402.810 10 mm
<input type="checkbox"/>	202.812	<input type="checkbox"/>	402.812 12 mm
<input type="checkbox"/>	202.814	<input type="checkbox"/>	402.814 14 mm
<input type="checkbox"/>	202.816	<input type="checkbox"/>	402.816 16 mm
<input type="checkbox"/>	202.818	<input type="checkbox"/>	402.818 18 mm
<input type="checkbox"/>	202.820	<input type="checkbox"/>	402.820 20 mm
<input type="checkbox"/>	202.822	<input type="checkbox"/>	402.822 22 mm
<input type="checkbox"/>	202.824	<input type="checkbox"/>	402.824 24 mm
<input type="checkbox"/>	202.826	<input type="checkbox"/>	402.826 26 mm
<input type="checkbox"/>	202.828	<input type="checkbox"/>	402.828 28 mm
<input type="checkbox"/>	202.830	<input type="checkbox"/>	402.830 30 mm
<input type="checkbox"/>	202.832	<input type="checkbox"/>	402.832 32 mm
<input type="checkbox"/>	202.834	<input type="checkbox"/>	402.834 34 mm
<input type="checkbox"/>	202.836	<input type="checkbox"/>	402.836 36 mm
<input type="checkbox"/>	202.838	<input type="checkbox"/>	402.838 38 mm
<input type="checkbox"/>	202.840	<input type="checkbox"/>	402.840 40 mm
<input type="checkbox"/>	202.842	<input type="checkbox"/>	- 42 mm
<input type="checkbox"/>	202.844	<input type="checkbox"/>	- 44 mm
<input type="checkbox"/>	202.845	<input type="checkbox"/>	402.845 45 mm
<input type="checkbox"/>	202.846	<input type="checkbox"/>	- 46 mm
<input type="checkbox"/>	202.848	<input type="checkbox"/>	- 48 mm
<input type="checkbox"/>	202.850	<input type="checkbox"/>	402.850 50 mm
<input type="checkbox"/>	202.855	<input type="checkbox"/>	402.855 55 mm

### 2.7mm Cortex Screw, self-tapping with T8 STARDRIVE Recess

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	202.870	<input type="checkbox"/>	402.870 10 mm
<input type="checkbox"/>	202.872	<input type="checkbox"/>	402.872 12 mm
<input type="checkbox"/>	202.874	<input type="checkbox"/>	402.874 14 mm
<input type="checkbox"/>	202.876	<input type="checkbox"/>	402.876 16 mm
<input type="checkbox"/>	202.878	<input type="checkbox"/>	402.878 18 mm
<input type="checkbox"/>	202.880	<input type="checkbox"/>	402.880 20 mm
<input type="checkbox"/>	202.882	<input type="checkbox"/>	402.882 22 mm
<input type="checkbox"/>	202.884	<input type="checkbox"/>	402.884 24 mm
<input type="checkbox"/>	202.886	<input type="checkbox"/>	402.886 26 mm
<input type="checkbox"/>	202.888	<input type="checkbox"/>	402.888 28 mm
<input type="checkbox"/>	202.890	<input type="checkbox"/>	402.890 30 mm
<input type="checkbox"/>	202.892	<input type="checkbox"/>	402.892 32 mm
<input type="checkbox"/>	202.894	<input type="checkbox"/>	402.894 34 mm
<input type="checkbox"/>	202.896	<input type="checkbox"/>	402.896 36 mm
<input type="checkbox"/>	202.898	<input type="checkbox"/>	402.898 38 mm
<input type="checkbox"/>	202.900	<input type="checkbox"/>	402.900 40 mm
<input type="checkbox"/>	202.962	<input type="checkbox"/>	402.962 42 mm
<input type="checkbox"/>	202.963	<input type="checkbox"/>	402.963 44 mm
<input type="checkbox"/>	202.965	<input type="checkbox"/>	402.965 46 mm
<input type="checkbox"/>	202.966	<input type="checkbox"/>	402.966 48 mm
<input type="checkbox"/>	202.967	<input type="checkbox"/>	402.967 50 mm
<input type="checkbox"/>	202.968	<input type="checkbox"/>	402.968 55 mm
<input type="checkbox"/>	202.969	<input type="checkbox"/>	402.969 60 mm

# Inventory Control Form

Construct Code: **CONCLAVLCPLAT**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Lateral LCP**

Construct includes: **1 Plate, up to 10 Screws and 3 Drill Bit total**

## Screws (select up to 10 screws from the below list)

### 3.5mm Cortex Screw, Low Profile HD self-tapping with STARDRIVE

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.206.210	<input type="checkbox"/>	04.206.210 10 mm
<input type="checkbox"/>	02.206.212	<input type="checkbox"/>	04.206.212 12 mm
<input type="checkbox"/>	02.206.214	<input type="checkbox"/>	04.206.214 14 mm
<input type="checkbox"/>	02.206.216	<input type="checkbox"/>	04.206.216 16 mm
<input type="checkbox"/>	02.206.218	<input type="checkbox"/>	04.206.218 18 mm
<input type="checkbox"/>	02.206.220	<input type="checkbox"/>	04.206.220 20 mm
<input type="checkbox"/>	02.206.222	<input type="checkbox"/>	04.206.222 22 mm
<input type="checkbox"/>	02.206.224	<input type="checkbox"/>	04.206.224 24 mm
<input type="checkbox"/>	02.206.226	<input type="checkbox"/>	04.206.226 26 mm
<input type="checkbox"/>	02.206.228	<input type="checkbox"/>	04.206.228 28 mm
<input type="checkbox"/>	02.206.230	<input type="checkbox"/>	04.206.230 30 mm
<input type="checkbox"/>	02.206.232	<input type="checkbox"/>	04.206.232 32 mm
<input type="checkbox"/>	02.206.234	<input type="checkbox"/>	04.206.234 34 mm
<input type="checkbox"/>	02.206.236	<input type="checkbox"/>	04.206.236 36 mm
<input type="checkbox"/>	02.206.238	<input type="checkbox"/>	04.206.238 38 mm
<input type="checkbox"/>	02.206.240	<input type="checkbox"/>	04.206.240 40 mm
<input type="checkbox"/>	02.206.242	<input type="checkbox"/>	04.206.242 42 mm
<input type="checkbox"/>	02.206.244	<input type="checkbox"/>	04.206.244 44 mm
<input type="checkbox"/>	02.206.245	<input type="checkbox"/>	04.206.245 45 mm
<input type="checkbox"/>	02.206.246	<input type="checkbox"/>	04.206.246 46 mm
<input type="checkbox"/>	02.206.248	<input type="checkbox"/>	04.206.248 48 mm
<input type="checkbox"/>	02.206.250	<input type="checkbox"/>	04.206.250 50 mm
<input type="checkbox"/>	02.206.252	<input type="checkbox"/>	04.206.252 52 mm
<input type="checkbox"/>	02.206.254	<input type="checkbox"/>	04.206.254 54 mm
<input type="checkbox"/>	02.206.255	<input type="checkbox"/>	04.206.255 55 mm
<input type="checkbox"/>	02.206.256	<input type="checkbox"/>	04.206.256 56 mm
<input type="checkbox"/>	02.206.258	<input type="checkbox"/>	04.206.258 58 mm
<input type="checkbox"/>	02.206.260	<input type="checkbox"/>	04.206.260 60 mm

### 2.7mm Cortex Screw, Low Profile HD self-tapping with HEX DRIVE

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.206.010	<input type="checkbox"/>	- 10 mm
<input type="checkbox"/>	02.206.012	<input type="checkbox"/>	- 12 mm
<input type="checkbox"/>	02.206.014	<input type="checkbox"/>	- 14 mm
<input type="checkbox"/>	02.206.016	<input type="checkbox"/>	- 16 mm
<input type="checkbox"/>	02.206.018	<input type="checkbox"/>	- 18 mm
<input type="checkbox"/>	02.206.020	<input type="checkbox"/>	- 20 mm
<input type="checkbox"/>	02.206.022	<input type="checkbox"/>	- 22 mm
<input type="checkbox"/>	02.206.024	<input type="checkbox"/>	- 24 mm
<input type="checkbox"/>	02.206.026	<input type="checkbox"/>	- 26 mm
<input type="checkbox"/>	02.206.028	<input type="checkbox"/>	- 28 mm
<input type="checkbox"/>	02.206.030	<input type="checkbox"/>	- 30 mm
<input type="checkbox"/>	02.206.032	<input type="checkbox"/>	- 32 mm
<input type="checkbox"/>	02.206.034	<input type="checkbox"/>	- 34 mm
<input type="checkbox"/>	02.206.036	<input type="checkbox"/>	- 36 mm
<input type="checkbox"/>	02.206.038	<input type="checkbox"/>	- 38 mm
<input type="checkbox"/>	02.206.040	<input type="checkbox"/>	- 40 mm
<input type="checkbox"/>	02.206.042	<input type="checkbox"/>	- 42 mm
<input type="checkbox"/>	02.206.044	<input type="checkbox"/>	- 44 mm
<input type="checkbox"/>	02.206.046	<input type="checkbox"/>	- 45 mm
<input type="checkbox"/>	02.206.048	<input type="checkbox"/>	- 48 mm
<input type="checkbox"/>	02.206.050	<input type="checkbox"/>	- 50 mm
<input type="checkbox"/>	02.206.052	<input type="checkbox"/>	- 52 mm
<input type="checkbox"/>	02.206.054	<input type="checkbox"/>	- 54 mm
<input type="checkbox"/>	02.206.056	<input type="checkbox"/>	- 56 mm
<input type="checkbox"/>	02.206.058	<input type="checkbox"/>	- 58 mm
<input type="checkbox"/>	02.206.060	<input type="checkbox"/>	- 60 mm

# Inventory Control Form

Construct Code: CONCLAVLCPLAT

Construct Name: DePuy Synthes Pro-Pak® Clavicle - Lateral LCP

Construct includes: 1 Plate, up to 10 Screws and 3 Drill Bit total

## Screws (select up to 10 screws from the below list)

### 3.5mm STARDRIVE Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	02.200.010	<input type="checkbox"/>	04.200.010 10 mm
<input type="checkbox"/>	02.200.012	<input type="checkbox"/>	04.200.012 12 mm
<input type="checkbox"/>	02.200.014	<input type="checkbox"/>	04.200.014 14 mm
<input type="checkbox"/>	02.200.016	<input type="checkbox"/>	04.200.016 16 mm
<input type="checkbox"/>	02.200.018	<input type="checkbox"/>	04.200.018 18 mm
<input type="checkbox"/>	02.200.020	<input type="checkbox"/>	04.200.020 20 mm
<input type="checkbox"/>	02.200.022	<input type="checkbox"/>	04.200.022 22 mm
<input type="checkbox"/>	02.200.024	<input type="checkbox"/>	04.200.024 24 mm
<input type="checkbox"/>	02.200.026	<input type="checkbox"/>	04.200.026 26 mm
<input type="checkbox"/>	02.200.028	<input type="checkbox"/>	04.200.028 28 mm
<input type="checkbox"/>	02.200.030	<input type="checkbox"/>	04.200.030 30 mm
<input type="checkbox"/>	02.200.032	<input type="checkbox"/>	04.200.032 32 mm
<input type="checkbox"/>	02.200.034	<input type="checkbox"/>	04.200.034 34 mm
<input type="checkbox"/>	02.200.036	<input type="checkbox"/>	04.200.036 36 mm
<input type="checkbox"/>	02.200.038	<input type="checkbox"/>	04.200.038 38 mm
<input type="checkbox"/>	02.200.040	<input type="checkbox"/>	04.200.040 40 mm
<input type="checkbox"/>	02.200.042	<input type="checkbox"/>	04.200.042 42 mm
<input type="checkbox"/>	02.200.044	<input type="checkbox"/>	04.200.044 44 mm
<input type="checkbox"/>	02.200.045	<input type="checkbox"/>	04.200.045 45 mm
<input type="checkbox"/>	02.200.046	<input type="checkbox"/>	04.200.046 46 mm
<input type="checkbox"/>	02.200.048	<input type="checkbox"/>	04.200.048 48 mm
<input type="checkbox"/>	02.200.050	<input type="checkbox"/>	04.200.050 50 mm
<input type="checkbox"/>	02.200.055	<input type="checkbox"/>	04.200.055 55 mm
<input type="checkbox"/>	02.200.060	<input type="checkbox"/>	04.200.060 60 mm

### 3.5mm Cortex Screw, self-tapping

	Stainless Steel	Titanium	Length
<input type="checkbox"/>	204.810	<input type="checkbox"/>	404.810 10 mm
<input type="checkbox"/>	204.812	<input type="checkbox"/>	404.812 12 mm
<input type="checkbox"/>	204.814	<input type="checkbox"/>	404.814 14 mm
<input type="checkbox"/>	204.816	<input type="checkbox"/>	404.816 16 mm
<input type="checkbox"/>	204.818	<input type="checkbox"/>	404.818 18 mm
<input type="checkbox"/>	204.820	<input type="checkbox"/>	404.820 20 mm
<input type="checkbox"/>	204.822	<input type="checkbox"/>	404.822 22 mm
<input type="checkbox"/>	204.824	<input type="checkbox"/>	404.824 24 mm
<input type="checkbox"/>	204.826	<input type="checkbox"/>	404.826 26 mm
<input type="checkbox"/>	204.828	<input type="checkbox"/>	404.828 28 mm
<input type="checkbox"/>	204.830	<input type="checkbox"/>	404.830 30 mm
<input type="checkbox"/>	204.832	<input type="checkbox"/>	404.832 32 mm
<input type="checkbox"/>	204.834	<input type="checkbox"/>	404.834 34 mm
<input type="checkbox"/>	204.836	<input type="checkbox"/>	404.836 36 mm
<input type="checkbox"/>	204.838	<input type="checkbox"/>	404.838 38 mm
<input type="checkbox"/>	204.840	<input type="checkbox"/>	404.840 40 mm
<input type="checkbox"/>	204.842	<input type="checkbox"/>	- 42 mm
<input type="checkbox"/>	204.844	<input type="checkbox"/>	- 45 mm
<input type="checkbox"/>	204.845	<input type="checkbox"/>	404.845 44 mm
<input type="checkbox"/>	204.846	<input type="checkbox"/>	- 46 mm
<input type="checkbox"/>	204.848	<input type="checkbox"/>	- 48 mm
<input type="checkbox"/>	204.850	<input type="checkbox"/>	404.850 50 mm
<input type="checkbox"/>	204.855	<input type="checkbox"/>	404.855 55 mm
<input type="checkbox"/>	204.860	<input type="checkbox"/>	- 60 mm

# Inventory Control Form

Construct Code: **CONCLAVLCPLAT**

Construct Name: **DePuy Synthes Pro-Pak® Clavicle - Lateral LCP**

Construct includes: **1 Plate, up to 10 Screws and 3 Drill Bit total**

## Drill Bits (select three drill bit from the following list)

### Drill Bits for Clavicle Lateral LCP

Item Number	Description
317.861	1.8mm drill bit/mini qc/80mm
310.509	1.8mm drill bit/qc/100mm
310.51	1.8mm drill bit/qc/100mm
03.133.100	2.0mm drill bit qc 110mm 30mm calibration
03.133.101	2.0mm drill bit qc 140mm 60mm calibration
310.201	2.0mm drill bit/mini qc/65mm
310.19	2.0mm drill bit/qc/100mm
310.21	2.0mm drill bit/qc/125mm
323.062	2.0mm drill bit with depth mark/qc/140mm
03.133.102	2.5mm drill bit qc 135mm 45mm calibration
03.133.103	2.5mm drill bit qc 170mm 80mm calibration
310.25	2.5mm drill bit/qc/gold/110mm
310.23	2.5mm drill bit/qc/gold/180mm
310.26	2.7mm drill bit/qc/100mm
315.28	2.7mm three-fluted drill bit qc/125mm
03.133.106	2.8mm drill bit qc 135mm 45mm calibration
03.133.107	2.8mm drill bit qc 170mm 80mm calibration
03.113.024	2.8mm calibrated drill bit qc 250mm/95mm
310.288	2.8mm drill bit/qc/165mm
03.112.003	2.8mm calibrated drill bit short w/drill stop
310.35	3.5mm drill bit/qc/110mm
03.133.109	3.5mm drill bit qc 150mm
310.37	3.5mm drill bit/qc/195mm