

# Inventory Control Form



Construct Code: **CONOLECLCP**

Construct Name: **DePuy Synthes Pro-Pak® Olecranon - LCP**

Construct includes: **1 Plate, up to 8 Screws, 1 K-Wire Pack and up to 2 Drill Bits Total**

Case Information (eg, Case ID):

DO NOT PUT ANY  
PATIENT IDENTIFIABLE  
INFORMATION IN  
THIS FIELD

**To Order go to: [JJCustomerConnect.com](http://JJCustomerConnect.com)**

Date: \_\_\_\_\_

Surgery Center: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Plates (select one plate from the following list)

### 3.5 mm LCP® Olecranon Plate

	Stainless Steel	Titanium	Holes	Length	Left/Right	Sterile	
	236.502		436.502	2	86 mm	Right	-
	236.502S		436.502S	2	86 mm	Right	Yes
	236.503		436.503	2	86 mm	Left	-
	236.503S		436.503S	2	86 mm	Left	Yes
	236.504		436.504	4	112 mm	Right	-
	236.504S		436.504S	4	112 mm	Right	Yes
	236.505		436.505	4	112 mm	Left	-
	236.505S		436.505S	4	112 mm	Left	Yes
	236.506		436.506	6	138 mm	Right	-
	236.506S		436.506S	6	138 mm	Right	Yes
	236.507		436.507	6	138 mm	Left	-
	236.507S		436.507S	6	138 mm	Left	Yes
	236.508		436.508	8	164 mm	Right	-
	236.508S		436.508S	8	164 mm	Right	Yes
	236.509		436.509	8	164 mm	Left	-
	236.509S		436.509S	8	164 mm	Left	Yes
	236.510		436.510	10	190 mm	Right	-
	236.510S		436.510S	10	190 mm	Right	Yes
	236.511		436.511	10	190 mm	Left	-
	236.511S		436.511S	10	190 mm	Left	Yes
	236.512		436.512	12	216 mm	Right	-
	236.512S		436.512S	12	216 mm	Right	Yes
	236.513		436.513	12	216 mm	Left	-
	236.513S		436.513S	12	216 mm	Left	Yes

# Inventory Control Form



Construct Code: **CONOLECLCP**

Construct Name: **DePuy Synthes Pro-Pak® Olecranon - LCP**

Construct includes: **1 Plate, up to 8 Screws, 1 K-Wire Pack and up to 2 Drill Bits Total**

## Screws (select up to 8 screws from the following list)

### 2.7 mm Cortex Screws, self-tapping

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	10 mm
<input type="checkbox"/>	<input type="checkbox"/>	12 mm
<input type="checkbox"/>	<input type="checkbox"/>	14 mm
<input type="checkbox"/>	<input type="checkbox"/>	16 mm
<input type="checkbox"/>	<input type="checkbox"/>	18 mm
<input type="checkbox"/>	<input type="checkbox"/>	20 mm
<input type="checkbox"/>	<input type="checkbox"/>	22 mm
<input type="checkbox"/>	<input type="checkbox"/>	24 mm
<input type="checkbox"/>	<input type="checkbox"/>	26 mm
<input type="checkbox"/>	<input type="checkbox"/>	28 mm
<input type="checkbox"/>	<input type="checkbox"/>	30 mm
<input type="checkbox"/>	<input type="checkbox"/>	32 mm
<input type="checkbox"/>	<input type="checkbox"/>	34 mm
<input type="checkbox"/>	<input type="checkbox"/>	36 mm
<input type="checkbox"/>	<input type="checkbox"/>	38 mm
<input type="checkbox"/>	<input type="checkbox"/>	40 mm
<input type="checkbox"/>	<input type="checkbox"/>	42 mm
<input type="checkbox"/>	<input type="checkbox"/>	44 mm
<input type="checkbox"/>	<input type="checkbox"/>	45 mm
<input type="checkbox"/>	<input type="checkbox"/>	46 mm
<input type="checkbox"/>	<input type="checkbox"/>	48 mm
<input type="checkbox"/>	<input type="checkbox"/>	50 mm
<input type="checkbox"/>	<input type="checkbox"/>	55 mm

### 2.7 mm Cortex Screws, self-tapping, with T8 STARDRIVE™ Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	10 mm
<input type="checkbox"/>	<input type="checkbox"/>	12 mm
<input type="checkbox"/>	<input type="checkbox"/>	14 mm
<input type="checkbox"/>	<input type="checkbox"/>	16 mm
<input type="checkbox"/>	<input type="checkbox"/>	18 mm
<input type="checkbox"/>	<input type="checkbox"/>	20 mm
<input type="checkbox"/>	<input type="checkbox"/>	22 mm
<input type="checkbox"/>	<input type="checkbox"/>	24 mm
<input type="checkbox"/>	<input type="checkbox"/>	26 mm
<input type="checkbox"/>	<input type="checkbox"/>	28 mm
<input type="checkbox"/>	<input type="checkbox"/>	30 mm
<input type="checkbox"/>	<input type="checkbox"/>	32 mm
<input type="checkbox"/>	<input type="checkbox"/>	34 mm
<input type="checkbox"/>	<input type="checkbox"/>	36 mm
<input type="checkbox"/>	<input type="checkbox"/>	38 mm
<input type="checkbox"/>	<input type="checkbox"/>	40 mm
<input type="checkbox"/>	<input type="checkbox"/>	42 mm
<input type="checkbox"/>	<input type="checkbox"/>	44 mm
<input type="checkbox"/>	<input type="checkbox"/>	46 mm
<input type="checkbox"/>	<input type="checkbox"/>	48 mm
<input type="checkbox"/>	<input type="checkbox"/>	50 mm
<input type="checkbox"/>	<input type="checkbox"/>	55 mm
<input type="checkbox"/>	<input type="checkbox"/>	60 mm

# Inventory Control Form



Construct Code: **CONOLECLCP**

Construct Name: **DePuy Synthes Pro-Pak® Olecranon - LCP**

Construct includes: **1 Plate, up to 8 Screws, 1 K-Wire Pack and up to 2 Drill Bits Total**

## Screws

### 3.5 mm Cortex Screws, self-tapping

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	10 mm
<input type="checkbox"/>	<input type="checkbox"/>	12 mm
<input type="checkbox"/>	<input type="checkbox"/>	14 mm
<input type="checkbox"/>	<input type="checkbox"/>	16 mm
<input type="checkbox"/>	<input type="checkbox"/>	18 mm
<input type="checkbox"/>	<input type="checkbox"/>	20 mm
<input type="checkbox"/>	<input type="checkbox"/>	22 mm
<input type="checkbox"/>	<input type="checkbox"/>	24 mm
<input type="checkbox"/>	<input type="checkbox"/>	26 mm
<input type="checkbox"/>	<input type="checkbox"/>	28 mm
<input type="checkbox"/>	<input type="checkbox"/>	30 mm
<input type="checkbox"/>	<input type="checkbox"/>	32 mm
<input type="checkbox"/>	<input type="checkbox"/>	34 mm
<input type="checkbox"/>	<input type="checkbox"/>	36 mm
<input type="checkbox"/>	<input type="checkbox"/>	38 mm
<input type="checkbox"/>	<input type="checkbox"/>	40 mm
<input type="checkbox"/>	<input type="checkbox"/>	42 mm
<input type="checkbox"/>	<input type="checkbox"/>	44 mm
<input type="checkbox"/>	<input type="checkbox"/>	45 mm
<input type="checkbox"/>	<input type="checkbox"/>	46 mm
<input type="checkbox"/>	<input type="checkbox"/>	48 mm
<input type="checkbox"/>	<input type="checkbox"/>	50 mm
<input type="checkbox"/>	<input type="checkbox"/>	55 mm
<input type="checkbox"/>	<input type="checkbox"/>	60 mm

### 3.5 mm Cortex Screws, self-tapping, T15 STARDRIVE™ Recess

Stainless Steel	Titanium	Length
<input type="checkbox"/>	<input type="checkbox"/>	10 mm
<input type="checkbox"/>	<input type="checkbox"/>	12 mm
<input type="checkbox"/>	<input type="checkbox"/>	14 mm
<input type="checkbox"/>	<input type="checkbox"/>	16 mm
<input type="checkbox"/>	<input type="checkbox"/>	18 mm
<input type="checkbox"/>	<input type="checkbox"/>	20 mm
<input type="checkbox"/>	<input type="checkbox"/>	22 mm
<input type="checkbox"/>	<input type="checkbox"/>	24 mm
<input type="checkbox"/>	<input type="checkbox"/>	26 mm
<input type="checkbox"/>	<input type="checkbox"/>	28 mm
<input type="checkbox"/>	<input type="checkbox"/>	30 mm
<input type="checkbox"/>	<input type="checkbox"/>	32 mm
<input type="checkbox"/>	<input type="checkbox"/>	34 mm
<input type="checkbox"/>	<input type="checkbox"/>	36 mm
<input type="checkbox"/>	<input type="checkbox"/>	38 mm
<input type="checkbox"/>	<input type="checkbox"/>	40 mm
<input type="checkbox"/>	<input type="checkbox"/>	42 mm
<input type="checkbox"/>	<input type="checkbox"/>	44 mm
<input type="checkbox"/>	<input type="checkbox"/>	45 mm
<input type="checkbox"/>	<input type="checkbox"/>	46 mm
<input type="checkbox"/>	<input type="checkbox"/>	48 mm
<input type="checkbox"/>	<input type="checkbox"/>	50 mm
<input type="checkbox"/>	<input type="checkbox"/>	55 mm
<input type="checkbox"/>	<input type="checkbox"/>	60 mm

