

Inventory Control Form

Construct Code: **CONCCHSSM**
 Construct Name: **DePuy Synthes Pro-Pak™ CCHS - Small**
 Construct includes: **1 Screw and 1 Guide Wire**

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To Order go to: JJCustomerConnect.com

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Screws (select one screw from the following list)

2.0 mm Headless Cannulated Compression Screws, Short Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.333.010	10 mm
<input type="checkbox"/> 04.333.012	12 mm
<input type="checkbox"/> 04.333.014	14 mm
<input type="checkbox"/> 04.333.016	16 mm
<input type="checkbox"/> 04.333.018	18 mm
<input type="checkbox"/> 04.333.020	20 mm
<input type="checkbox"/> 04.333.022	22 mm
<input type="checkbox"/> 04.333.024	24 mm
<input type="checkbox"/> 04.333.026	26 mm
<input type="checkbox"/> 04.333.028	28 mm
<input type="checkbox"/> 04.333.030	30 mm

2.0 mm Headless Cannulated Compression Screws, Long Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.334.020	20 mm
<input type="checkbox"/> 04.334.022	22 mm
<input type="checkbox"/> 04.334.024	24 mm
<input type="checkbox"/> 04.334.026	26 mm
<input type="checkbox"/> 04.334.028	28 mm
<input type="checkbox"/> 04.334.030	30 mm

2.5 mm Headless Cannulated Compression Screws, Short Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.333.110	10 mm
<input type="checkbox"/> 04.333.112	12 mm
<input type="checkbox"/> 04.333.114	14 mm
<input type="checkbox"/> 04.333.116	16 mm
<input type="checkbox"/> 04.333.118	18 mm
<input type="checkbox"/> 04.333.120	20 mm
<input type="checkbox"/> 04.333.122	22 mm
<input type="checkbox"/> 04.333.124	24 mm
<input type="checkbox"/> 04.333.126	26 mm
<input type="checkbox"/> 04.333.128	28 mm
<input type="checkbox"/> 04.333.130	30 mm
<input type="checkbox"/> 04.333.132	32 mm
<input type="checkbox"/> 04.333.134	34 mm
<input type="checkbox"/> 04.333.136	36 mm
<input type="checkbox"/> 04.333.138	38 mm
<input type="checkbox"/> 04.333.140	40 mm

2.5 mm Headless Cannulated Compression Screws, Long Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.334.120	20 mm
<input type="checkbox"/> 04.334.122	22 mm
<input type="checkbox"/> 04.334.124	24 mm
<input type="checkbox"/> 04.334.126	26 mm
<input type="checkbox"/> 04.334.128	28 mm
<input type="checkbox"/> 04.334.130	30 mm
<input type="checkbox"/> 04.334.132	32 mm
<input type="checkbox"/> 04.334.134	34 mm
<input type="checkbox"/> 04.334.136	36 mm
<input type="checkbox"/> 04.334.138	38 mm
<input type="checkbox"/> 04.334.140	40 mm

Inventory Control Form

Construct Code: **CONCCHSSM**

Construct Name: **DePuy Synthes Pro-Pak™ CCHS - Small**

Construct includes: **1 Screw and 1 Guide Wire**

Screws (select one screw from the following list)

3.0 mm Headless Cannulated Compression Screws, Short Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.333.210	10 mm
<input type="checkbox"/> 04.333.212	12 mm
<input type="checkbox"/> 04.333.214	14 mm
<input type="checkbox"/> 04.333.216	16 mm
<input type="checkbox"/> 04.333.218	18 mm
<input type="checkbox"/> 04.333.220	20 mm
<input type="checkbox"/> 04.333.222	22 mm
<input type="checkbox"/> 04.333.224	24 mm
<input type="checkbox"/> 04.333.226	26 mm
<input type="checkbox"/> 04.333.228	28 mm
<input type="checkbox"/> 04.333.230	30 mm
<input type="checkbox"/> 04.333.232	32 mm
<input type="checkbox"/> 04.333.234	34 mm
<input type="checkbox"/> 04.333.236	36 mm
<input type="checkbox"/> 04.333.238	38 mm
<input type="checkbox"/> 04.333.240	40 mm

3.0 mm Headless Cannulated Compression Screws, Long Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.334.220	20 mm
<input type="checkbox"/> 04.334.222	22 mm
<input type="checkbox"/> 04.334.224	24 mm
<input type="checkbox"/> 04.334.226	26 mm
<input type="checkbox"/> 04.334.228	28 mm
<input type="checkbox"/> 04.334.230	30 mm
<input type="checkbox"/> 04.334.232	32 mm
<input type="checkbox"/> 04.334.234	34 mm
<input type="checkbox"/> 04.334.236	36 mm
<input type="checkbox"/> 04.334.238	38 mm
<input type="checkbox"/> 04.334.240	40 mm

3.5 mm Headless Cannulated Compression Screws, Short Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.333.314	14 mm
<input type="checkbox"/> 04.333.316	16 mm
<input type="checkbox"/> 04.333.318	18 mm
<input type="checkbox"/> 04.333.320	20 mm
<input type="checkbox"/> 04.333.322	22 mm
<input type="checkbox"/> 04.333.324	24 mm
<input type="checkbox"/> 04.333.326	26 mm
<input type="checkbox"/> 04.333.328	28 mm
<input type="checkbox"/> 04.333.330	30 mm
<input type="checkbox"/> 04.333.332	32 mm
<input type="checkbox"/> 04.333.334	34 mm
<input type="checkbox"/> 04.333.336	36 mm
<input type="checkbox"/> 04.333.338	38 mm
<input type="checkbox"/> 04.333.340	40 mm
<input type="checkbox"/> 04.333.342	42 mm
<input type="checkbox"/> 04.333.344	44 mm
<input type="checkbox"/> 04.333.346	46 mm
<input type="checkbox"/> 04.333.348	48 mm
<input type="checkbox"/> 04.333.350	50 mm

3.5 mm Headless Cannulated Compression Screws, Long Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.334.324	24 mm
<input type="checkbox"/> 04.334.326	26 mm
<input type="checkbox"/> 04.334.328	28 mm
<input type="checkbox"/> 04.334.330	30 mm
<input type="checkbox"/> 04.334.332	32 mm
<input type="checkbox"/> 04.334.334	34 mm
<input type="checkbox"/> 04.334.336	36 mm
<input type="checkbox"/> 04.334.338	38 mm
<input type="checkbox"/> 04.334.340	40 mm
<input type="checkbox"/> 04.334.342	42 mm
<input type="checkbox"/> 04.334.344	44 mm
<input type="checkbox"/> 04.334.346	46 mm
<input type="checkbox"/> 04.334.348	48 mm
<input type="checkbox"/> 04.334.350	50 mm

4.0 mm Headless Cannulated Compression Screws, Short Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.333.414	14 mm
<input type="checkbox"/> 04.333.416	16 mm
<input type="checkbox"/> 04.333.418	18 mm
<input type="checkbox"/> 04.333.420	20 mm
<input type="checkbox"/> 04.333.422	22 mm
<input type="checkbox"/> 04.333.424	24 mm
<input type="checkbox"/> 04.333.426	26 mm
<input type="checkbox"/> 04.333.428	28 mm
<input type="checkbox"/> 04.333.430	30 mm
<input type="checkbox"/> 04.333.432	32 mm
<input type="checkbox"/> 04.333.434	34 mm
<input type="checkbox"/> 04.333.436	36 mm
<input type="checkbox"/> 04.333.438	38 mm
<input type="checkbox"/> 04.333.440	40 mm
<input type="checkbox"/> 04.333.442	42 mm
<input type="checkbox"/> 04.333.444	44 mm
<input type="checkbox"/> 04.333.446	46 mm
<input type="checkbox"/> 04.333.448	48 mm
<input type="checkbox"/> 04.333.450	50 mm
<input type="checkbox"/> 04.333.452	52 mm
<input type="checkbox"/> 04.333.454	54 mm
<input type="checkbox"/> 04.333.456	56 mm
<input type="checkbox"/> 04.333.458	58 mm
<input type="checkbox"/> 04.333.460	60 mm

Inventory Control Form

Construct Code: **CONCCHSSM**

Construct Name: **DePuy Synthes Pro-Pak™ CCHS - Small**

Construct includes: **1 Screw and 1 Guide Wire**

Screws (select one screw from the following list)

4.0 mm Headless Cannulated Compression Screws, Long Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.334.424	24 mm
<input type="checkbox"/> 04.334.426	26 mm
<input type="checkbox"/> 04.334.428	28 mm
<input type="checkbox"/> 04.334.430	30 mm
<input type="checkbox"/> 04.334.432	32 mm
<input type="checkbox"/> 04.334.434	34 mm
<input type="checkbox"/> 04.334.436	36 mm
<input type="checkbox"/> 04.334.438	38 mm
<input type="checkbox"/> 04.334.440	40 mm
<input type="checkbox"/> 04.334.442	42 mm
<input type="checkbox"/> 04.334.444	44 mm
<input type="checkbox"/> 04.334.446	46 mm
<input type="checkbox"/> 04.334.448	48 mm
<input type="checkbox"/> 04.334.450	50 mm
<input type="checkbox"/> 04.334.452	52 mm
<input type="checkbox"/> 04.334.454	54 mm
<input type="checkbox"/> 04.334.456	56 mm
<input type="checkbox"/> 04.334.458	58 mm
<input type="checkbox"/> 04.334.460	60 mm

4.5 mm Headless Cannulated Compression Screws, Short Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.333.500	100 mm
<input type="checkbox"/> 04.333.501	105 mm
<input type="checkbox"/> 04.333.502	110 mm
<input type="checkbox"/> 04.333.520	20 mm
<input type="checkbox"/> 04.333.522	22 mm
<input type="checkbox"/> 04.333.524	24 mm
<input type="checkbox"/> 04.333.526	26 mm
<input type="checkbox"/> 04.333.528	28 mm
<input type="checkbox"/> 04.333.530	30 mm
<input type="checkbox"/> 04.333.532	32 mm
<input type="checkbox"/> 04.333.534	34 mm
<input type="checkbox"/> 04.333.536	36 mm
<input type="checkbox"/> 04.333.538	38 mm
<input type="checkbox"/> 04.333.540	40 mm
<input type="checkbox"/> 04.333.542	42 mm
<input type="checkbox"/> 04.333.544	44 mm
<input type="checkbox"/> 04.333.546	46 mm
<input type="checkbox"/> 04.333.548	48 mm
<input type="checkbox"/> 04.333.550	50 mm
<input type="checkbox"/> 04.333.555	55 mm
<input type="checkbox"/> 04.333.560	60 mm
<input type="checkbox"/> 04.333.565	65 mm
<input type="checkbox"/> 04.333.570	70 mm
<input type="checkbox"/> 04.333.575	75 mm
<input type="checkbox"/> 04.333.580	80 mm
<input type="checkbox"/> 04.333.585	85 mm
<input type="checkbox"/> 04.333.590	90 mm
<input type="checkbox"/> 04.333.595	95 mm

4.5 mm Headless Cannulated Compression Screws, Long Thread

Titanium Item Number	Length
<input type="checkbox"/> 04.334.500	100 mm
<input type="checkbox"/> 04.334.501	105 mm
<input type="checkbox"/> 04.334.502	110 mm
<input type="checkbox"/> 04.334.530	30 mm
<input type="checkbox"/> 04.334.532	32 mm
<input type="checkbox"/> 04.334.534	34 mm
<input type="checkbox"/> 04.334.536	36 mm
<input type="checkbox"/> 04.334.538	38 mm
<input type="checkbox"/> 04.334.540	40 mm
<input type="checkbox"/> 04.334.542	42 mm
<input type="checkbox"/> 04.334.544	44 mm
<input type="checkbox"/> 04.334.546	46 mm
<input type="checkbox"/> 04.334.548	48 mm
<input type="checkbox"/> 04.334.550	50 mm
<input type="checkbox"/> 04.334.555	55 mm
<input type="checkbox"/> 04.334.560	60 mm
<input type="checkbox"/> 04.334.565	65 mm
<input type="checkbox"/> 04.334.570	70 mm
<input type="checkbox"/> 04.334.575	75 mm
<input type="checkbox"/> 04.334.580	80 mm
<input type="checkbox"/> 04.334.585	85 mm
<input type="checkbox"/> 04.334.590	90 mm
<input type="checkbox"/> 04.334.595	95 mm

Inventory Control Form

Construct Code: **CONCCHSSM**

Construct Name: **DePuy Synthes Pro-Pak™ CCHS - Small**

Construct includes: **1 Screw and 1 Guide Wire**

Guide Wires (select up to 1 guide wire from the below list)

Guide Wires

	Item Number	Description
<input type="checkbox"/>	03.333.000	0.8 mm Guide Wire/100mm Length, Trocar tip
<input type="checkbox"/>	03.333.001	1.1 mm Guide Wire/150mm Length, Trocar tip
<input type="checkbox"/>	03.333.002	1.4 mm Guide Wire/150mm Length, Trocar tip
<input type="checkbox"/>	03.333.003	1.6 mm Guide Wire/220mm Length, Trocar tip