

Inventory Control Form



Construct Code: **CONASCPLF1LVLS**

Construct Name: **DePuy Synthes Pro-Pak® ASC EXPEDIUM™ 1 LEVEL**

Construct includes: **Up To 4 Screws, 4 Set Screws, 2 Rods**

Case Information (eg, Case ID):

DO NOT PUT ANY PATIENT IDENTIFIABLE INFORMATION IN THIS FIELD

To Order (USA Only): 1-800-255-2500

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Screws (select 4 screws from the following list)

5.5 Titanium, Single Innie Polyaxial Screw

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-12-420	4.35mm	20mm	
<input type="checkbox"/>	1797-12-425	4.35mm	25mm	
<input type="checkbox"/>	1797-12-430	4.35mm	30mm	
<input type="checkbox"/>	1797-12-435	4.35mm	35mm	
<input type="checkbox"/>	1797-12-440	4.35mm	40mm	
<input type="checkbox"/>	1797-12-445	4.35mm	45mm	
<input type="checkbox"/>	1797-12-450	4.35mm	50mm	
<input type="checkbox"/>	1797-12-455	4.35mm	55mm	

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-12-520	5mm	20mm	
<input type="checkbox"/>	1797-12-525	5mm	25mm	
<input type="checkbox"/>	1797-12-530	5mm	30mm	
<input type="checkbox"/>	1797-12-530S	5mm	30mm	Y
<input type="checkbox"/>	1797-12-535	5mm	35mm	
<input type="checkbox"/>	1797-12-535S	5mm	35mm	Y
<input type="checkbox"/>	1797-12-540	5mm	40mm	
<input type="checkbox"/>	1797-12-540S	5mm	40mm	Y
<input type="checkbox"/>	1797-12-545	5mm	45mm	
<input type="checkbox"/>	1797-12-545S	5mm	45mm	Y
<input type="checkbox"/>	1797-12-550	5mm	50mm	
<input type="checkbox"/>	1797-12-550S	5mm	50mm	Y
<input type="checkbox"/>	1797-12-560	5mm	60mm	

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-15-525	5.5mm	25mm	
<input type="checkbox"/>	1797-15-530	5.5mm	30mm	
<input type="checkbox"/>	1797-15-535	5.5mm	35mm	
<input type="checkbox"/>	1797-15-540	5.5mm	40mm	
<input type="checkbox"/>	1797-15-545	5.5mm	45mm	
<input type="checkbox"/>	1797-15-550	5.5mm	50mm	

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-12-620	6mm	20mm	
<input type="checkbox"/>	1797-12-625	6mm	25mm	
<input type="checkbox"/>	1797-12-630	6mm	30mm	
<input type="checkbox"/>	1797-12-630S	6mm	30mm	Y
<input type="checkbox"/>	1797-12-635	6mm	35mm	
<input type="checkbox"/>	1797-12-635S	6mm	35mm	Y
<input type="checkbox"/>	1797-12-640	6mm	40mm	
<input type="checkbox"/>	1797-12-640S	6mm	40mm	Y
<input type="checkbox"/>	1797-12-645	6mm	45mm	
<input type="checkbox"/>	1797-12-645S	6mm	45mm	Y
<input type="checkbox"/>	1797-12-650	6mm	50mm	
<input type="checkbox"/>	1797-12-650S	6mm	50mm	Y
<input type="checkbox"/>	1797-12-655	6mm	55mm	
<input type="checkbox"/>	1797-12-655S	6mm	55mm	Y
<input type="checkbox"/>	1797-12-660	6mm	60mm	
<input type="checkbox"/>	1797-12-665	6mm	65mm	
<input type="checkbox"/>	1797-12-675	6mm	75mm	
<input type="checkbox"/>	1797-12-685	6mm	85mm	
<input type="checkbox"/>	1797-12-695	6mm	95mm	

Inventory Control Form

Construct Code: CONASCPLF1LVLS

Construct Name: DePuy Synthes Pro-Pak® ASC EXPEDIUM™ 1 LEVEL

Construct includes: Up To 4 Screws, 4 Set Screws, 2 Rods

Screws (select 4 set screws from the following list)

5.5 Titanium, Single Innie Polyaxial Screw

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-15-630	6.5mm	30mm	
<input type="checkbox"/>	1797-15-635	6.5mm	35mm	
<input type="checkbox"/>	1797-15-640	6.5mm	40mm	
<input type="checkbox"/>	1797-15-645	6.5mm	45mm	
<input type="checkbox"/>	1797-15-650	6.5mm	50mm	
<input type="checkbox"/>	1797-15-655	6.5mm	55mm	
<input type="checkbox"/>	1797-15-660	6.5mm	60mm	

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-12-730	7mm	30mm	
<input type="checkbox"/>	1797-12-735	7mm	35mm	
<input type="checkbox"/>	1797-12-735S	7mm	35mm	Y
<input type="checkbox"/>	1797-12-740	7mm	40mm	
<input type="checkbox"/>	1797-12-740S	7mm	40mm	Y
<input type="checkbox"/>	1797-12-745	7mm	45mm	
<input type="checkbox"/>	1797-12-745S	7mm	45mm	Y
<input type="checkbox"/>	1797-12-750	7mm	50mm	
<input type="checkbox"/>	1797-12-750S	7mm	50mm	Y
<input type="checkbox"/>	1797-12-755	7mm	55mm	
<input type="checkbox"/>	1797-12-755S	7mm	55mm	Y
<input type="checkbox"/>	1797-12-760	7mm	60mm	
<input type="checkbox"/>	1797-12-765	7mm	65mm	
<input type="checkbox"/>	1797-12-770	7mm	70mm	
<input type="checkbox"/>	1797-12-775	7mm	85mm	
<input type="checkbox"/>	1797-12-780	7mm	80mm	
<input type="checkbox"/>	1797-12-790	7mm	90mm	
<input type="checkbox"/>	1797-12-799	7mm	100mm	

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-12-030	7.5mm	30mm	
<input type="checkbox"/>	1797-12-035	7.5mm	35mm	
<input type="checkbox"/>	1797-12-040	7.5mm	40mm	
<input type="checkbox"/>	1797-12-045	7.5mm	45mm	
<input type="checkbox"/>	1797-12-050	7.5mm	50mm	
<input type="checkbox"/>	1797-12-055	7.5mm	55mm	
<input type="checkbox"/>	1797-12-060	7.5mm	60mm	
<input type="checkbox"/>	1797-12-065	7.5mm	65mm	
<input type="checkbox"/>	1797-12-070	7.5mm	70mm	
<input type="checkbox"/>	1797-12-075	7.5mm	75mm	
<input type="checkbox"/>	1797-12-080	7.5mm	80mm	
<input type="checkbox"/>	1797-12-090	7.5mm	90mm	
<input type="checkbox"/>	1797-12-099	7.5mm	100mm	

	Titanium	Diameter	Length	Sterile
<input type="checkbox"/>	1797-12-830	8mm	30mm	
<input type="checkbox"/>	1797-12-835	8mm	35mm	
<input type="checkbox"/>	1797-12-840	8mm	40mm	
<input type="checkbox"/>	1797-12-845	8mm	45mm	
<input type="checkbox"/>	1797-12-850	8mm	50mm	
<input type="checkbox"/>	1797-12-855	8mm	55mm	
<input type="checkbox"/>	1797-12-860	8mm	60mm	
<input type="checkbox"/>	1797-12-865	8mm	65mm	
<input type="checkbox"/>	1797-12-870	8mm	70mm	
<input type="checkbox"/>	1797-12-875	8mm	75mm	
<input type="checkbox"/>	1797-12-880	8mm	80mm	
<input type="checkbox"/>	1797-12-885	8mm	85mm	
<input type="checkbox"/>	1797-12-890	8mm	90mm	
<input type="checkbox"/>	1797-12-895	8mm	95mm	
<input type="checkbox"/>	1797-12-899	8mm	100mm	

Inventory Control Form

Construct Code: **CONASCPLF1LVLS**

Construct Name: **DePuy Synthes Pro-Pak® ASC EXPEDIUM™ 1 LEVEL**

Construct includes: **Up To 4 Screws, 4 Set Screws, 2 Rods**

Set Screws (select 4 set screws from the following list)

SINGLE INNIE SET SCREW

Titanium	Sterile
<input type="checkbox"/> 1797-02-000S	Y
<input type="checkbox"/> 1797-02-000	

Rods (select 2 rods from the following list)

PRE-BEND RODS, TITANIUM

Titanium	Diameter	Length
<input type="checkbox"/> 1797-72-035S	5.5mm	35mm
<input type="checkbox"/> 1797-72-040S	5.5mm	40mm
<input type="checkbox"/> 1797-72-045S	5.5mm	45mm
<input type="checkbox"/> 1797-72-055S	5.5mm	55mm
<input type="checkbox"/> 1797-72-065S	5.5mm	65mm
<input type="checkbox"/> 1797-72-075S	5.5mm	75mm

STRAIGHT RODS, TITANIUM

Titanium	Diameter	Length
<input type="checkbox"/> 1797-62-030S	5.5mm	30mm
<input type="checkbox"/> 1797-62-035	5.5mm	35mm
<input type="checkbox"/> 1797-62-040	5.5mm	40mm
<input type="checkbox"/> 1797-62-045	5.5mm	45mm
<input type="checkbox"/> 1797-62-050	5.5mm	50mm
<input type="checkbox"/> 1797-62-055	5.5mm	55mm
<input type="checkbox"/> 1797-62-060	5.5mm	60mm
<input type="checkbox"/> 1797-62-065	5.5mm	65mm
<input type="checkbox"/> 1797-62-070	5.5mm	70mm
<input type="checkbox"/> 1797-62-075	5.5mm	75mm

PRE-LORDOSED RODS, TITANIUM

Titanium	Diameter	Length
<input type="checkbox"/> 1797-71-030	5.5mm	30mm
<input type="checkbox"/> 1797-71-035	5.5mm	35mm
<input type="checkbox"/> 1797-71-040	5.5mm	40mm
<input type="checkbox"/> 1797-71-045	5.5mm	45mm
<input type="checkbox"/> 1797-71-050	5.5mm	50mm
<input type="checkbox"/> 1797-71-055	5.5mm	55mm
<input type="checkbox"/> 1797-71-060	5.5mm	60mm
<input type="checkbox"/> 1797-71-065	5.5mm	65mm
<input type="checkbox"/> 1797-71-070	5.5mm	70mm
<input type="checkbox"/> 1797-71-075	5.5mm	75mm