

Inventory Control Form



Construct Code: **CONASCCFXD2LVL**

Construct Name: **DePuy Synthes Pro-Pak™ VIPER™ CFX & CONDUIT™ Straight - 2 Level**

Construct includes: **6 Screws, 6 Set Screws, 2 Rods and 2 Cages**

Case Information (eg, Case ID):

DO NOT PUT ANY PATIENT IDENTIFIABLE INFORMATION IN THIS FIELD

To Order (USA Only): 1-800-255-2500

Date: _____

Surgery Center: _____

Surgeon: _____

Procedure: _____

Screws (select up to 6 screws from the following list)

VIPER Cortical Fix Screw, Cannulated

Item Number	Diameter	Length
<input type="checkbox"/> 1867-31-420	4.35mm	20mm
<input type="checkbox"/> 1867-31-425	4.35mm	25mm
<input type="checkbox"/> 1867-31-430	4.35mm	30mm
<input type="checkbox"/> 1867-31-435	4.35mm	35mm
<input type="checkbox"/> 1867-31-440	4.35mm	40mm
<input type="checkbox"/> 1867-31-445	4.35mm	45mm
<input type="checkbox"/> 1867-31-450	4.35mm	50mm
<input type="checkbox"/> 1867-31-455	4.35mm	55mm

Item Number	Diameter	Length
<input type="checkbox"/> 1867-31-520	5mm	20mm
<input type="checkbox"/> 1867-31-525	5mm	25mm
<input type="checkbox"/> 1867-31-530	5mm	30mm
<input type="checkbox"/> 1867-31-535	5mm	35mm
<input type="checkbox"/> 1867-31-540	5mm	40mm
<input type="checkbox"/> 1867-31-545	5mm	45mm
<input type="checkbox"/> 1867-31-550	5mm	50mm
<input type="checkbox"/> 1867-31-555	5mm	55mm

Item Number	Diameter	Length
<input type="checkbox"/> 1867-31-625	6mm	25mm
<input type="checkbox"/> 1867-31-630	6mm	30mm
<input type="checkbox"/> 1867-31-635	6mm	35mm
<input type="checkbox"/> 1867-31-640	6mm	40mm
<input type="checkbox"/> 1867-31-645	6mm	45mm
<input type="checkbox"/> 1867-31-650	6mm	50mm
<input type="checkbox"/> 1867-31-655	6mm	55mm

Item Number	Diameter	Length
<input type="checkbox"/> 1867-31-730	7mm	30mm
<input type="checkbox"/> 1867-31-735	7mm	35mm
<input type="checkbox"/> 1867-31-740	7mm	40mm
<input type="checkbox"/> 1867-31-745	7mm	45mm
<input type="checkbox"/> 1867-31-750	7mm	50mm
<input type="checkbox"/> 1867-31-755	7mm	55mm

Item Number	Diameter	Length
<input type="checkbox"/> 1867-31-835	8mm	35mm
<input type="checkbox"/> 1867-31-840	8mm	40mm
<input type="checkbox"/> 1867-31-845	8mm	45mm
<input type="checkbox"/> 1867-31-850	8mm	50mm
<input type="checkbox"/> 1867-31-855	8mm	55mm

Item Number	Diameter	Length
<input type="checkbox"/> 1867-31-935	9mm	35mm
<input type="checkbox"/> 1867-31-940	9mm	40mm
<input type="checkbox"/> 1867-31-945	9mm	45mm
<input type="checkbox"/> 1867-31-950	9mm	50mm
<input type="checkbox"/> 1867-31-955	9mm	55mm

Inventory Control Form

Construct Code: **CONASCCFXD2LVL**

Construct Name: **DePuy Synthes Pro-Pak™ VIPER™ CFX & CONDUIT™ Straight - 2 Level**

Construct includes: **6 Screws, 6 Set Screws, 2 Rods and 2 Cages**

Set Screws (select up to 6 set screws from the following list)

SINGLE-INNER SET SCREW

Titanium Item Number	Description
<input type="checkbox"/> 1867-15-000	MIS SINGLE INNER SETSCW

Rods (select up to 2 rods from the following list)

VIPER 2 LORDOSED ROD

Titanium Item Number	Diameter	Sterile
<input type="checkbox"/> 1867-88-030	30mm	-
<input type="checkbox"/> 1867-88-030S	30mm	Yes
<input type="checkbox"/> 1867-88-035	35mm	-
<input type="checkbox"/> 1867-88-035S	35mm	Yes
<input type="checkbox"/> 1867-88-040	40mm	-
<input type="checkbox"/> 1867-88-040S	40mm	Yes
<input type="checkbox"/> 1867-88-045	45mm	-
<input type="checkbox"/> 1867-88-045S	45mm	Yes
<input type="checkbox"/> 1867-88-050	50mm	-
<input type="checkbox"/> 1867-88-050S	50mm	Yes
<input type="checkbox"/> 1867-88-055	55mm	-
<input type="checkbox"/> 1867-88-055S	55mm	Yes
<input type="checkbox"/> 1867-88-060	60mm	-
<input type="checkbox"/> 1867-88-060S	60mm	Yes
<input type="checkbox"/> 1867-88-065	65mm	-
<input type="checkbox"/> 1867-88-065S	65mm	Yes
<input type="checkbox"/> 1867-88-070	70mm	-
<input type="checkbox"/> 1867-88-070S	70mm	Yes
<input type="checkbox"/> 1867-88-075	75mm	-
<input type="checkbox"/> 1867-88-075S	75mm	Yes

Inventory Control Form

Construct Code: **CONASCCFXD2LVL**

Construct Name: **DePuy Synthes Pro-Pak™ VIPER™ CFX & CONDUIT™ Straight - 2 Level**

Construct includes: **6 Screws, 6 Set Screws, 2 Rods and 2 Cages**

Intervertebral Cage (select 2 cages from the following list)

9 mm x 22 mm, Straight

	Titanium	Length	Degree
<input type="checkbox"/>	PUI40702	7mm	4DEG
<input type="checkbox"/>	PUI40802	8mm	4DEG
<input type="checkbox"/>	PUI40902	9mm	4DEG
<input type="checkbox"/>	PUI41002	10mm	4DEG
<input type="checkbox"/>	PUI41102	11mm	4DEG
<input type="checkbox"/>	PUI41202	12mm	4DEG
<input type="checkbox"/>	PUI41302	13mm	4DEG
<input type="checkbox"/>	PUI41402	14mm	4DEG
<input type="checkbox"/>	PUI41502	15mm	4DEG

	Titanium	Length	Degree
<input type="checkbox"/>	PUI80802	8mm	8DEG
<input type="checkbox"/>	PUI80902	9mm	8DEG
<input type="checkbox"/>	PUI81002	10mm	8DEG
<input type="checkbox"/>	PUI81102	11mm	8DEG
<input type="checkbox"/>	PUI81202	12mm	8DEG
<input type="checkbox"/>	PUI81302	13mm	8DEG
<input type="checkbox"/>	PUI81402	14mm	8DEG
<input type="checkbox"/>	PUI81502	15mm	8DEG

	Titanium	Length	Degree
<input type="checkbox"/>	PUI30902	9mm	12DEG
<input type="checkbox"/>	PUI31002	10mm	12DEG
<input type="checkbox"/>	PUI31102	11mm	12DEG
<input type="checkbox"/>	PUI31202	12mm	12DEG
<input type="checkbox"/>	PUI31302	13mm	12DEG
<input type="checkbox"/>	PUI31402	14mm	12DEG
<input type="checkbox"/>	PUI31502	15mm	12DEG

	Titanium	Length	Degree
<input type="checkbox"/>	PUI91002	10mm	18DEG
<input type="checkbox"/>	PUI91102	11mm	18DEG
<input type="checkbox"/>	PUI91202	12mm	18DEG
<input type="checkbox"/>	PUI91302	13mm	18DEG
<input type="checkbox"/>	PUI91402	14mm	18DEG
<input type="checkbox"/>	PUI91502	15mm	18DEG

9 mm x 26 mm, Straight

	Titanium	Length	Degree
<input type="checkbox"/>	PUI40706	7mm	4DEG
<input type="checkbox"/>	PUI40806	8mm	4DEG
<input type="checkbox"/>	PUI40906	9mm	4DEG
<input type="checkbox"/>	PUI41006	10mm	4DEG
<input type="checkbox"/>	PUI41106	11mm	4DEG
<input type="checkbox"/>	PUI41206	12mm	4DEG
<input type="checkbox"/>	PUI41306	13mm	4DEG
<input type="checkbox"/>	PUI41406	14mm	4DEG
<input type="checkbox"/>	PUI41506	15mm	4DEG

	Titanium	Length	Degree
<input type="checkbox"/>	PUI80806	8mm	8DEG
<input type="checkbox"/>	PUI80906	9mm	8DEG
<input type="checkbox"/>	PUI81006	10mm	8DEG
<input type="checkbox"/>	PUI81106	11mm	8DEG
<input type="checkbox"/>	PUI81206	12mm	8DEG
<input type="checkbox"/>	PUI81306	13mm	8DEG
<input type="checkbox"/>	PUI81406	14mm	8DEG
<input type="checkbox"/>	PUI81506	15mm	8DEG

	Titanium	Length	Degree
<input type="checkbox"/>	PUI31006	10mm	12DEG
<input type="checkbox"/>	PUI31106	11mm	12DEG
<input type="checkbox"/>	PUI31206	12mm	12DEG
<input type="checkbox"/>	PUI31306	13mm	12DEG
<input type="checkbox"/>	PUI31406	14mm	12DEG
<input type="checkbox"/>	PUI31506	15mm	12DEG

	Titanium	Length	Degree
<input type="checkbox"/>	PUI91106	11mm	18DEG
<input type="checkbox"/>	PUI91206	12mm	18DEG
<input type="checkbox"/>	PUI91306	13mm	18DEG
<input type="checkbox"/>	PUI91406	14mm	18DEG
<input type="checkbox"/>	PUI91506	15mm	18DEG

Inventory Control Form

Construct Code: **CONASCCFXD2LVL**

Construct Name: **DePuy Synthes Pro-Pak™ VIPER™ CFX & CONDUIT™ Straight - 2 Level**

Construct includes: **6 Screws, 6 Set Screws, 2 Rods and 2 Cages**

Intervertebral Cage (select 2 cages from the following list)

9 mm x 30 mm, Straight

Titanium	Length	Degree	
<input type="checkbox"/>	PUI40810	8mm	4DEG
<input type="checkbox"/>	PUI40910	9mm	4DEG
<input type="checkbox"/>	PUI41010	10mm	4DEG
<input type="checkbox"/>	PUI41110	11mm	4DEG
<input type="checkbox"/>	PUI41210	12mm	4DEG
<input type="checkbox"/>	PUI41310	13mm	4DEG
<input type="checkbox"/>	PUI41410	14mm	4DEG
<input type="checkbox"/>	PUI41510	15mm	4DEG

Titanium	Length	Degree	
<input type="checkbox"/>	PUI80910	9mm	8DEG
<input type="checkbox"/>	PUI81010	10mm	8DEG
<input type="checkbox"/>	PUI81110	11mm	8DEG
<input type="checkbox"/>	PUI81210	12mm	8DEG
<input type="checkbox"/>	PUI81310	13mm	8DEG
<input type="checkbox"/>	PUI81410	14mm	8DEG
<input type="checkbox"/>	PUI81510	15mm	8DEG

Titanium	Length	Degree	
<input type="checkbox"/>	PUI31010	10mm	12DEG
<input type="checkbox"/>	PUI31110	11mm	12DEG
<input type="checkbox"/>	PUI31210	12mm	12DEG
<input type="checkbox"/>	PUI31310	13mm	12DEG
<input type="checkbox"/>	PUI31410	14mm	12DEG
<input type="checkbox"/>	PUI31510	15mm	12DEG

Titanium	Length	Degree	
<input type="checkbox"/>	PUI91210	12mm	18DEG
<input type="checkbox"/>	PUI91310	13mm	18DEG
<input type="checkbox"/>	PUI91410	14mm	18DEG
<input type="checkbox"/>	PUI91510	15mm	18DEG

11 mm x 26 mm, Straight

Titanium	Length	Degree	
<input type="checkbox"/>	PUI40726	7mm	4DEG
<input type="checkbox"/>	PUI40926	9mm	4DEG
<input type="checkbox"/>	PUI41126	11mm	4DEG
<input type="checkbox"/>	PUI41326	13mm	4DEG
<input type="checkbox"/>	PUI41526	15mm	4DEG

Titanium	Length	Degree	
<input type="checkbox"/>	PUI80926	9mm	8DEG
<input type="checkbox"/>	PUI81126	11mm	8DEG
<input type="checkbox"/>	PUI81326	13mm	8DEG
<input type="checkbox"/>	PUI81526	15mm	8DEG

Titanium	Length	Degree	
<input type="checkbox"/>	PUI31126	11mm	12DEG
<input type="checkbox"/>	PUI31326	13mm	12DEG
<input type="checkbox"/>	PUI31526	15mm	12DEG

11 mm x 30 mm, Straight

Titanium	Length	Degree	
<input type="checkbox"/>	PUI40930	9mm	4DEG
<input type="checkbox"/>	PUI41130	11mm	4DEG
<input type="checkbox"/>	PUI41330	13mm	4DEG
<input type="checkbox"/>	PUI41530	15mm	4DEG

Titanium	Length	Degree	
<input type="checkbox"/>	PUI80930	9mm	8DEG
<input type="checkbox"/>	PUI81130	11mm	8DEG
<input type="checkbox"/>	PUI81330	13mm	8DEG
<input type="checkbox"/>	PUI81530	15mm	8DEG