

# Inventory Control Form



Construct Code: **CONSCPLADB**

Construct Name: **Depuy Synthes Pro-Pak™ DYNABUNSION™ Staple Compression Plate with ANTI-DRIFT BOLT™**

Construct includes: **1 Plate, 1 Staple, Up To 8 Screws, 2 Drill Kits, 2 K-Wire Packs and 1 Saw Blade**

Case Information (eg, Case ID):

DO NOT PUT ANY PATIENT IDENTIFIABLE INFORMATION IN THIS FIELD

**To Order go to: [JJCustomerConnect.com](http://JJCustomerConnect.com)**

Date: \_\_\_\_\_

Surgery Center: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Plates (select one plate from the following list)

### DYNABUNION Plate, Sterile

Titanium	Description
<input type="checkbox"/>	7100-LP18-L DYNABUNION PLATE, 18mm, LEFT
<input type="checkbox"/>	7100-LP18-R DYNABUNION PLATE, 18mm, RIGHT
<input type="checkbox"/>	7108-DSTL DYNABUNION™ STANDARD PLATE LT
<input type="checkbox"/>	7108-DSTR DYNABUNION™ STANDARD PLATE RT
<input type="checkbox"/>	7108-DSHL DYNABUNION™ SHORT PLATE LT
<input type="checkbox"/>	7108-DSHR DYNABUNION™ SHORT PLATE RT
<input type="checkbox"/>	7100-LC18-A LAPIDUS PL LC ALPHA 18mm
<input type="checkbox"/>	7100-LC18-B LAPIDUS PL LC BETA 18mm
<input type="checkbox"/>	7100-LZ18-A DYNAFORCE LAPIDUS PL LZ ALPHA 18mm
<input type="checkbox"/>	7100-LZ18-B LAPIDUS PLATE LZ BETA 18mm

## Staples (select one staple from the following list)

### HIMAX™ Staple, Sterile

Item Number	Size
<input type="checkbox"/>	7118-1414 18 x 14 x 14mm
<input type="checkbox"/>	7118-1814 18 x 18 X 14mm
<input type="checkbox"/>	7118-1818 18 x 18 x 18mm
<input type="checkbox"/>	7118-2020 18 x 20 x 20mm
<input type="checkbox"/>	7118-1414-C 18 x 14 x 14mm
<input type="checkbox"/>	7118-1814-C 18 x 18 x 14mm
<input type="checkbox"/>	7118-1818-C 18 x 18 x 18mm

# Inventory Control Form

Construct Code: **CONSCPLADB**

Construct Name: **Depuy Synthes Pro-Pak™ DYNABUNSION™ Staple Compression Plate with ANTI-DRIFT BOLT™**

Construct includes: **1 Plate, 1 Staple, Up To 8 Screws, 2 Drill Kits, 2 K-Wire Packs and 1 Saw Blade**

## Screws (select up to 8 screws from the following list)

### Polyaxial Locking Screw, Sterile

Titanium	Diameter	Length
<input type="checkbox"/>	15PL-3010	3.0mm 10mm
<input type="checkbox"/>	15PL-3012	3.0mm 12mm
<input type="checkbox"/>	15PL-3014	3.0mm 14mm
<input type="checkbox"/>	15PL-3016	3.0mm 16mm
<input type="checkbox"/>	15PL-3018	3.0mm 18mm
<input type="checkbox"/>	15PL-3020	3.0mm 20mm
<input type="checkbox"/>	15PL-3022	3.0mm 22mm
<input type="checkbox"/>	15PL-3024	3.0mm 24mm
<input type="checkbox"/>	15PL-3026	3.0mm 26mm
<input type="checkbox"/>	15PL-3028	3.0mm 28mm
<input type="checkbox"/>	15PL-3030	3.0mm 30mm
<input type="checkbox"/>	15PL-3510	3.5mm 10mm
<input type="checkbox"/>	15PL-3512	3.5mm 12mm
<input type="checkbox"/>	15PL-3514	3.5mm 14mm
<input type="checkbox"/>	15PL-3516	3.5mm 16mm
<input type="checkbox"/>	15PL-3518	3.5mm 18mm
<input type="checkbox"/>	15PL-3520	3.5mm 20mm
<input type="checkbox"/>	15PL-3522	3.5mm 22mm
<input type="checkbox"/>	15PL-3524	3.5mm 24mm
<input type="checkbox"/>	15PL-3526	3.5mm 26mm
<input type="checkbox"/>	15PL-3528	3.5mm 28mm
<input type="checkbox"/>	15PL-3530	3.5mm 30mm

### ANTI-DRIFT BOLT (Screw) Fully Threaded, Sterile

Titanium	Diameter	Length
<input type="checkbox"/>	15FT-3532	3.5mm 32mm
<input type="checkbox"/>	15FT-3534	3.5mm 34mm
<input type="checkbox"/>	15FT-3536	3.5mm 36mm
<input type="checkbox"/>	15FT-3538	3.5mm 38mm
<input type="checkbox"/>	15FT-3540	3.5mm 40mm
<input type="checkbox"/>	15FT-3542	3.5mm 42mm

### Polyaxial Non-Locking Screw, Sterile

Titanium	Diameter	Length
<input type="checkbox"/>	15NL-3010	3.0mm 10mm
<input type="checkbox"/>	15NL-3012	3.0mm 12mm
<input type="checkbox"/>	15NL-3014	3.0mm 14mm
<input type="checkbox"/>	15NL-3016	3.0mm 16mm
<input type="checkbox"/>	15NL-3018	3.0mm 18mm
<input type="checkbox"/>	15NL-3020	3.0mm 20mm
<input type="checkbox"/>	15NL-3022	3.0mm 22mm
<input type="checkbox"/>	15NL-3024	3.0mm 24mm
<input type="checkbox"/>	15NL-3026	3.0mm 26mm
<input type="checkbox"/>	15NL-3028	3.0mm 28mm
<input type="checkbox"/>	15NL-3030	3.0mm 30mm

### MOTOBAND™ Non-Locking Screw, Sterile

Titanium	Diameter	Length
<input type="checkbox"/>	1500-3510	3.5mm 10mm
<input type="checkbox"/>	1500-3512	3.5mm 12mm
<input type="checkbox"/>	1500-3514	3.5mm 14mm
<input type="checkbox"/>	1500-3516	3.5mm 16mm
<input type="checkbox"/>	1500-3518	3.5mm 18mm
<input type="checkbox"/>	1500-3520	3.5mm 20mm
<input type="checkbox"/>	1500-3522	3.5mm 22mm
<input type="checkbox"/>	1500-3524	3.5mm 24mm
<input type="checkbox"/>	1500-3526	3.5mm 26mm
<input type="checkbox"/>	1500-3528	3.5mm 28mm
<input type="checkbox"/>	1500-3530	3.5mm 30mm
<input type="checkbox"/>	1500-3532	3.5mm 32mm
<input type="checkbox"/>	1500-3534	3.5mm 34mm
<input type="checkbox"/>	1500-3536	3.5mm 36mm
<input type="checkbox"/>	1500-3538	3.5mm 38mm
<input type="checkbox"/>	1500-3540	3.5mm 40mm
<input type="checkbox"/>	1500-3545	3.5mm 45mm
<input type="checkbox"/>	1500-3550	3.5mm 50mm

# Inventory Control Form

Construct Code: CONSCPLADB

Construct Name: Depuy Synthes Pro-Pak™ DYNABUNSION™ Staple Compression Plate with ANTI-DRIFT BOLT™

Construct includes: 1 Plate, 1 Staple, Up To 8 Screws, 2 Drill Kits, 2 K-Wire Packs and 1 Saw Blade

---

## Drill (select 2 drill kits from the following list)

### Drill Kit

Item Number	Description
<input type="checkbox"/> 1500-SPSK	General Staple Plate Sharps Kit Sterile
<input type="checkbox"/> 1500-4851	Antidrift Bolt Reamer Kit Ster

---

## K-Wires (4 pack) (select 2 k-wire packs from the following list)

### K-Wire Pack

Item Number	Description
<input type="checkbox"/> 7000-20K4	2.0mm K-Wire, 4 Inches, Sterile
<input type="checkbox"/> 7000-20K6	2.0mm K-Wire, 6 Inches, Sterile

---

## Saw Blade (select one saw blade from the following list)

### Saw Blade

Item Number	Description
<input type="checkbox"/> 7000-40SB	40mm Saw Blade - Stryker/Microair
<input type="checkbox"/> 7001-40SB	40mm Saw Blade - Conmed/Hall