

# Inventory Control Form

## PRO-PAK™ TriLEAP™ Lapidus, 1 Cann Screw

Construct code: CONTLLAPCS1

Construct includes: 1 Plate, Up to 8 Screws, 2 Drill Bits, 3 Wires and 1 Washer

Case Information (eg, Case ID):

DO NOT PUT ANY  
PATIENT IDENTIFIABLE  
INFORMATION IN  
THIS FIELD

To Order go to: [JJCustomerConnect.com](http://JJCustomerConnect.com)

Date: \_\_\_\_\_

Surgery Center: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

### Plates (select 1 plate from the following list)

#### Lapidus Ti Plate

Part Number	Description
<input type="checkbox"/>	04.900.021 0 mm Step, Left
<input type="checkbox"/>	04.900.022 0 mm Step, Right
<input type="checkbox"/>	04.900.023 2 mm Step, Left
<input type="checkbox"/>	04.900.024 2 mm Step, Right
<input type="checkbox"/>	04.900.025 4 mm Step, Left
<input type="checkbox"/>	04.900.026 4 mm Step, Right
<input type="checkbox"/>	04.900.027 Medial, Short
<input type="checkbox"/>	04.900.029 Medial, Long

### Screws (select up to 8 screws from the following list)

#### 3.0 mm Ti Cortex Screw, Rose Red

Part Number	Length
<input type="checkbox"/>	04.907.010 10 mm
<input type="checkbox"/>	04.907.012 12 mm
<input type="checkbox"/>	04.907.014 14 mm
<input type="checkbox"/>	04.907.016 16 mm
<input type="checkbox"/>	04.907.018 18 mm
<input type="checkbox"/>	04.907.020 20 mm
<input type="checkbox"/>	04.907.022 22 mm
<input type="checkbox"/>	04.907.024 24 mm
<input type="checkbox"/>	04.907.026 26 mm
<input type="checkbox"/>	04.907.028 28 mm
<input type="checkbox"/>	04.907.030 30 mm
<input type="checkbox"/>	04.907.032 32 mm
<input type="checkbox"/>	04.907.034 34 mm
<input type="checkbox"/>	04.907.036 36 mm
<input type="checkbox"/>	04.907.038 38 mm
<input type="checkbox"/>	04.907.040 40 mm
<input type="checkbox"/>	04.907.042 42 mm
<input type="checkbox"/>	04.907.044 44 mm
<input type="checkbox"/>	04.907.046 46 mm
<input type="checkbox"/>	04.907.048 48 mm
<input type="checkbox"/>	04.907.050 50 mm
<input type="checkbox"/>	04.907.052 52 mm
<input type="checkbox"/>	04.907.054 54 mm
<input type="checkbox"/>	04.907.056 56 mm
<input type="checkbox"/>	04.907.058 58 mm
<input type="checkbox"/>	04.907.060 60 mm

#### 3.0 mm Ti Variable Angle Screw, Rose Red

Part Number	Length
<input type="checkbox"/>	04.908.010 10 mm
<input type="checkbox"/>	04.908.012 12 mm
<input type="checkbox"/>	04.908.014 14 mm
<input type="checkbox"/>	04.908.016 16 mm
<input type="checkbox"/>	04.908.018 18 mm
<input type="checkbox"/>	04.908.020 20 mm
<input type="checkbox"/>	04.908.022 22 mm
<input type="checkbox"/>	04.908.024 24 mm
<input type="checkbox"/>	04.908.026 26 mm
<input type="checkbox"/>	04.908.028 28 mm
<input type="checkbox"/>	04.908.030 30 mm
<input type="checkbox"/>	04.908.032 32 mm
<input type="checkbox"/>	04.908.034 34 mm
<input type="checkbox"/>	04.908.036 36 mm
<input type="checkbox"/>	04.908.038 38 mm
<input type="checkbox"/>	04.908.040 40 mm
<input type="checkbox"/>	04.908.042 42 mm
<input type="checkbox"/>	04.908.044 44 mm
<input type="checkbox"/>	04.908.046 46 mm
<input type="checkbox"/>	04.908.048 48 mm
<input type="checkbox"/>	04.908.050 50 mm
<input type="checkbox"/>	04.908.052 52 mm
<input type="checkbox"/>	04.908.054 54 mm
<input type="checkbox"/>	04.908.056 56 mm
<input type="checkbox"/>	04.908.058 58 mm
<input type="checkbox"/>	04.908.060 60 mm

#### 3.5 mm Ti Cortex Screw, Dark Purple

Part Number	Length
<input type="checkbox"/>	04.909.010 10 mm
<input type="checkbox"/>	04.909.012 12 mm
<input type="checkbox"/>	04.909.014 14 mm
<input type="checkbox"/>	04.909.016 16 mm
<input type="checkbox"/>	04.909.018 18 mm
<input type="checkbox"/>	04.909.020 20 mm
<input type="checkbox"/>	04.909.022 22 mm
<input type="checkbox"/>	04.909.024 24 mm
<input type="checkbox"/>	04.909.026 26 mm
<input type="checkbox"/>	04.909.028 28 mm
<input type="checkbox"/>	04.909.030 30 mm
<input type="checkbox"/>	04.909.032 32 mm
<input type="checkbox"/>	04.909.034 34 mm
<input type="checkbox"/>	04.909.036 36 mm
<input type="checkbox"/>	04.909.038 38 mm
<input type="checkbox"/>	04.909.040 40 mm
<input type="checkbox"/>	04.909.042 42 mm
<input type="checkbox"/>	04.909.044 44 mm
<input type="checkbox"/>	04.909.046 46 mm
<input type="checkbox"/>	04.909.048 48 mm
<input type="checkbox"/>	04.909.050 50 mm
<input type="checkbox"/>	04.909.052 52 mm
<input type="checkbox"/>	04.909.054 54 mm
<input type="checkbox"/>	04.909.056 56 mm
<input type="checkbox"/>	04.909.058 58 mm
<input type="checkbox"/>	04.909.060 60 mm

# Inventory Control Form

## PRO-PAK™ TriLEAP™ Lapidus, 1 Cann Screw

Construct code: CONTLLAPCS1

Construct includes: 1 Plate, Up to 8 Screws, 2 Drill Bits, 3 Wires and 1 Washer

### Screws (select up to 8 screws from the following list)

#### 3.5 mm Ti Variable Angle Screw, Dark Purple

Part Number	Length
04.910.010	10 mm
04.910.012	12 mm
04.910.014	14 mm
04.910.016	16 mm
04.910.018	18 mm
04.910.020	20 mm
04.910.022	22 mm
04.910.024	24 mm
04.910.026	26 mm
04.910.028	28 mm
04.910.030	30 mm
04.910.032	32 mm
04.910.034	34 mm
04.910.036	36 mm
04.910.038	38 mm
04.910.040	40 mm
04.910.042	42 mm
04.910.044	44 mm
04.910.046	46 mm
04.910.048	48 mm
04.910.050	50 mm
04.910.052	52 mm
04.910.054	54 mm
04.910.056	56 mm
04.910.058	58 mm
04.910.060	60 mm

#### 4.0 mm Ti Variable Angle Screw, Green

Part Number	Length
04.912.012	10 mm
04.912.014	12 mm
04.912.016	14 mm
04.912.018	16 mm
04.912.020	18 mm
04.912.022	20 mm
04.912.024	22 mm
04.912.026	24 mm
04.912.028	26 mm
04.912.030	28 mm
04.912.032	30 mm
04.912.034	32 mm
04.912.036	34 mm
04.912.038	36 mm
04.912.040	38 mm
04.912.042	40 mm
04.912.044	42 mm
04.912.046	44 mm
04.912.048	46 mm
04.912.050	48 mm
04.912.052	50 mm
04.912.054	52 mm
04.912.056	54 mm
04.912.058	56 mm
04.912.060	58 mm
04.909.060	60 mm

#### 4.0 mm Ti Cortex Screw, Green

Part Number	Length
04.911.012	10 mm
04.911.014	12 mm
04.911.016	14 mm
04.911.018	16 mm
04.911.020	18 mm
04.911.022	20 mm
04.911.024	22 mm
04.911.026	24 mm
04.911.028	26 mm
04.911.030	28 mm
04.911.032	30 mm
04.911.034	32 mm
04.911.036	34 mm
04.911.038	36 mm
04.911.040	38 mm
04.911.042	40 mm
04.911.044	42 mm
04.911.046	44 mm
04.911.048	46 mm
04.911.050	48 mm
04.911.052	50 mm
04.911.054	52 mm
04.911.056	54 mm
04.911.058	56 mm
04.911.060	58 mm
04.909.060	60 mm

#### 3.5 mm CSS+ TI CANN Screw + LT

Part Number	Length
04.354.320	20 mm
04.354.322	22 mm
04.354.324	24 mm
04.354.326	26 mm
04.354.328	28 mm
04.354.330	30 mm
04.354.332	32 mm
04.354.334	34 mm
04.354.336	36 mm
04.354.338	38 mm
04.354.340	40 mm
04.354.342	42 mm
04.354.344	44 mm
04.354.346	46 mm
04.354.348	48 mm
04.354.350	50 mm
04.354.352	52 mm
04.354.354	54 mm
04.354.356	56 mm
04.354.358	58 mm
04.354.360	60 mm

#### 3.5 mm CSS+ TI CANN Screw + ST

Part Number	Length
04.353.310	10 mm
04.353.312	12 mm
04.353.314	14 mm
04.353.316	16 mm
04.353.318	18 mm
04.353.320	20 mm
04.353.322	22 mm
04.353.324	24 mm
04.353.326	26 mm
04.353.328	28 mm
04.353.330	30 mm
04.353.332	32 mm
04.353.334	34 mm
04.353.336	36 mm
04.353.338	38 mm
04.353.340	40 mm
04.353.342	42 mm
04.353.344	44 mm
04.353.346	46 mm
04.353.348	48 mm
04.353.350	50 mm
04.353.352	52 mm
04.353.354	54 mm
04.353.356	56 mm
04.353.358	58 mm
04.353.360	60 mm

#### 3.5 mm CSS+ TI CANN Screw + FT

Part Number	Length
04.355.310	10 mm
04.355.312	12 mm
04.355.314	14 mm
04.355.316	16 mm
04.355.318	18 mm
04.355.320	20 mm
04.355.322	22 mm
04.355.324	24 mm
04.355.326	26 mm
04.355.328	28 mm
04.355.330	30 mm
04.355.332	32 mm
04.355.334	34 mm
04.355.336	36 mm
04.355.338	38 mm
04.355.340	40 mm
04.355.342	42 mm
04.355.344	44 mm
04.355.346	46 mm
04.355.348	48 mm
04.355.350	50 mm
04.355.352	52 mm
04.355.354	54 mm
04.355.356	56 mm
04.355.358	58 mm
04.355.360	60 mm

# Inventory Control Form

## PRO-PAK™ TriLEAP™ Lapidus, 1 Cann Screw

Construct code: CONTLLAPCS1

Construct includes: 1 Plate, Up to 8 Screws, 2 Drill Bits, 3 Wires and 1 Washer

### Screws (select up to 8 screws from the following list)

#### 4.0 mm CSS+ TI CANN Screw + LT

Part Number	Length
04.354.420	20 mm
04.354.422	22 mm
04.354.424	24 mm
04.354.426	26 mm
04.354.428	28 mm
04.354.430	30 mm
04.354.432	32 mm
04.354.434	34 mm
04.354.436	36 mm
04.354.438	38 mm
04.354.440	40 mm
04.354.442	42 mm
04.354.444	44 mm
04.354.446	46 mm
04.354.448	48 mm
04.354.450	50 mm
04.354.452	52 mm
04.354.454	54 mm
04.354.456	56 mm
04.354.458	58 mm
04.354.460	60 mm

#### 4.0 mm CSS+ TI CANN Screw + ST

Part Number	Length
04.353.410	10 mm
04.353.412	12 mm
04.353.414	14 mm
04.353.416	16 mm
04.353.418	18 mm
04.353.420	20 mm
04.353.422	22 mm
04.353.424	24 mm
04.353.426	26 mm
04.353.428	28 mm
04.353.430	30 mm
04.353.432	32 mm
04.353.434	34 mm
04.353.436	36 mm
04.353.438	38 mm
04.353.440	40 mm
04.353.442	42 mm
04.353.444	44 mm
04.353.446	46 mm
04.353.448	48 mm
04.353.450	50 mm
04.353.452	52 mm
04.353.454	54 mm
04.353.456	56 mm
04.353.458	58 mm
04.353.460	60 mm

#### 4.0 mm CSS+ TI CANN Screw + FT

Part Number	Length
04.355.410	10 mm
04.355.412	12 mm
04.355.414	14 mm
04.355.416	16 mm
04.355.418	18 mm
04.355.420	20 mm
04.355.422	22 mm
04.355.424	24 mm
04.355.426	26 mm
04.355.428	28 mm
04.355.430	30 mm
04.355.432	32 mm
04.355.434	34 mm
04.355.436	36 mm
04.355.438	38 mm
04.355.440	40 mm
04.355.442	42 mm
04.355.444	44 mm
04.355.446	46 mm
04.355.448	48 mm
04.355.450	50 mm
04.355.452	52 mm
04.355.454	54 mm
04.355.456	56 mm
04.355.458	58 mm
04.355.460	60 mm

#### 3.5 mm CCHS TI - LT

Part Number	Length
04.334.324	24 mm
04.334.326	26 mm
04.334.328	28 mm
04.334.330	30 mm
04.334.332	32 mm
04.334.334	34 mm
04.334.336	36 mm
04.334.338	38 mm
04.334.340	40 mm
04.334.342	42 mm
04.334.344	44 mm
04.334.346	46 mm
04.334.348	48 mm
04.334.350	50 mm

#### 3.5 mm CCHS TI - ST

Part Number	Length
04.333.314	14 mm
04.333.316	16 mm
04.333.318	18 mm
04.333.320	20 mm
04.333.322	22 mm
04.333.324	24 mm
04.333.326	26 mm
04.333.328	28 mm
04.333.330	30 mm
04.333.332	32 mm
04.333.334	34 mm
04.333.336	36 mm
04.333.338	38 mm
04.333.340	40 mm
04.333.342	42 mm
04.333.344	44 mm
04.333.346	46 mm
04.333.348	48 mm
04.333.350	50 mm

#### 4.0 mm CCHS TI - ST

Part Number	Length
04.333.414	14 mm
04.333.416	16 mm
04.333.418	18 mm
04.333.420	20 mm
04.333.422	22 mm
04.333.424	24 mm
04.333.426	26 mm
04.333.428	28 mm
04.333.430	30 mm
04.333.432	32 mm
04.333.434	34 mm
04.333.436	36 mm
04.333.438	38 mm
04.333.440	40 mm
04.333.442	42 mm
04.333.444	44 mm
04.333.446	46 mm
04.333.448	48 mm
04.333.450	50 mm
04.333.452	52 mm
04.333.454	54 mm
04.333.456	56 mm
04.333.458	58 mm
04.333.460	60 mm

## Inventory Control Form

# PRO-PAK™ TriLEAP™ Lapidus, 1 Cann Screw

Construct code: CONTLLAPCS1

Construct includes: 1 Plate, Up to 8 Screws, 2 Drill Bits, 3 Wires and 1 Washer

### Screws (select up to 8 screws from the following list)

4.0 mm CCHS TI - LT

Part Number	Length
<input type="checkbox"/> 04.334.424	24 mm
<input type="checkbox"/> 04.334.426	26 mm
<input type="checkbox"/> 04.334.428	28 mm
<input type="checkbox"/> 04.334.430	30 mm
<input type="checkbox"/> 04.334.432	32 mm
<input type="checkbox"/> 04.334.434	34 mm
<input type="checkbox"/> 04.334.436	36 mm
<input type="checkbox"/> 04.334.438	38 mm
<input type="checkbox"/> 04.334.440	40 mm
<input type="checkbox"/> 04.334.442	42 mm
<input type="checkbox"/> 04.334.444	44 mm
<input type="checkbox"/> 04.334.446	46 mm
<input type="checkbox"/> 04.334.448	48 mm
<input type="checkbox"/> 04.334.450	50 mm
<input type="checkbox"/> 04.334.452	52 mm
<input type="checkbox"/> 04.334.454	54 mm
<input type="checkbox"/> 04.334.456	56 mm
<input type="checkbox"/> 04.334.458	58 mm
<input type="checkbox"/> 04.334.460	60 mm

### Drill Bit (select 2 drill bits from the following list)

Drill Bit

Part Number	Description
<input type="checkbox"/> 03.900.332	2.0 mm Drill Bit for Standard Technique
<input type="checkbox"/> 03.900.334	2.7 mm Drill Bit for Standard Technique
<input type="checkbox"/> 03.900.335	3.5 mm Drill Bit for Lag Techniques
<input type="checkbox"/> 03.333.102	2.7 mm CANN Drill Bit / 145 mm Length

### Compression Wires (select up to 3 wires from the following list)

Compression Wires

Part Number	Description
<input type="checkbox"/> 03.900.340	Wire Tack for Small Plates
<input type="checkbox"/> 03.900.342	1.6mm for Small Plates, Thread Length 10mm
<input type="checkbox"/> 03.900.343	1.6mm for Small Plates, Thread Length 15mm
<input type="checkbox"/> 03.900.344	1.6mm for Small Plates, Thread Length 20mm
<input type="checkbox"/> 03.900.345	1.6mm for Small Plates, Thread Length 25mm
<input type="checkbox"/> 03.900.346	1.6mm for Small Plates, Thread Length 30mm
<input type="checkbox"/> 03.333.012	1.4 mm Threaded Guided Wire / 150 mm Length
<input type="checkbox"/> 03.333.002	1.4 mm Guide Wire - Trocar Tip / 150 mm Length

### Washers (select 1 washer from the following list)

Washers, Sterile

Part Number	Description
<input type="checkbox"/> 04.353.903S	Washer for 3.5 Cann screw + -ster
<input type="checkbox"/> 04.353.904S	Washer for 4.0 Cann screw + -ster

## Inventory Control Form

# PRO-PAK™ TriLEAP™ Lapidus, 1 Cann Screw

Construct code: CONTLLAPCS1

Construct includes: 1 Plate, Up to 8 Screws, 2 Drill Bits, 3 Wires and 1 Washer

---