

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide

Construct code: CONTLLAPVG
 Construct includes: 1 plate, up to 7 screws, 2 drill bits, 4 wires, 1 saw blade, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

Case information (eg, case ID):

DO NOT PUT ANY PATIENT IDENTIFIABLE INFORMATION IN THIS FIELD

To order go to: JJCustomerConnect.com

Date: _____
 Surgery center: _____
 Surgeon: _____
 Procedure: _____

Plates (select 1 plate from the following list)

Lapidus Ti Plate

Part Number	Description
<input type="checkbox"/>	04.900.021 0 mm Step, Left
<input type="checkbox"/>	04.900.022 0 mm Step, Right
<input type="checkbox"/>	04.900.023 2 mm Step, Left
<input type="checkbox"/>	04.900.024 2 mm Step, Right
<input type="checkbox"/>	04.900.025 4 mm Step, Left
<input type="checkbox"/>	04.900.026 4 mm Step, Right
<input type="checkbox"/>	04.900.027 Medial, Short
<input type="checkbox"/>	04.900.029 Medial, Long

Screws (select up to 7 screws from the following list)

3.0 mm Ti Cortex Screw, Rose Red

Part Number	Length
<input type="checkbox"/>	04.907.010 10 mm
<input type="checkbox"/>	04.907.012 12 mm
<input type="checkbox"/>	04.907.014 14 mm
<input type="checkbox"/>	04.907.016 16 mm
<input type="checkbox"/>	04.907.018 18 mm
<input type="checkbox"/>	04.907.020 20 mm
<input type="checkbox"/>	04.907.022 22 mm
<input type="checkbox"/>	04.907.024 24 mm
<input type="checkbox"/>	04.907.026 26 mm
<input type="checkbox"/>	04.907.028 28 mm
<input type="checkbox"/>	04.907.030 30 mm
<input type="checkbox"/>	04.907.032 32 mm
<input type="checkbox"/>	04.907.034 34 mm
<input type="checkbox"/>	04.907.036 36 mm
<input type="checkbox"/>	04.907.038 38 mm
<input type="checkbox"/>	04.907.040 40 mm
<input type="checkbox"/>	04.907.042 42 mm
<input type="checkbox"/>	04.907.044 44 mm
<input type="checkbox"/>	04.907.046 46 mm
<input type="checkbox"/>	04.907.048 48 mm
<input type="checkbox"/>	04.907.050 50 mm
<input type="checkbox"/>	04.907.052 52 mm
<input type="checkbox"/>	04.907.054 54 mm
<input type="checkbox"/>	04.907.056 56 mm
<input type="checkbox"/>	04.907.058 58 mm
<input type="checkbox"/>	04.907.060 60 mm

3.0 mm Ti Variable Angle Screw, Rose Red

Part Number	Length
<input type="checkbox"/>	04.908.010 10 mm
<input type="checkbox"/>	04.908.012 12 mm
<input type="checkbox"/>	04.908.014 14 mm
<input type="checkbox"/>	04.908.016 16 mm
<input type="checkbox"/>	04.908.018 18 mm
<input type="checkbox"/>	04.908.020 20 mm
<input type="checkbox"/>	04.908.022 22 mm
<input type="checkbox"/>	04.908.024 24 mm
<input type="checkbox"/>	04.908.026 26 mm
<input type="checkbox"/>	04.908.028 28 mm
<input type="checkbox"/>	04.908.030 30 mm
<input type="checkbox"/>	04.908.032 32 mm
<input type="checkbox"/>	04.908.034 34 mm
<input type="checkbox"/>	04.908.036 36 mm
<input type="checkbox"/>	04.908.038 38 mm
<input type="checkbox"/>	04.908.040 40 mm
<input type="checkbox"/>	04.908.042 42 mm
<input type="checkbox"/>	04.908.044 44 mm
<input type="checkbox"/>	04.908.046 46 mm
<input type="checkbox"/>	04.908.048 48 mm
<input type="checkbox"/>	04.908.050 50 mm
<input type="checkbox"/>	04.908.052 52 mm
<input type="checkbox"/>	04.908.054 54 mm
<input type="checkbox"/>	04.908.056 56 mm
<input type="checkbox"/>	04.908.058 58 mm
<input type="checkbox"/>	04.908.060 60 mm

3.5 mm Ti Cortex Screw, Dark Purple

Part Number	Length
<input type="checkbox"/>	04.909.010 10 mm
<input type="checkbox"/>	04.909.012 12 mm
<input type="checkbox"/>	04.909.014 14 mm
<input type="checkbox"/>	04.909.016 16 mm
<input type="checkbox"/>	04.909.018 18 mm
<input type="checkbox"/>	04.909.020 20 mm
<input type="checkbox"/>	04.909.022 22 mm
<input type="checkbox"/>	04.909.024 24 mm
<input type="checkbox"/>	04.909.026 26 mm
<input type="checkbox"/>	04.909.028 28 mm
<input type="checkbox"/>	04.909.030 30 mm
<input type="checkbox"/>	04.909.032 32 mm
<input type="checkbox"/>	04.909.034 34 mm
<input type="checkbox"/>	04.909.036 36 mm
<input type="checkbox"/>	04.909.038 38 mm
<input type="checkbox"/>	04.909.040 40 mm
<input type="checkbox"/>	04.909.042 42 mm
<input type="checkbox"/>	04.909.044 44 mm
<input type="checkbox"/>	04.909.046 46 mm
<input type="checkbox"/>	04.909.048 48 mm
<input type="checkbox"/>	04.909.050 50 mm
<input type="checkbox"/>	04.909.052 52 mm
<input type="checkbox"/>	04.909.054 54 mm
<input type="checkbox"/>	04.909.056 56 mm
<input type="checkbox"/>	04.909.058 58 mm
<input type="checkbox"/>	04.909.060 60 mm

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide

Construct code: CONTLLAPVG

Construct includes: 1 plate, up to 7 screws, 2 drill bits, 4 wires, 1 saw blade, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

Screws (select up to 7 screws from the following list)

3.5 mm Ti Variable Angle Screw, Dark Purple

Part Number	Length
<input type="checkbox"/>	04.910.010 10 mm
<input type="checkbox"/>	04.910.012 12 mm
<input type="checkbox"/>	04.910.014 14 mm
<input type="checkbox"/>	04.910.016 16 mm
<input type="checkbox"/>	04.910.018 18 mm
<input type="checkbox"/>	04.910.020 20 mm
<input type="checkbox"/>	04.910.022 22 mm
<input type="checkbox"/>	04.910.024 24 mm
<input type="checkbox"/>	04.910.026 26 mm
<input type="checkbox"/>	04.910.028 28 mm
<input type="checkbox"/>	04.910.030 30 mm
<input type="checkbox"/>	04.910.032 32 mm
<input type="checkbox"/>	04.910.034 34 mm
<input type="checkbox"/>	04.910.036 36 mm
<input type="checkbox"/>	04.910.038 38 mm
<input type="checkbox"/>	04.910.040 40 mm
<input type="checkbox"/>	04.910.042 42 mm
<input type="checkbox"/>	04.910.044 44 mm
<input type="checkbox"/>	04.910.046 46 mm
<input type="checkbox"/>	04.910.048 48 mm
<input type="checkbox"/>	04.910.050 50 mm
<input type="checkbox"/>	04.910.052 52 mm
<input type="checkbox"/>	04.910.054 54 mm
<input type="checkbox"/>	04.910.056 56 mm
<input type="checkbox"/>	04.910.058 58 mm
<input type="checkbox"/>	04.910.060 60 mm

4.0 mm Ti Cortex Screw, Green

Part Number	Length
<input type="checkbox"/>	04.911.012 12 mm
<input type="checkbox"/>	04.911.014 14 mm
<input type="checkbox"/>	04.911.016 16 mm
<input type="checkbox"/>	04.911.018 18 mm
<input type="checkbox"/>	04.911.020 20 mm
<input type="checkbox"/>	04.911.022 22 mm
<input type="checkbox"/>	04.911.024 24 mm
<input type="checkbox"/>	04.911.026 26 mm
<input type="checkbox"/>	04.911.028 28 mm
<input type="checkbox"/>	04.911.030 30 mm
<input type="checkbox"/>	04.911.032 32 mm
<input type="checkbox"/>	04.911.034 34 mm
<input type="checkbox"/>	04.911.036 36 mm
<input type="checkbox"/>	04.911.038 38 mm
<input type="checkbox"/>	04.911.040 40 mm
<input type="checkbox"/>	04.911.042 42 mm
<input type="checkbox"/>	04.911.044 44 mm
<input type="checkbox"/>	04.911.046 46 mm
<input type="checkbox"/>	04.911.048 48 mm
<input type="checkbox"/>	04.911.050 50 mm
<input type="checkbox"/>	04.911.052 52 mm
<input type="checkbox"/>	04.911.054 54 mm
<input type="checkbox"/>	04.911.056 56 mm
<input type="checkbox"/>	04.911.058 58 mm
<input type="checkbox"/>	04.911.060 60 mm

4.0 mm Ti Variable Angle Screw, Green

Part Number	Length
<input type="checkbox"/>	04.912.012 12 mm
<input type="checkbox"/>	04.912.014 14 mm
<input type="checkbox"/>	04.912.016 16 mm
<input type="checkbox"/>	04.912.018 18 mm
<input type="checkbox"/>	04.912.020 20 mm
<input type="checkbox"/>	04.912.022 22 mm
<input type="checkbox"/>	04.912.024 24 mm
<input type="checkbox"/>	04.912.026 26 mm
<input type="checkbox"/>	04.912.028 28 mm
<input type="checkbox"/>	04.912.030 30 mm
<input type="checkbox"/>	04.912.032 32 mm
<input type="checkbox"/>	04.912.034 34 mm
<input type="checkbox"/>	04.912.036 36 mm
<input type="checkbox"/>	04.912.038 38 mm
<input type="checkbox"/>	04.912.040 40 mm
<input type="checkbox"/>	04.912.042 42 mm
<input type="checkbox"/>	04.912.044 44 mm
<input type="checkbox"/>	04.912.046 46 mm
<input type="checkbox"/>	04.912.048 48 mm
<input type="checkbox"/>	04.912.050 50 mm
<input type="checkbox"/>	04.912.052 52 mm
<input type="checkbox"/>	04.912.054 54 mm
<input type="checkbox"/>	04.912.056 56 mm
<input type="checkbox"/>	04.912.058 58 mm
<input type="checkbox"/>	04.912.060 60 mm

Compression wires (select up to 4 wires from the following list)

Compression wires

Part Number	Description
<input type="checkbox"/>	03.900.340 Wire Tack for Small Plates
<input type="checkbox"/>	03.900.342 1.6mm for Small Plates, Thread Length 10mm
<input type="checkbox"/>	03.900.343 1.6mm for Small Plates, Thread Length 15mm
<input type="checkbox"/>	03.900.344 1.6mm for Small Plates, Thread Length 20mm
<input type="checkbox"/>	03.900.345 1.6mm for Small Plates, Thread Length 25mm
<input type="checkbox"/>	03.900.346 1.6mm for Small Plates, Thread Length 30mm
<input type="checkbox"/>	7000-20K4 2.0mm K-Wire, 4 Inches, Sterile
<input type="checkbox"/>	7000-20K6 2.0mm K-Wire, 6 Inches, Sterile

Drill bit (select 2 drill bits from the following list)

Drill bit

Part Number	Description
<input type="checkbox"/>	03.900.332 2.0 mm Drill Bit for Standard Technique
<input type="checkbox"/>	03.900.334 2.7 mm Drill Bit for Standard Technique
<input type="checkbox"/>	03.900.335 3.5 mm Drill Bit for Lag Techniques

Saw blades (select 1 saw blade from the following list)

Saw blades

Part Number	Description
<input type="checkbox"/>	7000-40SB 40mm Sawblade - Stryker/Microair
<input type="checkbox"/>	7001-40SB 40mm Sawblade - Conmed/Hall

VIRTUGUIDE Pin (select 1 VIRTUGUIDE Pin from the following list)

VIRTUGUIDE Pin

Part Number	Description
<input type="checkbox"/>	7000-JRW4 Joint Seeking Pin

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide

Construct code: CONTLLAPVG

Construct includes: 1 plate, up to 7 screws, 2 drill bits, 4 wires, 1 saw blade, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

VIRTUGUIDE Patient Match Instrument Kit

Left Foot - 3D Pin Guide Sterile

Left Foot	Frontal Plane Angle										
	0	5	10	15	20	25	30	35	40	45	
Intermetatarsal Angle	5	TG00-500L	TG00-505L	TG00-510L	TG00-515L	TG00-520L	TG00-525L	TG00-530L	TG00-535L	TG00-540L	TG00-545L
	7.5	TG07-500L	TG07-505L	TG07-510L	TG07-515L	TG07-520L	TG07-525L	TG07-530L	TG07-535L	TG07-540L	TG07-545L
	10	TG01-000L	TG01-005L	TG01-010L	TG01-015L	TG01-020L	TG01-025L	TG01-030L	TG01-035L	TG01-040L	TG01-045L
	12.5	TG12-500L	TG12-505L	TG12-510L	TG12-515L	TG12-520L	TG12-525L	TG12-530L	TG12-535L	TG12-540L	TG12-545L
	15	TG01-500L	TG01-505L	TG01-510L	TG01-515L	TG01-520R	TG01-525L	TG01-530L	TG01-535L	TG01-540L	TG01-545L
	17.5	TG17-500L	TG17-505L	TG17-510L	TG17-515L	TG17-520L	TG17-525L	TG17-530L	TG17-535L	TG17-540L	TG17-545L
	20	TG02-000L	TG02-005L	TG02-010L	TG02-015L	TG02-020L	TG02-025L	TG02-030L	TG02-035L	TG02-040L	TG02-045L
	22.5	TG22-500L	TG22-505L	TG22-510L	TG22-515L	TG22-520L	TG22-525L	TG22-530L	TG22-535L	TG22-540L	TG22-545L
	25	TG02-500L	TG02-505L	TG02-510L	TG02-515L	TG02-520L	TG02-525L	TG02-530L	TG02-535L	TG02-540L	TG02-545L
	27.5	TG27-500L	TG27-505L	TG27-510L	TG27-515L	TG27-520L	TG27-525L	TG27-530L	TG27-535L	TG27-540L	TG27-545L
	30	TG03-000L	TG03-005L	TG03-010L	TG03-015L	TG03-020L	TG03-025L	TG03-030L	TG03-035L	TG03-040L	TG03-045L

Right Foot - 3D Pin Guide Sterile

Right Foot	Frontal Plane Angle										
	0	5	10	15	20	25	30	35	40	45	
Intermetatarsal Angle	5	TG00-500R	TG00-505R	TG00-510R	TG00-515R	TG00-520R	TG00-525R	TG00-530R	TG00-535R	TG00-540R	TG00-545R
	7.5	TG07-500R	TG07-505R	TG07-510R	TG07-515R	TG07-520R	TG07-525R	TG07-530R	TG07-535R	TG07-540R	TG07-545R
	10	TG01-000R	TG01-005R	TG01-010R	TG01-015R	TG01-020R	TG01-025R	TG01-030R	TG01-035R	TG01-040R	TG01-045R
	12.5	TG12-500R	TG12-505R	TG12-510R	TG12-515R	TG12-520R	TG12-525R	TG12-530R	TG12-535R	TG12-540R	TG12-545R
	15	TG01-500R	TG01-505R	TG01-510R	TG01-515R	TG01-520L	TG01-525R	TG01-530R	TG01-535R	TG01-540R	TG01-545R
	17.5	TG17-500R	TG17-505R	TG17-510R	TG17-515R	TG17-520R	TG17-525R	TG17-530R	TG17-535R	TG17-540R	TG17-545R
	20	TG02-000R	TG02-005R	TG02-010R	TG02-015R	TG02-020R	TG02-025R	TG02-030R	TG02-035R	TG02-040R	TG02-045R
	22.5	TG22-500R	TG22-505R	TG22-510R	TG22-515R	TG22-520R	TG22-525R	TG22-530R	TG22-535R	TG22-540R	TG22-545R
	25	TG02-500R	TG02-505R	TG02-510R	TG02-515R	TG02-520R	TG02-525R	TG02-530R	TG02-535R	TG02-540R	TG02-545R
	27.5	TG27-500R	TG27-505R	TG27-510R	TG27-515R	TG27-520R	TG27-525R	TG27-530R	TG27-535R	TG27-540R	TG27-545R
	30	TG03-000R	TG03-005R	TG03-010R	TG03-015R	TG03-020R	TG03-025R	TG03-030R	TG03-035R	TG03-040R	TG03-045R