

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide , 1 Cann Screw

Construct code: CONTLLAPVGC5

Construct includes: 1 plate, up to 8 screws, 2 drill bits, 4 wires, 1 saw blade, 1 washer, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

Case information (eg, case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order go to: JJCustomerConnect.com

Date: _____

Surgery center: _____

Surgeon: _____

Procedure: _____

Plates (select 1 plate from the following list)

Lapidus Ti Plate

Part number	Description
<input type="checkbox"/>	04.900.021 0 mm Step, Left
<input type="checkbox"/>	04.900.022 0 mm Step, Right
<input type="checkbox"/>	04.900.023 2 mm Step, Left
<input type="checkbox"/>	04.900.024 2 mm Step, Right
<input type="checkbox"/>	04.900.025 4 mm Step, Left
<input type="checkbox"/>	04.900.026 4 mm Step, Right
<input type="checkbox"/>	04.900.027 Medial, Short
<input type="checkbox"/>	04.900.029 Medial, Long

Screws (select up to 8 screws from the following list)

3.0 mm Ti Cortex Screw, Rose Red

Part Number	Length
<input type="checkbox"/>	04.907.010 10 mm
<input type="checkbox"/>	04.907.012 12 mm
<input type="checkbox"/>	04.907.014 14 mm
<input type="checkbox"/>	04.907.016 16 mm
<input type="checkbox"/>	04.907.018 18 mm
<input type="checkbox"/>	04.907.020 20 mm
<input type="checkbox"/>	04.907.022 22 mm
<input type="checkbox"/>	04.907.024 24 mm
<input type="checkbox"/>	04.907.026 26 mm
<input type="checkbox"/>	04.907.028 28 mm
<input type="checkbox"/>	04.907.030 30 mm
<input type="checkbox"/>	04.907.032 32 mm
<input type="checkbox"/>	04.907.034 34 mm
<input type="checkbox"/>	04.907.036 36 mm
<input type="checkbox"/>	04.907.038 38 mm
<input type="checkbox"/>	04.907.040 40 mm
<input type="checkbox"/>	04.907.042 42 mm
<input type="checkbox"/>	04.907.044 44 mm
<input type="checkbox"/>	04.907.046 46 mm
<input type="checkbox"/>	04.907.048 48 mm
<input type="checkbox"/>	04.907.050 50 mm
<input type="checkbox"/>	04.907.052 52 mm
<input type="checkbox"/>	04.907.054 54 mm
<input type="checkbox"/>	04.907.056 56 mm
<input type="checkbox"/>	04.907.058 58 mm
<input type="checkbox"/>	04.907.060 60 mm

3.0 mm Ti Variable Angle Screw, Rose Red

Part Number	Length
<input type="checkbox"/>	04.908.010 10 mm
<input type="checkbox"/>	04.908.012 12 mm
<input type="checkbox"/>	04.908.014 14 mm
<input type="checkbox"/>	04.908.016 16 mm
<input type="checkbox"/>	04.908.018 18 mm
<input type="checkbox"/>	04.908.020 20 mm
<input type="checkbox"/>	04.908.022 22 mm
<input type="checkbox"/>	04.908.024 24 mm
<input type="checkbox"/>	04.908.026 26 mm
<input type="checkbox"/>	04.908.028 28 mm
<input type="checkbox"/>	04.908.030 30 mm
<input type="checkbox"/>	04.908.032 32 mm
<input type="checkbox"/>	04.908.034 34 mm
<input type="checkbox"/>	04.908.036 36 mm
<input type="checkbox"/>	04.908.038 38 mm
<input type="checkbox"/>	04.908.040 40 mm
<input type="checkbox"/>	04.908.042 42 mm
<input type="checkbox"/>	04.908.044 44 mm
<input type="checkbox"/>	04.908.046 46 mm
<input type="checkbox"/>	04.908.048 48 mm
<input type="checkbox"/>	04.908.050 50 mm
<input type="checkbox"/>	04.908.052 52 mm
<input type="checkbox"/>	04.908.054 54 mm
<input type="checkbox"/>	04.908.056 56 mm
<input type="checkbox"/>	04.908.058 58 mm
<input type="checkbox"/>	04.908.060 60 mm

3.5 mm Ti Cortex Screw, Dark Purple

Part Number	Length
<input type="checkbox"/>	04.909.010 10 mm
<input type="checkbox"/>	04.909.012 12 mm
<input type="checkbox"/>	04.909.014 14 mm
<input type="checkbox"/>	04.909.016 16 mm
<input type="checkbox"/>	04.909.018 18 mm
<input type="checkbox"/>	04.909.020 20 mm
<input type="checkbox"/>	04.909.022 22 mm
<input type="checkbox"/>	04.909.024 24 mm
<input type="checkbox"/>	04.909.026 26 mm
<input type="checkbox"/>	04.909.028 28 mm
<input type="checkbox"/>	04.909.030 30 mm
<input type="checkbox"/>	04.909.032 32 mm
<input type="checkbox"/>	04.909.034 34 mm
<input type="checkbox"/>	04.909.036 36 mm
<input type="checkbox"/>	04.909.038 38 mm
<input type="checkbox"/>	04.909.040 40 mm
<input type="checkbox"/>	04.909.042 42 mm
<input type="checkbox"/>	04.909.044 44 mm
<input type="checkbox"/>	04.909.046 46 mm
<input type="checkbox"/>	04.909.048 48 mm
<input type="checkbox"/>	04.909.050 50 mm
<input type="checkbox"/>	04.909.052 52 mm
<input type="checkbox"/>	04.909.054 54 mm
<input type="checkbox"/>	04.909.056 56 mm
<input type="checkbox"/>	04.909.058 58 mm
<input type="checkbox"/>	04.909.060 60 mm

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide , 1 Cann Screw

Construct code: CONTLLAPVGCS

Construct includes: 1 plate, up to 8 screws, 2 drill bits, 4 wires, 1 saw blade, 1 washer, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

Screws (select up to 8 screws from the following list)

3.5 mm Ti Variable Angle Screw, Dark Purple

Part Number	Length
04.910.010	10 mm
04.910.012	12 mm
04.910.014	14 mm
04.910.016	16 mm
04.910.018	18 mm
04.910.020	20 mm
04.910.022	22 mm
04.910.024	24 mm
04.910.026	26 mm
04.910.028	28 mm
04.910.030	30 mm
04.910.032	32 mm
04.910.034	34 mm
04.910.036	36 mm
04.910.038	38 mm
04.910.040	40 mm
04.910.042	42 mm
04.910.044	44 mm
04.910.046	46 mm
04.910.048	48 mm
04.910.050	50 mm
04.910.052	52 mm
04.910.054	54 mm
04.910.056	56 mm
04.910.058	58 mm
04.910.060	60 mm

4.0 mm Ti Cortex Screw, Green

Part Number	Length
04.911.012	12 mm
04.911.014	14 mm
04.911.016	16 mm
04.911.018	18 mm
04.911.020	20 mm
04.911.022	22 mm
04.911.024	24 mm
04.911.026	26 mm
04.911.028	28 mm
04.911.030	30 mm
04.911.032	32 mm
04.911.034	34 mm
04.911.036	36 mm
04.911.038	38 mm
04.911.040	40 mm
04.911.042	42 mm
04.911.044	44 mm
04.911.046	46 mm
04.911.048	48 mm
04.911.050	50 mm
04.911.052	52 mm
04.911.054	54 mm
04.911.056	56 mm
04.911.058	58 mm
04.911.060	60 mm

4.0 mm Ti Variable Angle Screw, Green

Part Number	Length
04.912.012	12 mm
04.912.014	14 mm
04.912.016	16 mm
04.912.018	18 mm
04.912.020	20 mm
04.912.022	22 mm
04.912.024	24 mm
04.912.026	26 mm
04.912.028	28 mm
04.912.030	30 mm
04.912.032	32 mm
04.912.034	34 mm
04.912.036	36 mm
04.912.038	38 mm
04.912.040	40 mm
04.912.042	42 mm
04.912.044	44 mm
04.912.046	46 mm
04.912.048	48 mm
04.912.050	50 mm
04.912.052	52 mm
04.912.054	54 mm
04.912.056	56 mm
04.912.058	58 mm
04.912.060	60 mm

3.5 mm Ti CSS+, LT

Part Number	Length
04.354.320	20 mm
04.354.322	22 mm
04.354.324	24 mm
04.354.326	26 mm
04.354.328	28 mm
04.354.330	30 mm
04.354.332	32 mm
04.354.334	34 mm
04.354.336	36 mm
04.354.338	38 mm
04.354.340	40 mm
04.354.342	42 mm
04.354.344	44 mm
04.354.346	46 mm
04.354.348	48 mm
04.354.350	50 mm
04.354.352	52 mm
04.354.354	54 mm
04.354.356	56 mm
04.354.358	58 mm
04.354.360	60 mm

3.5 mm Ti CSS+, ST

Part Number	Length
04.353.310	10 mm
04.353.312	12 mm
04.353.314	14 mm
04.353.316	16 mm
04.353.318	18 mm
04.353.320	20 mm
04.353.322	22 mm
04.353.324	24 mm
04.353.326	26 mm
04.353.328	28 mm
04.353.330	30 mm
04.353.332	32 mm
04.353.334	34 mm
04.353.336	36 mm
04.353.338	38 mm
04.353.340	40 mm
04.353.342	42 mm
04.353.344	44 mm
04.353.346	46 mm
04.353.348	48 mm
04.353.350	50 mm
04.353.352	52 mm
04.353.354	54 mm
04.353.356	56 mm
04.353.358	58 mm
04.353.360	60 mm

3.5 mm Ti CSS+, FT

Part Number	Length
04.355.310	10 mm
04.355.312	12 mm
04.355.314	14 mm
04.355.316	16 mm
04.355.318	18 mm
04.355.320	20 mm
04.355.322	22 mm
04.355.324	24 mm
04.355.326	26 mm
04.355.328	28 mm
04.355.330	30 mm
04.355.332	32 mm
04.355.334	34 mm
04.355.336	36 mm
04.355.338	38 mm
04.355.340	40 mm
04.355.342	42 mm
04.355.344	44 mm
04.355.346	46 mm
04.355.348	48 mm
04.355.350	50 mm
04.355.352	52 mm
04.355.354	54 mm
04.355.356	56 mm
04.355.358	58 mm
04.355.360	60 mm

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide , 1 Cann Screw

Construct code: CONTLLAPVGCS

Construct includes: 1 plate, up to 8 screws, 2 drill bits, 4 wires, 1 saw blade, 1 washer, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

Screws (select up to 8 screws from the following list)

4.0 mm Ti CSS+, LT

Part Number	Length
04.354.420	20 mm
04.354.422	22 mm
04.354.424	24 mm
04.354.426	26 mm
04.354.428	28 mm
04.354.430	30 mm
04.354.432	32 mm
04.354.434	34 mm
04.354.436	36 mm
04.354.438	38 mm
04.354.440	40 mm
04.354.442	42 mm
04.354.444	44 mm
04.354.446	46 mm
04.354.448	48 mm
04.354.450	50 mm
04.354.452	52 mm
04.354.454	54 mm
04.354.456	56 mm
04.354.458	58 mm
04.354.460	60 mm

3.5 mm Ti CCHS - LT

Part Number	Length
04.334.324	24 mm
04.334.326	26 mm
04.334.328	28 mm
04.334.330	30 mm
04.334.332	32 mm
04.334.334	34 mm
04.334.336	36 mm
04.334.338	38 mm
04.334.340	40 mm
04.334.342	42 mm
04.334.344	44 mm
04.334.346	46 mm
04.334.348	48 mm
04.334.350	50 mm

4.0 mm Ti CSS+, ST

Part Number	Length
04.353.410	10 mm
04.353.412	12 mm
04.353.414	14 mm
04.353.416	16 mm
04.353.418	18 mm
04.353.420	20 mm
04.353.422	22 mm
04.353.424	24 mm
04.353.426	26 mm
04.353.428	28 mm
04.353.430	30 mm
04.353.432	32 mm
04.353.434	34 mm
04.353.436	36 mm
04.353.438	38 mm
04.353.440	40 mm
04.353.442	42 mm
04.353.444	44 mm
04.353.446	46 mm
04.353.448	48 mm
04.353.450	50 mm
04.353.452	52 mm
04.353.454	54 mm
04.353.456	56 mm
04.353.458	58 mm
04.353.460	60 mm

3.5 mm Ti CCHS - ST

Part Number	Length
04.333.314	14 mm
04.333.316	16 mm
04.333.318	18 mm
04.333.320	20 mm
04.333.322	22 mm
04.333.324	24 mm
04.333.326	26 mm
04.333.328	28 mm
04.333.330	30 mm
04.333.332	32 mm
04.333.334	34 mm
04.333.336	36 mm
04.333.338	38 mm
04.333.340	40 mm
04.333.342	42 mm
04.333.344	44 mm
04.333.346	46 mm
04.333.348	48 mm
04.333.350	50 mm

4.0 mm Ti CSS+, FT

Part Number	Length
04.355.410	10 mm
04.355.412	12 mm
04.355.414	14 mm
04.355.416	16 mm
04.355.418	18 mm
04.355.420	20 mm
04.355.422	22 mm
04.355.424	24 mm
04.355.426	26 mm
04.355.428	28 mm
04.355.430	30 mm
04.355.432	32 mm
04.355.434	34 mm
04.355.436	36 mm
04.355.438	38 mm
04.355.440	40 mm
04.355.442	42 mm
04.355.444	44 mm
04.355.446	46 mm
04.355.448	48 mm
04.355.450	50 mm
04.355.452	52 mm
04.355.454	54 mm
04.355.456	56 mm
04.355.458	58 mm
04.355.460	60 mm

4.0 mm Ti CCHS - LT

Part Number	Length
04.334.424	24 mm
04.334.426	26 mm
04.334.428	28 mm
04.334.430	30 mm
04.334.432	32 mm
04.334.434	34 mm
04.334.436	36 mm
04.334.438	38 mm
04.334.440	40 mm
04.334.442	42 mm
04.334.444	44 mm
04.334.446	46 mm
04.334.448	48 mm
04.334.450	50 mm
04.334.452	52 mm
04.334.454	54 mm
04.334.456	56 mm
04.334.458	58 mm
04.334.460	60 mm

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide , 1 Cann Screw

Construct code: CONTLLAPVGCS

Construct includes: 1 plate, up to 8 screws, 2 drill bits, 4 wires, 1 saw blade, 1 washer, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

Screws (select up to 8 screws from the following list)

4.0 mm Ti CCHS - ST

Part Number	Length
<input type="checkbox"/> 04.333.414	14 mm
<input type="checkbox"/> 04.333.416	16 mm
<input type="checkbox"/> 04.333.418	18 mm
<input type="checkbox"/> 04.333.420	20 mm
<input type="checkbox"/> 04.333.422	22 mm
<input type="checkbox"/> 04.333.424	24 mm
<input type="checkbox"/> 04.333.426	26 mm
<input type="checkbox"/> 04.333.428	28 mm
<input type="checkbox"/> 04.333.430	30 mm
<input type="checkbox"/> 04.333.432	32 mm
<input type="checkbox"/> 04.333.434	34 mm
<input type="checkbox"/> 04.333.436	36 mm
<input type="checkbox"/> 04.333.438	38 mm
<input type="checkbox"/> 04.333.440	40 mm
<input type="checkbox"/> 04.333.442	42 mm
<input type="checkbox"/> 04.333.444	44 mm
<input type="checkbox"/> 04.333.446	46 mm
<input type="checkbox"/> 04.333.448	48 mm
<input type="checkbox"/> 04.333.450	50 mm
<input type="checkbox"/> 04.333.452	52 mm
<input type="checkbox"/> 04.333.454	54 mm
<input type="checkbox"/> 04.333.456	56 mm
<input type="checkbox"/> 04.333.458	58 mm
<input type="checkbox"/> 04.333.460	60 mm

Compression wires (select up to 4 wires from the following list)

Compression wires

Part Number	Description
<input type="checkbox"/> 03.900.340	Wire Tack for Small Plates
<input type="checkbox"/> 03.900.342	1.6mm for Small Plates, Thread Length 10mm
<input type="checkbox"/> 03.900.343	1.6mm for Small Plates, Thread Length 15mm
<input type="checkbox"/> 03.900.344	1.6mm for Small Plates, Thread Length 20mm
<input type="checkbox"/> 03.900.345	1.6mm for Small Plates, Thread Length 25mm
<input type="checkbox"/> 03.900.346	1.6mm for Small Plates, Thread Length 30mm
<input type="checkbox"/> 03.333.012	1.4mm Threaded Guided Wire / 150mm Length
<input type="checkbox"/> 03.333.002	1.4mm Guide Wire - Trocar Tip / 150mm Length
<input type="checkbox"/> 7000-20K4	2.0mm K-Wire, 4 Inches, Sterile
<input type="checkbox"/> 7000-20K6	2.0mm K-Wire, 6 Inches, Sterile

Drill bit (select 2 drill bits from the following list)

Drill bit

Part Number	Description
<input type="checkbox"/> 03.900.332	2.0 mm Drill Bit for Standard Technique
<input type="checkbox"/> 03.900.334	2.7 mm Drill Bit for Standard Technique
<input type="checkbox"/> 03.900.335	3.5 mm Drill Bit for Lag Techniques
<input type="checkbox"/> 03.333.102	2.7 mm Cann Drill Bit / 145 mm Length

Saw blades (select 1 saw blade from the following list)

Saw blades

Part Number	Description
<input type="checkbox"/> 7000-40SB	40mm Sawblade - Stryker/Microair
<input type="checkbox"/> 7001-40SB	40mm Sawblade - Conmed/Hall

Washers (select 1 washer from the following list)

Washers

Part Number	Description
<input type="checkbox"/> 04.353.903S	Washer For 3.5 Cann Screw + -Ster
<input type="checkbox"/> 04.353.904S	Washer For 4.0 Cann Screw + -Ster

VIRTUGUIDE Pin (select 1 VIRTUGUIDE Pin from the following list)

VIRTUGUIDE Pin

Part Number	Description
<input type="checkbox"/> 7000-JRW4	Joint Seeking Pin

Inventory control form

PRO-PAK™ TriLEAP™ Lapidus, VirtuGuide , 1 Cann Screw

Construct code: CONTLLAPVGC5

Construct includes: 1 plate, up to 8 screws, 2 drill bits, 4 wires, 1 saw blade, 1 washer, VIRTUGUIDE™ Patient Matched Correction Kit and VIRTUGUIDE Joint Seeking Pin

VIRTUGUIDE Patient Match Instrument Kit (select 1 instrument kit from the following list)

Left Foot - 3D Pin Guide Sterile

Left Foot	Frontal Plane Angle										
	0	5	10	15	20	25	30	35	40	45	
Intermetatarsal Angle	5	TG00-500L	TG00-505L	TG00-510L	TG00-515L	TG00-520L	TG00-525L	TG00-530L	TG00-535L	TG00-540L	TG00-545L
	7.5	TG07-500L	TG07-505L	TG07-510L	TG07-515L	TG07-520L	TG07-525L	TG07-530L	TG07-535L	TG07-540L	TG07-545L
	10	TG01-000L	TG01-005L	TG01-010L	TG01-015L	TG01-020L	TG01-025L	TG01-030L	TG01-035L	TG01-040L	TG01-045L
	12.5	TG12-500L	TG12-505L	TG12-510L	TG12-515L	TG12-520L	TG12-525L	TG12-530L	TG12-535L	TG12-540L	TG12-545L
	15	TG01-500L	TG01-505L	TG01-510L	TG01-515L	TG01-520R	TG01-525L	TG01-530L	TG01-535L	TG01-540L	TG01-545L
	17.5	TG17-500L	TG17-505L	TG17-510L	TG17-515L	TG17-520L	TG17-525L	TG17-530L	TG17-535L	TG17-540L	TG17-545L
	20	TG02-000L	TG02-005L	TG02-010L	TG02-015L	TG02-020L	TG02-025L	TG02-030L	TG02-035L	TG02-040L	TG02-045L
	22.5	TG22-500L	TG22-505L	TG22-510L	TG22-515L	TG22-520L	TG22-525L	TG22-530L	TG22-535L	TG22-540L	TG22-545L
	25	TG02-500L	TG02-505L	TG02-510L	TG02-515L	TG02-520L	TG02-525L	TG02-530L	TG02-535L	TG02-540L	TG02-545L
	27.5	TG27-500L	TG27-505L	TG27-510L	TG27-515L	TG27-520L	TG27-525L	TG27-530L	TG27-535L	TG27-540L	TG27-545L
	30	TG03-000L	TG03-005L	TG03-010L	TG03-015L	TG03-020L	TG03-025L	TG03-030L	TG03-035L	TG03-040L	TG03-045L

Right Foot - 3D Pin Guide Sterile

Right Foot	Frontal Plane Angle										
	0	5	10	15	20	25	30	35	40	45	
Intermetatarsal Angle	5	TG00-500R	TG00-505R	TG00-510R	TG00-515R	TG00-520R	TG00-525R	TG00-530R	TG00-535R	TG00-540R	TG00-545R
	7.5	TG07-500R	TG07-505R	TG07-510R	TG07-515R	TG07-520R	TG07-525R	TG07-530R	TG07-535R	TG07-540R	TG07-545R
	10	TG01-000R	TG01-005R	TG01-010R	TG01-015R	TG01-020R	TG01-025R	TG01-030R	TG01-035R	TG01-040R	TG01-045R
	12.5	TG12-500R	TG12-505R	TG12-510R	TG12-515R	TG12-520R	TG12-525R	TG12-530R	TG12-535R	TG12-540R	TG12-545R
	15	TG01-500R	TG01-505R	TG01-510R	TG01-515R	TG01-520L	TG01-525R	TG01-530R	TG01-535R	TG01-540R	TG01-545R
	17.5	TG17-500R	TG17-505R	TG17-510R	TG17-515R	TG17-520R	TG17-525R	TG17-530R	TG17-535R	TG17-540R	TG17-545R
	20	TG02-000R	TG02-005R	TG02-010R	TG02-015R	TG02-020R	TG02-025R	TG02-030R	TG02-035R	TG02-040R	TG02-045R
	22.5	TG22-500R	TG22-505R	TG22-510R	TG22-515R	TG22-520R	TG22-525R	TG22-530R	TG22-535R	TG22-540R	TG22-545R
	25	TG02-500R	TG02-505R	TG02-510R	TG02-515R	TG02-520R	TG02-525R	TG02-530R	TG02-535R	TG02-540R	TG02-545R
	27.5	TG27-500R	TG27-505R	TG27-510R	TG27-515R	TG27-520R	TG27-525R	TG27-530R	TG27-535R	TG27-540R	TG27-545R
	30	TG03-000R	TG03-005R	TG03-010R	TG03-015R	TG03-020R	TG03-025R	TG03-030R	TG03-035R	TG03-040R	TG03-045R