

Inventory Control Form

FRN-ADVANCED™ – Greater Trochanter Femoral Recon Nailing System

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 800-668-1119

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

FRN-ADVANCED™ Femoral Recon Nail System, Greater Trochanter, 9 mm distal diameter, sterile

Right Part #	Left Part #	Length (mm)
<input type="checkbox"/> 04.033.958S	<input type="checkbox"/> 04.033.959S	280
<input type="checkbox"/> 04.033.960S	<input type="checkbox"/> 04.033.961S	300
<input type="checkbox"/> 04.033.962S	<input type="checkbox"/> 04.033.963S	320
<input type="checkbox"/> 04.033.964S	<input type="checkbox"/> 04.033.965S	340
<input type="checkbox"/> 04.033.966S	<input type="checkbox"/> 04.033.967S	360
<input type="checkbox"/> 04.033.968S	<input type="checkbox"/> 04.033.969S	380
<input type="checkbox"/> 04.033.970S	<input type="checkbox"/> 04.033.971S	400
<input type="checkbox"/> 04.033.972S	<input type="checkbox"/> 04.033.973S	420
<input type="checkbox"/> 04.033.974S	<input type="checkbox"/> 04.033.975S	440
<input type="checkbox"/> 04.033.976S	<input type="checkbox"/> 04.033.977S	460
<input type="checkbox"/> 04.033.978S	<input type="checkbox"/> 04.033.979S	480



FRN-ADVANCED™ Femoral Recon Nail System, Greater Trochanter, 10 mm distal diameter, sterile

Right Part #	Left Part #	Length (mm)
<input type="checkbox"/> 04.033.058S	<input type="checkbox"/> 04.033.059S	280
<input type="checkbox"/> 04.033.060S	<input type="checkbox"/> 04.033.061S	300
<input type="checkbox"/> 04.033.062S	<input type="checkbox"/> 04.033.063S	320
<input type="checkbox"/> 04.033.064S	<input type="checkbox"/> 04.033.065S	340
<input type="checkbox"/> 04.033.066S	<input type="checkbox"/> 04.033.067S	360
<input type="checkbox"/> 04.033.068S	<input type="checkbox"/> 04.033.069S	380
<input type="checkbox"/> 04.033.070S	<input type="checkbox"/> 04.033.071S	400
<input type="checkbox"/> 04.033.072S	<input type="checkbox"/> 04.033.073S	420
<input type="checkbox"/> 04.033.074S	<input type="checkbox"/> 04.033.075S	440
<input type="checkbox"/> 04.033.076S	<input type="checkbox"/> 04.033.077S	460
<input type="checkbox"/> 04.033.078S	<input type="checkbox"/> 04.033.079S	480



FRN-ADVANCED™ Femoral Recon Nail System, Greater Trochanter, 11 mm distal diameter, sterile

Right Part #	Left Part #	Length (mm)
<input type="checkbox"/> 04.033.160S	<input type="checkbox"/> 04.033.161S	300
<input type="checkbox"/> 04.033.162S	<input type="checkbox"/> 04.033.163S	320
<input type="checkbox"/> 04.033.164S	<input type="checkbox"/> 04.033.165S	340
<input type="checkbox"/> 04.033.166S	<input type="checkbox"/> 04.033.167S	360
<input type="checkbox"/> 04.033.168S	<input type="checkbox"/> 04.033.169S	380
<input type="checkbox"/> 04.033.170S	<input type="checkbox"/> 04.033.171S	400
<input type="checkbox"/> 04.033.172S	<input type="checkbox"/> 04.033.173S	420
<input type="checkbox"/> 04.033.174S	<input type="checkbox"/> 04.033.175S	440
<input type="checkbox"/> 04.033.176S	<input type="checkbox"/> 04.033.177S	460
<input type="checkbox"/> 04.033.178S	<input type="checkbox"/> 04.033.179S	480



FRN-ADVANCED™ Femoral Recon Nail System, Greater Trochanter, 12 mm distal diameter, sterile

Right Part #	Left Part #	Length (mm)
<input type="checkbox"/> 04.033.260S	<input type="checkbox"/> 04.033.261S	300
<input type="checkbox"/> 04.033.262S	<input type="checkbox"/> 04.033.263S	320
<input type="checkbox"/> 04.033.264S	<input type="checkbox"/> 04.033.265S	340
<input type="checkbox"/> 04.033.266S	<input type="checkbox"/> 04.033.267S	360
<input type="checkbox"/> 04.033.268S	<input type="checkbox"/> 04.033.269S	380
<input type="checkbox"/> 04.033.270S	<input type="checkbox"/> 04.033.271S	400
<input type="checkbox"/> 04.033.272S	<input type="checkbox"/> 04.033.273S	420
<input type="checkbox"/> 04.033.274S	<input type="checkbox"/> 04.033.275S	440
<input type="checkbox"/> 04.033.276S	<input type="checkbox"/> 04.033.277S	460
<input type="checkbox"/> 04.033.278S	<input type="checkbox"/> 04.033.279S	480



⁹Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Inventory Control Form

FRN-ADVANCED™ – Greater Trochanter

Femoral Recon Nailing System

Implants (continued)

° Available non sterile and sterile packed. Add "S" to catalog number to order sterile product.
TS suffix indicates that implant is available in Sterile Tubes.

FRN-ADVANCED™ Femoral Recon Nail System, Greater Trochanter, 14 mm distal diameter, sterile

Right Part #	Left Part #	Length (mm)
<input type="checkbox"/> 04.033.460S	<input type="checkbox"/> 04.033.461S	300
<input type="checkbox"/> 04.033.462S	<input type="checkbox"/> 04.033.463S	320
<input type="checkbox"/> 04.033.464S	<input type="checkbox"/> 04.033.465S	340
<input type="checkbox"/> 04.033.466S	<input type="checkbox"/> 04.033.467S	360
<input type="checkbox"/> 04.033.468S	<input type="checkbox"/> 04.033.469S	380
<input type="checkbox"/> 04.033.470S	<input type="checkbox"/> 04.033.471S	400
<input type="checkbox"/> 04.033.472S	<input type="checkbox"/> 04.033.473S	420
<input type="checkbox"/> 04.033.474S	<input type="checkbox"/> 04.033.475S	440
<input type="checkbox"/> 04.033.476S	<input type="checkbox"/> 04.033.477S	460
<input type="checkbox"/> 04.033.478S	<input type="checkbox"/> 04.033.479S	480



Ø 6.5 mm Recon Screw for IM nail, sterile tube XL40 Recess with threaded retention

Part #	Length (mm)
<input type="checkbox"/> 04.046.660S	60
<input type="checkbox"/> 04.046.665S	65
<input type="checkbox"/> 04.046.670S	70
<input type="checkbox"/> 04.046.675S	75
<input type="checkbox"/> 04.046.680S	80
<input type="checkbox"/> 04.046.685S	85
<input type="checkbox"/> 04.046.690S	90
<input type="checkbox"/> 04.046.695S	95
<input type="checkbox"/> 04.046.700S	100
<input type="checkbox"/> 04.046.705S	105
<input type="checkbox"/> 04.046.710S	110
<input type="checkbox"/> 04.046.715S	115
<input type="checkbox"/> 04.046.720S	120
<input type="checkbox"/> 04.046.725S	125
<input type="checkbox"/> 04.046.730S	130



Ø 6.5 mm TAN Locking Screws with T25 STARDRIVE Recess, for IM Nails°

Part #	Length (mm)
<input type="checkbox"/> 04.003.022	60
<input type="checkbox"/> 04.003.023	65
<input type="checkbox"/> 04.003.024	70
<input type="checkbox"/> 04.003.025	75
<input type="checkbox"/> 04.003.026	80
<input type="checkbox"/> 04.003.027	85
<input type="checkbox"/> 04.003.028	90
<input type="checkbox"/> 04.003.029	95
<input type="checkbox"/> 04.003.030	100
<input type="checkbox"/> 04.003.031	105
<input type="checkbox"/> 04.003.032	110
<input type="checkbox"/> 04.003.033	115
<input type="checkbox"/> 04.003.034	120
<input type="checkbox"/> 04.003.035	125
<input type="checkbox"/> 04.003.036	130



Locking Screw for Medullary Nails, Ø 5 mm, sterile tube, Titanium alloy, XL25 Recess with threaded retention°

Part #	Length (mm)	Part #	Length (mm)
<input type="checkbox"/> 04.045.026TS	26	<input type="checkbox"/> 04.045.068TS	68
<input type="checkbox"/> 04.045.028TS	28	<input type="checkbox"/> 04.045.070TS	70
<input type="checkbox"/> 04.045.032TS	30	<input type="checkbox"/> 04.045.072TS	72
<input type="checkbox"/> 04.045.032TS	32	<input type="checkbox"/> 04.045.074TS	74
<input type="checkbox"/> 04.045.034TS	34	<input type="checkbox"/> 04.045.076TS	76
<input type="checkbox"/> 04.045.036TS	36	<input type="checkbox"/> 04.045.078TS	78
<input type="checkbox"/> 04.045.038TS	38	<input type="checkbox"/> 04.045.080TS	80
<input type="checkbox"/> 04.045.040TS	40	<input type="checkbox"/> 04.045.082TS	82
<input type="checkbox"/> 04.045.042TS	42	<input type="checkbox"/> 04.045.084TS	84
<input type="checkbox"/> 04.045.044TS	44	<input type="checkbox"/> 04.045.086TS	86
<input type="checkbox"/> 04.045.046TS	46	<input type="checkbox"/> 04.045.088TS	88
<input type="checkbox"/> 04.045.048TS	48	<input type="checkbox"/> 04.045.090TS	90
<input type="checkbox"/> 04.045.050TS	50	<input type="checkbox"/> 04.045.095TS	95
<input type="checkbox"/> 04.045.052TS	52	<input type="checkbox"/> 04.045.100TS	100
<input type="checkbox"/> 04.045.054TS	54	<input type="checkbox"/> 04.045.105TS	105
<input type="checkbox"/> 04.045.056TS	56	<input type="checkbox"/> 04.045.110TS	110
<input type="checkbox"/> 04.045.058TS	58	<input type="checkbox"/> 04.045.115TS	115
<input type="checkbox"/> 04.045.060TS	60	<input type="checkbox"/> 04.045.120TS	120
<input type="checkbox"/> 04.045.062TS	62		
<input type="checkbox"/> 04.045.064TS	64		
<input type="checkbox"/> 04.045.066TS	66		



Locking Screw for Medullary Nails, Ø 5 mm, low-profile, sterile tube, Titanium alloy, XL25 Recess with threaded retention°

Part #	Length (mm)	Part #	Length (mm)
<input type="checkbox"/> 04.045.326TS	26	<input type="checkbox"/> 04.045.368TS	68
<input type="checkbox"/> 04.045.328TS	28	<input type="checkbox"/> 04.045.370TS	70
<input type="checkbox"/> 04.045.330TS	30	<input type="checkbox"/> 04.045.372TS	72
<input type="checkbox"/> 04.045.332TS	32	<input type="checkbox"/> 04.045.374TS	74
<input type="checkbox"/> 04.045.334TS	34	<input type="checkbox"/> 04.045.376TS	76
<input type="checkbox"/> 04.045.336TS	36	<input type="checkbox"/> 04.045.378TS	78
<input type="checkbox"/> 04.045.338TS	38	<input type="checkbox"/> 04.045.380TS	80
<input type="checkbox"/> 04.045.340TS	40	<input type="checkbox"/> 04.045.382TS	82
<input type="checkbox"/> 04.045.342TS	42	<input type="checkbox"/> 04.045.384TS	84
<input type="checkbox"/> 04.045.344TS	44	<input type="checkbox"/> 04.045.386TS	86
<input type="checkbox"/> 04.045.346TS	46	<input type="checkbox"/> 04.045.388TS	88
<input type="checkbox"/> 04.045.348TS	48	<input type="checkbox"/> 04.045.390TS	90
<input type="checkbox"/> 04.045.350TS	50	<input type="checkbox"/> 04.045.395TS	95
<input type="checkbox"/> 04.045.352TS	52	<input type="checkbox"/> 04.045.400TS	100
<input type="checkbox"/> 04.045.354TS	54	<input type="checkbox"/> 04.045.405TS	105
<input type="checkbox"/> 04.045.356TS	56	<input type="checkbox"/> 04.045.410TS	110
<input type="checkbox"/> 04.045.358TS	58	<input type="checkbox"/> 04.045.415TS	115
<input type="checkbox"/> 04.045.360TS	60	<input type="checkbox"/> 04.045.420TS	120
<input type="checkbox"/> 04.045.362TS	62		
<input type="checkbox"/> 04.045.364TS	64		
<input type="checkbox"/> 04.045.366TS	66		



° Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.
ANS-US-FRNAGTICF-V2Rebrand

Inventory Control Form

FRN-ADVANCED™ – Greater Trochanter Femoral Recon Nailing System

Implants (continued)

° Available non sterile and sterile packed. Add "S" to catalog number to order sterile product.
TS suffix indicates that implant is available in Sterile Tubes.

Ø 5.0 mm TAN Locking Screws with T25 STARDRIVE Recess, for IM Nails°

Part #	Length (mm)
<input type="checkbox"/> 04.005.516	26
<input type="checkbox"/> 04.005.518	28
<input type="checkbox"/> 04.005.520	30
<input type="checkbox"/> 04.005.522	32
<input type="checkbox"/> 04.005.524	34
<input type="checkbox"/> 04.005.526	36
<input type="checkbox"/> 04.005.528	38
<input type="checkbox"/> 04.005.530	40
<input type="checkbox"/> 04.005.532	42
<input type="checkbox"/> 04.005.534	44
<input type="checkbox"/> 04.005.536	46
<input type="checkbox"/> 04.005.538	48
<input type="checkbox"/> 04.005.540	50
<input type="checkbox"/> 04.005.542	52
<input type="checkbox"/> 04.005.544	54
<input type="checkbox"/> 04.005.546	56
<input type="checkbox"/> 04.005.548	58
<input type="checkbox"/> 04.005.550	60
<input type="checkbox"/> 04.005.552	62
<input type="checkbox"/> 04.005.554	64
<input type="checkbox"/> 04.005.556	66
<input type="checkbox"/> 04.005.558	68
<input type="checkbox"/> 04.005.560	70
<input type="checkbox"/> 04.005.562	72
<input type="checkbox"/> 04.005.564	74
<input type="checkbox"/> 04.005.566	76
<input type="checkbox"/> 04.005.568	78
<input type="checkbox"/> 04.005.570	80
<input type="checkbox"/> 04.005.575	85
<input type="checkbox"/> 04.005.580	90
<input type="checkbox"/> 04.005.585	95
<input type="checkbox"/> 04.005.590	100



Titanium End Caps for IM Nails XL40 recess with threaded retention

12 mm	Extensions (mm)
<input type="checkbox"/> 04.045.800S	0
<input type="checkbox"/> 04.045.805S	5
<input type="checkbox"/> 04.045.810S	10
<input type="checkbox"/> 04.045.815S	15
<input type="checkbox"/> 04.045.820S	20



TAN End Caps, with T40 STARDRIVE recess, for IM Nails°

12 mm	Extensions (mm)
<input type="checkbox"/> 04.003.000	0
<input type="checkbox"/> 04.003.001	5
<input type="checkbox"/> 04.003.002	10
<input type="checkbox"/> 04.003.003	15
<input type="checkbox"/> 04.003.004	20



Titanium Nuts and Washers for Locking Screws

Part #	Description
<input type="checkbox"/> 04.045.780S	Washer for Screw
<input type="checkbox"/> 04.045.781S	Nut
<input type="checkbox"/> 04.045.782S	Washer for Nut



°Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Inventory Control Form

FRN-ADVANCED™ – Greater Trochanter

Femoral Recon Nailing System

Instruments

◊ Available non sterile and sterile packed. Add "S" to catalog number to order sterile product.

Drill Bits◊ and Screwdriver Shaft

Part #	Description
<input type="checkbox"/> 03.033.004◊	14 mm Cannulated Drill Bit Flexible
<input type="checkbox"/> 03.033.005◊	14 mm Cannulated Drill Bit
<input type="checkbox"/> 03.010.061◊	4.2 mm, 330 mm, calibrated

Part #	Description
<input type="checkbox"/> 03.010.101◊	4.2 mm Three-Fluted Radiolucent Drill Bit QC/Needle Point/145 mm
<input type="checkbox"/> 03.010.104◊	4.2 mm Three-Fluted Drill Bit QC/Needle Point/145 mm
<input type="checkbox"/> 03.010.078	4.5/6.5 mm Stepped Drill Bit, Large Quick Coupling, 485 mm
<input type="checkbox"/> 03.045.022◊	4.2 mm Drill Bit, calibrated, 120 mm

Reaming and Guide Rods

Part #	Description	Part #	Description
<input type="checkbox"/> 351.704S	2.5 mm Reaming Rod with ball tip and extension, 1150 sterile	<input type="checkbox"/> 03.233.010S	3.0 mm Reaming Rod with 3.8 mm Ball Tip, 950 mm, sterile
<input type="checkbox"/> 351.706S	2.5 mm Reaming Rod with ball tip, 950 sterile	<input type="checkbox"/> 03.233.011S	3.0 mm Reaming Rod with 3.8 mm Ball Tip, 1150 mm, sterile
<input type="checkbox"/> 351.707S	2.5 mm Reaming Rod with ball tip and extension, 950 sterile		
<input type="checkbox"/> 351.708S	2.5 mm Reaming Rod with ball tip and extension, 1150 sterile		
<input type="checkbox"/> 355.041◊	3.0 mm Guide Rod, 950 mm, with smooth tip		

Guide Wires

Part #	Description
<input type="checkbox"/> 357.399	3.2 mm Guide Wire 400 mm
<input type="checkbox"/> 03.045.018◊	3.2 mm Guide Wire with Drill Tip

◊ Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.